

January 31, 2020



File No: LP01349

David Putnaerglis 101-12 Pintail Place Whitehorse. YT Y1A 0J7

Dear Sir/Madam:

Re: Class 3 Placer Land Use Approval

Your application for a Class 3 approval has been approved and is subject to the attached conditions. The effective date of this approval will be January 31, 2020. All work, including restoration, must be completed by January 30, 2025, and inspected before full security and/or completion certificates can be applied for.

The attached 'Operational Guidelines' offer additional mitigations that would enable you to enhance the environmental performance of your program, but are not approval conditions.

Please feel free to contact our office at 867-993-5343 should you have any questions.

Regards,

Bobbie Milnes

Chief of Placer Land Use

cc: EMR Natural Resources Officer, Compliance Monitoring and Inspections

ENV Environmental Affairs, Environmental Protection Branch



MINING LANDS

MINERAL RESOURCES BRANCH GOVERNMENT OF YUKON

Pursuant to the Placer Mining Act and the Placer Mining Land Use Regulation, the Chief, Placer Land Use hereby grants a Class 3 approval to:

David Putnaerglis 101-12 Pintail Place Whitehorse Y1A 0J7

APPROVAL NUMBER:

LP01349

PROPERTY NAME:

Bonanza Creek

UNDERTAKING:

Placer

CLASS:

Class 3 Approval

EFFECTIVE DATE:

January 31, 2020

EXPIRY DATE:

January 30, 2025 or until a Class 4 approval is

issued, whichever occurs first

This approval shall be subject to the restrictions and conditions contained herein and to the restrictions and conditions contained in the Placer Mining Act and the Placer Mining Land Use Regulation made thereunder as proposed in Mining Land Use Application.

Dated this January 31, 2020

Bobbie Milnes

Chief of Placer Land Use


SCOPE OF APP	PROVAL:		BI LEVEL B	12 22	DE LLOR	
Claim Status Rep	ort (Appendix A)					
Operating Season	n April 1st	- November 1 st				
PROJECT ACTI	VITIES (ON-GLAI	M):		1000	150,000	
USE OF VEHIC	LES/EQUIPMENT			19 19		
Use of vehicles o	n existing roads or	trails				o No ● Yes
Gross vehicle we	ight			le	oads: ess than 0 t	On-trails: less than 20 t
Off-road use of v	ehicles in summer					o No ● Yes
Off-road use of v	ehicles in winter					● No ∘ Yes
NEW & EXISTIN	NG ACCESS					
Upgrading of exi	sting access		o No ● Y	110	yth: 0.2 m	Width: 5 m
New roads			• No oY	es Leng	th: 0 km	Width: 0 m
New trails			∘ No • Y	es Leng	gth: 1 km	Width: 3 m
Other new access	s:					Thursday To
LINES & CORRI	DORS					
Lines			• No o Y	es Leng	yth: 0 km	Width: 0 m
Corridors			○ No • Y	es Leng	gth: 500m	Width: 3 m
SITE PREPARA	TION					18412 183
Area stripped per	r claim per year		Area: 10 (000 m² or	Area: 1 ha	
Ditching and Dra	ins		• No • Y	es	Volun	ne: 0 m³
Height of Overbu	ırden Piles		Height: 4	m	energy as	450 Section 10
SETTLING PON	DS					REPORT
Number: 2			Length: 4	0 m	Wid	th: 40 m
EXPLORATION	TRENCHING					
Hand-dug				12.74		• No o Yes
Mechanized						o No ● Yes
Length: 10 m	Number: 4	Width: 1 m	Depth: 5 m	1	Total vol	ume: 200 m³
Explosives	ment and several	● No ∘ Yes	Total amou	unt: 0 kg	Max. in 3	30 days: 0 kg
EXPLORATION	DRILLING					
T	/PE	NUMBER O	F HOLES		TOTAL DE	EPTH (m)
Aı	uger	40	PART STATE		40	0

FUEL STORAGE				
FUEL TYPE		RAGE TYPE & APACITY	TOTAL VO	LUME
Diesel	1 10 102		1 000	L
Gasoline			100 L	11 = 77
Propane			300 L	
FACILITIES & STRUCTURES				
Camp structures: trailers and tents		14.500010.000010.000010.0000		
Number of persons in camp at any	one time: 4	Number of persor	n days: 600	
Construction of underground struc	tures	1		• No o Yes
Amount per year: 0		Amount per prog	ram: 0	

All other applicable legislation, regulations, laws, by-laws and ordinances must be complied with. Additional authorizations or approvals may be required. Any doubt as to whether an additional authorization or approval is required should be verified by a duly authorized official at the appropriate government body or bodies.

Project Activities:

- Water use: maximum 300 m3/day, with up to 100% recycling (sourced from nearby dredge ponds and Bonanza Creek)
- Mechanical Stripping: 50 000 m2/year
- Auger drilling: 40 drill holes total (400 m)
- Trenching: four trenches (10 m x 1 m x 5 m), total volume of material 200 m3
- Construction and use of:
 - Out-of-stream settling facilities
- Fuel storage:
 - o Diesel: 1 000 L
 - o Gasoline: 100 L
 - o Propane: 300 L
- Access development:
 - New trails: 1 km (on-claim)
 - Road upgrades: 200 meters (off-claim)
 - o Off-road and trail vehicle/equipment use (linear development): 1 km (on-claim)
- Use of one camp for up to 4 people, to include trailers and tents
- Construction of pit privies and approved greywater treatment pit
- Waste management: taken to an approved government waste facility
- Timber cutting and use
- Heavy equipment use
- Progressive and final reclamation



Definitions

- "Act" means the Placer Mining Act, SY 2003, c.13; SY 2013, c.18;
- "Operator" means a person who is engaging in an operation;
- "Chief" means Chief of Placer Land Use, pursuant to the Act.
- "Effective date" means the date this Approval comes into force as evidence by the date of the signature of the Chief;
- "Site" means the area bounded by the sum of the mineral claims described above under 'Scope of Approval';
- "Inspector" means an inspector designated pursuant to the Act;
- "Corridor" means a path from which trees and brush have been cut to accommodate a trail, waterline, fuel line or power line.
- "Access road" means a road that provides access to a public highway or to a private road "Isolated road" means a road that does not provide access to a public highway directly or through a private road.
- "Road" means a pathway for vehicular traffic the construction of which requires the movement of rock or earth.
- "Stripping" means excavation, undertaken as part of an operation, that is limited to the removal of trees, brush and the vegetative mat.
- "Trail" means an access to a site within a claim or lease that is constructed with little or no movement of rock or earth.
- "Upgrading", in relation to road, means re-establishing a road that has not been useable for more than five years by vehicles of a type the road was originally designed to serve, modifying a road to provide usability for vehicles that are of a different type than those the road was originally designed to serve and any other upgrading or modifying of a road, other than for maintenance or erosion control.

PART ONE - GENERAL REQUIREMENTS

Duration of Approval

- 1.0 This approval is valid upon signature of the Chief until the expiry date or until a Class 4 approval is issued. In the event that mineral titles lapse, or that agreements to operate on mineral titles are dissolved, the Approval becomes null and void for that portion of the operating plan, where there is no right to the minerals.
- 1.1 Only the work identified in the prospecting lease "Work Program and Additional Information" form, approved by the Mining Recorder, can be carried out until such time as the prospecting lease is staked to claims.
- 1.2 All outstanding reclamation continues to be the responsibility of the operator.

Compliance with Operating Conditions

1.3 All operating activities must comply with the Operating Conditions contained in Schedule 1 of the Placer Mining Land Use Regulation. These Operating Conditions are enforceable.

PART TWO - REPORTING REQUIREMENTS

Contact Numbers/Planning and Communication

2.0 Submissions and reports to the Chief should be made in duplicate to the following addresses:

Chief of Placer Land Use

Mining Lands Officer

Box 2703, K-9

Box 249

Whitehorse, YT Y1A 2C6

Dawson City, YT Y0B 1G0 dawson.mining@gov.yk.ca

2.1 The contact for the operator will be:

David Putnaerglis 101-12 Pintail Place Whitehorse, YT Y1A 0J7 dputnaerglis@hotmail.com

- 2.2 All spills must be reported immediately to the 24-Hour Yukon Spill Reporting Line (867) 667-7244 and to the Klondike Mining Inspections Office (Compliance, Monitoring and Inspections) at (867) 993-7300.
- 2.3 An operator who takes an emergency remedial measure shall, as soon as possible but not later than 10 days after taking it, send a written report to the Chief describing the duration, nature and extent of the emergency and the measures taken to respond to it.
- 2.4 The operator shall contact the Klondike Mining Inspections Office (Compliance, Monitoring and Inspections) at (867) 993-7300 at least 14 days prior to commencing the field season.

2.5 The operator shall contact the Klondike Mining Inspections Office (Compliance, Monitoring and Inspections) at (867) 993-7300 at least 14 days prior to leaving the site at the end of the operation.

Heritage

- 2.6 All palaeontological resources uncovered during operations shall be reported to the Yukon Palaeontology Program, Government of Yukon in Whitehorse at (867) 667-8089 or (867) 667-5386.
- 2.7 All archaeological resources uncovered during operations shall be reported to the Yukon Archaeology Program, Government of Yukon in Whitehorse at (867) 667-3771 or (867) 667-5386.

Wildlife

2.8 All incidents with wildlife shall be reported to the District Conservation Officer in Dawson (Northern Region) at (867) 993-5492, as well as any other communication regarding wildlife.

PART THREE - TERMS AND CONDITIONS

Erosion Control and Permafrost

- 3.0 The operator shall insulate the ground surface beneath all temporary structures and temporary facilities used in the project where permafrost is present to:
 - a) Prevent any vegetation from being removed, and
 - b) Prevent the ground from settling or eroding

Historic Objects and Burial Grounds

3.1 Upon discovery of a heritage resource, the operator shall notify the affected First Nation's Heritage Department and the Government of Yukon, Chief of Mining Lands and Tourism-Heritage branch.

Disposal of Wastes/Cleanliness

- 3.2 The operator shall keep all garbage, including kitchen waste, in a container that prevents access by bears and other wildlife, until properly disposed of in accordance with the Solid Waste Regulations.
- 3.3 When burning kitchen waste on site it must be burned regularly to reduce odours that might attract wildlife and be burned to ash by forced air or fuel fired incineration.
- 3.4 The operator shall store all attractants, including garbage, kitchen waste and strained solids from grey water in a container that prevents access by bears and other wildlife, until properly disposed of according to the Solid Waste Regulation or burned daily to ash by forced air and fuel fired incineration according to the Air Emissions Regulations.

Fuel and Chemical Storage and Handling

- 3.5 All fuel cache(s) must be protected with an earthen berm or suitable barrier and flagged to prevent spills resulting from accidental contact with heavy equipment. Flags should be visible above the snow pack.
- 3.6 The operator shall clearly identify the owner, the contents and the date on fuel drums to establish and manage ownership and responsibility.

Spills and Spill Contingency Plans

- 3.7 All fuel spill equipment and materials must be maintained in a state of readiness sufficient at all times to contain and clean-up any hazardous materials spills.
- 3.8 The location of any spills shall be clearly marked until cleanup has taken place. Location markings shall not be removed until directed in writing by an Inspector.

Trenching

- 3.9 Open trenches shall be sloped at one end to avoid entrapment of wildlife.
- 3.10 The operator must ensure that all employees and contractors working at the trench sites are aware of the operating conditions for trenching.

Drilling

3.11 The operator must ensure that all employees and contractors working at the drill sites are aware of the operating conditions for drilling.

Wildlife

- 3.12 Drilling holes shall be decommissioned and backfilled or plugged to avoid wildlife entrapment, and trenches and settling ponds shall integrate design features to allow wildlife escape.
- 3.13 The operator shall install a portable electric fence around the perimeter of the camp, the grey water sump, kitchen, and food preparation, and waste storage areas.
- 3.14 If active bird nests are discovered, project activities shall be postponed in the nesting area until nesting is completed.

Security

3.15 Security may be required at any time by the Chief.

Reclamation

3.16 Reclamation and/or decommissioning shall be progressive in nature where possible and will occur prior to the expiry of the exploration program or prior to the expiry of this approval,

- whichever comes first, according to standards outlined in the operating conditions, unless otherwise specified by the Chief.
- 3.17 Debris, equipment, fuel barrels, scrap metal and other waste at the work site shall be completely disposed of, so as not to attract wildlife, by removal to an authorized disposal site at the cessation of the exploration program or prior to the expiry of the approval, whichever comes first.

PART FOUR - FINAL DECOMISSIONING

- 4.0 All petroleum products and any other hazardous substance must be removed from the site when the operation ceases.
- 4.1 All waste petroleum products and any other special waste, as defined in the Special Waste Regulations, generated in the course of carrying out the operation must be disposed of in accordance with the Special Waste Regulations when the program ceases or prior to the expiry of this approval, whichever comes first.
- 4.2 Debris, equipment, fuel barrels, scrap metal and other waste at the work site shall be completely disposed of, so as not to attract wildlife, by removal to an authorized disposal site as often as is practicable throughout the mining season and completely at the cessation of the operation or prior to the expiry of this approval, whichever comes first.
- 4.3 Structures must be removed and the site restored at the end of the exploration program or prior to the expiry of this approval, whichever comes first, to a level of utility comparable to its previous level of utility.
- 4.4 Final reclamation will occur prior to the expiry of the exploration program or prior to the expiry of this approval, whichever comes first, according to standards outlined in the operating conditions for re-establishment of vegetative mat and erosion control.

PART FIVE - OTHER MATTERS

Applicable Laws

- 5.0 All other applicable legislation, regulations, laws, by-laws and ordinances must be complied with. Additional authorizations or approvals may be required. Any doubt as to whether an additional authorization or approval is required should be verified by a duly authorized official at the appropriate government body or bodies.
- 5.1 Notice of Schedule III must be provided to the Yukon Water Board ten (10) days prior to use of water.



Claim Status Report

20 September 2019

Claim Name and Nbn	Grant No.	Expiry Date Registered Owner	% Owned E	Owned Excess NTS #'s	Grouping	Permit	
R Cowpoke	P 45406	2020/10/26 Trem Duncan	100.00	00.00 4 115O14i		C1P00481	
R Fortuna 2 - 3	P 39939 - P 39940	2020/10/26 Trem Duncan	100.00	3 116B03c		C1P00483	
P Isak	P 521721	2020/08/13 David Putnaerglis	100.00	0 116B03c		C1P00513	
R MW	P 40645	2020/10/26 Trem Duncan	100.00	4 115014i		C1P00481	
P Nancy	P 521390	2020/06/17 David Putnaerglis	100.00	0 116B03c			

Criteria(s) used for search:

CLAIM DISTRICT: 1000002 CLAIM STATUS: ACTIVE & PENDING GRANT NUMBER (FROM): P 39939, P 39940, P 40645, P 45406, P 521390, P 521721 REGULATION TYPE: PLACER Total claims selected: 6

D - Indicates Placer Discovery

Right column indicator legend:

R - Indicates the claim is on one or more pending renewal(s).

Left column indicator legend:

P - Indicates the claim is pending.

C - Indicates Placer Codiscovery B - Indicates Placer Fraction L - Indicates the Quartz Lease.

F - Indicates Full Quartz fraction (25+ acres)
P - Indicates Partial Quartz fraction (<25 acres)

Page 1 of 1

APPENDIX B

Placer Mining Land Use Regulation

Schedule 1 Operating Conditions

A Removal of the vegetative mat

If the vegetative mat must be removed to carry out an operation, it must be removed so as
to protect the seed and root stock contained within the mat and be stored separately from
any overburden or bedrock removed for use in re-establishing the vegetative mat when the
operation ceases.

B Re-establishment of the vegetative mat

- 2. (1) All vegetated areas disturbed by operation activities, including fuel and waste storage areas, clearings, corridors, camps and supporting infrastructure, and trenches and drill sites, must be left in a condition conducive to re-vegetation by native plant species or other species adaptable to the local environment to encourage revegetation comparable to similar, naturally occurring, environments in the area.
 - (2) Conditions conducive to re-vegetation include provision of an adequate soil layer with moisture retaining ability, no soil contamination by hydrocarbons or other hazardous substances, provision of adequate seed or root stock and contoured or otherwise stable slopes.
- If adequate seed stock or root stock is not naturally available, re-seeding or transplanting of vegetation is required. Only non-invasive species may be used for reseeding or transplanting.

C Erosion control and permafrost

- 4. All areas disturbed during an operation must be resloped, contoured or otherwise stabilized to prevent longterm soil erosion, slumping and subsidence.
- 5. All operations must be carried out to avoid or minimize damage to and loss of permafrost.

D Trenching

- Trenching carried out by hand or using hand-held tools must be methodical. All trenches must be stabilized and marked to minimize risk to the public.
- Trenches constructed with mechanized equipment must be backfilled by first depositing
 any removed overburden and bedrock and then replacing the vegetative mat that was
 removed to construct the trench.

E Historic objects and burial grounds

- Operations must not be carried out within 30m of a known archaeological or
 palaeontological site unless the Chief indicates, in writing, that such activities may be
 carried out.
- 9. Any sites containing archaeological objects, palaeontological objects or human remains or burial sites discovered in the course of carrying out an operation must be immediately marked and protected from further disturbance and, as soon as practicable, the discovery reported to the Chief. No further activities may be carried out within 30m of the site until the Chief indicates, in writing, that the activities may be resumed.

F Solid waste

- 10. All solid waste, including debris, equipment, barrels, drums, and scrap metal, must be safely stored on the operation site while the operation is carried out and must be disposed of in accordance with the Solid Waste Regulation when the operation ceases.
- 11. Camps must be kept clean and tidy.

G Petroleum fuel and hazardous substances

- 12. If petroleum fuel storage capacity exceeds 4000L, a secondary containment structure must be constructed. The containment structure must be made of a material impervious to petroleum products and:
 - (a) if there is a single storage tank, be of sufficient size to accommodate at least 110% of the capacity of the storage tank; or
 - (b) if there is more than one storage tank, be of sufficient size to accommodate 110% of the capacity of the largest storage tank or 10% of the total capacity of all of the tanks, whichever is greater.
- 13. All petroleum products, including waste petroleum products, and any other hazardous substances must be stored in a secure fashion no less than 30m from the ordinary high water mark of any water body.
- 14. All petroleum products, including waste petroleum products, and any other hazardous substances, must be transferred and handled without spillage.
- 15. All petroleum products and any other hazardous substances must be removed from the site of the operation when the operation ceases.
- 16. All waste petroleum products and any other special waste, as defined in the Special Waste Regulation, generated in the course of carrying out the operation must be disposed of in accordance with the Special Waste Regulation when the operation ceases.

H Spills and spill contingency plans

- 17. A spill contingency plan for petroleum products and other hazardous substances must be prepared and posted in the camp and at all fuel handling locations used in carrying out the operation.
- 18. All spill clean-up equipment and materials must be maintained in a state of readiness sufficient at all times to contain and clean-up any hazardous materials spills.
- 19. If a spill occurs, the spill contingency plan must be immediately implemented and notice given to the 24- hour Yukon Spill Report Line. As soon as practicable, an inspector must be contacted. Whatever remedial action is required to clean-up the spill and reclaim the affected land and water must be taken.

I Use of vehicles

20. Vehicles must be maintained and operated to prevent spills of fuel, lubricants, coolants and oil.

J Timber and brush

- 21. Cut brush must not be piled so that it blocks movement of wildlife or people.
- 22. Leaning trees created by the cutting of lines, corridors, and clearings must be felled.
- 23. When it is economically viable to do so, timber suitable for sale must be salvaged and stockpiled.
- 24. All risk of fire hazard must be avoided.

K Drilling

- 25. All reasonable efforts must be made when drilling to minimize impact on wildlife and the public.
- 26. Drill holes that pose a hazard or that lead to ground water must be plugged to prevent flow of water to the surface.
- 27. The location of drill holes must be marked by flagging or other suitable means at the location of the drill hole.

L Roads, trails and off-road and trail use

- 28. All vehicles must be operated to avoid rutting and gouging of roads and trails.
- 29. Off road and trail routes must be reconnoitred and must be used in a way that minimizes ground disturbances, including damage to permafrost and sensitive wildlife habitat.

- 30. If rutting, gouging, ponding, or permafrost degradation occurs off road or trail, vehicle use must be suspended or relocated to ground that is capable of bearing the weight of the vehicle without causing such damage.
- 31. Use of skids on permafrost or wet ground is only permitted outside of winter where it is not reasonable to use any other means of transporting equipment.
- 32. Routes for trails must be reconnoitred and flagged.

M Release of sediment

33. All reasonable care must be taken in carrying out an operation near or adjacent to a water body to prevent sediment from entering a water body, unless otherwise permitted by law.

N Use of explosives

34. Explosives must be set off in a manner to minimize impact on wildlife and the public and to ensure that forest fires, unplanned landslides, or artificial damming of water bodies does not occur.

Operational Guidelines

Bears and other wildlife

To increase worker safety, reduce potential conflicts and prevent unnecessary wildlife mortality, the operator should implement pertinent components of:

- Guidelines for Industrial Activity in Bear Country for the Mineral Exploration, Placer Mining and Oil & Gas Industries (https://yukon.ca/sites/yukon.ca/files/env/env-guidelines-industrial-activity-bear-country.pdf).
- If an electric fence is an appropriate precaution, or a requirement, the operator should reference
 the following comprehensive and highly informative guide: Reducing Wildlife Conflict with
 Electric Fencing: A Beginner's Guide (https://yukon.ca/sites/yukon.ca/files/env/env-electric-fencing_en.pdf).

Invasive species

To minimize the risk and consequences of spreading invasive plant species the operator should:

 Become familiar with the Yukon invasive species and how to manage them by referring to the Yukon Invasive Species Council document, "Why Should I Care About Invasive Species" (https://www.yukoninvasives.com/index.php/en/resources/brochures/31-why-should-i-care-about-invasive-species/file).

Heritage Resources

To better understand how to manage potential impacts to heritage resources, the operator should refer to the following document(s):

- Mineral Exploration Best Management Practices for Heritage Resources
 (http://www.tc.gov.yk.ca/pdf/Mineral Exploration BMP for Heritage Resources.pdf).
- Best Management Practices for Burial Sites and Human Remains in Yukon (http://www.tc.gov.vk.ca/pdf/BurialSites_BMP_2014.pdf).

Work in/near water

Project activities have the potential to affect water quantity, quality and/or rate of flow. The operator should provide for the protection of water by applying practices described in:

 Best Management Practices for Works Affecting Water in Yukon (https://yukon.ca/sites/yukon.ca/files/env/env-preferred-practices-works-affecting-yukon-waters.pdf).

Other Users

The proponent should notify the Registered Trapping Concession holders (RTC #27) at least thirty (30) days prior to each field season to reduce any potential negative impacts to trapping.