




Company: DEVON CANADA CORPORATION
Well Name: DEVON EAGLE PLAINS K-58
Field: EAGLE PLAINS
County: YUKON
Country: Canada

FileName: DEV631R.las	Data Presented by: Schlumberger DataView
Location: 66° 7' 34.8" N 300K586610136450 UWID 300K58661036450	Unique Well ID: 300K586610136450 Section: Township:
Elevations: Permanent Datum Elev: 599.299 M Kelly Bushing: 604.299 M	
Permanent Datum: GROUND LEVEL	Drilling Floor: 604.000 M
Drilling Measured From: KELLY BUSHING	Ground/sea Floor: 599.299 M
Log Measured From: KELLY BUSHING	Height Above Datum: 4.99999 M
Acquisition Date: 28-Mar-2005	Bit Size: 222.00 MM
Run Number: ONE	from: M to: 1278.00 M
Depth Driller: 1278.00 M	Csg size: Wt:
Depth Logger: 1278.00 M	from: to:
Top Log Interval: 10.00 M	Casing Bottom Logger:
Bottom Log Interval: 1272.50 M	Type Fluid in Hole:
Time Circ Stopped:	Dens: Vis:
Time Log at Bottom:	pH: Fid Loss: 7.50 C3
Max Recorded Temp:	Sample Source:
Unit Number:	Rm: @
Service Location:	Rmf: @
Recorded By:	Rmc: @
Witnessed By:	Borehole Salinity:



-160	MV	40	MCFL STANDARD RESOLUTION RESISTIVITY STANDOFF (RSOZ)	0.2	OHMM	200
MCFL MICRO INVERSE RESISTIVITY (HMIN)				AIT-H TWO FOOT RESISTIVITY A30 (AHT30)		
40	OHMM	0	2.5 MM 0	0.2	OHMM	200
MCFL MICRO NORMAL RESISTIVITY (HMNO)				AIT-H TWO FOOT RESISTIVITY A60 (AHT60)		
40	OHMM	0		0.2	OHMM	200
				AIT-H TWOR FOOT RESISTIVITY A90 (AHT90)		
				0.2	OHMM	200
				MCFL STANDARD RESOLUTION INVADED ZONE RESISTIVITY (RXOZ)		
				0.2	OHMM	200

Format: Resistivity Density Neutron GR 3Track Format Vertical Scale: 5cm per 100 meters Creation Date: Thu, May 29, 2014, 11:48:48 AM