

DEPARTMENT OF NORTHERN AFFAIRS AND NATIONAL RESOURCES

NORTHERN ADMINISTRATION BRANCH

RESOURCES DIVISION

For the period from February 29, 1960 to September 8, 1960

REPORT of ~~COMPLETION~~ ~~RECOMPLETION~~ ~~SUSPENSION~~ ~~ABANDONMENT~~ of a Well

Name of well Amerada et al "YI-A" No. 1 Bell River Permit No. 1104
Registered owner Amerada Petroleum Corporation The Ohio Oil Company Drilling Company Parker Drilling Company of Canada Limited
Location 67° 19' 45" N. Lat. 136° 53' 29" W. Long.
Survey description, if available
Elevation: Ground 1027 Last previous depth 0
Kelly bushing 1042 Present depth T.D. - 800h, P.B.D. 1125
Spudded February 29, 1960 Finished drilling Sept. 6/60 Rig Released Sept. 8, 1960
Deviations from vertical by Schlumberger at 6313' is 428.9' South & 980.65' West by single shots at 7355' is 549.14' South & 1348.58' West

CASING RECORD

Table with 7 columns: Date, Size O.D., Weight lbs/ft, Grade, Set at feet, Sacks Cement, Top of Cement. Row 1: 15/6/60, 13 3/8, 54.5, J, 1191, 900, Surface.

TUBING RECORD

Table with 6 columns: Size, Wt.Lbs/foot, Grade, Amount, Landed Depth, Remarks. Row 1: Wellhead (Manufacturer), (Size), (Series)

Status of well on completion of drilling . . . . .

Producing Zone . . . . . and formation . . . . .

Injection . . . . .

Cord intervals Core No. 1 - 4195-4208' - 13' Rec. 5' . . . . .

Core No. 2 - 6736-6754' - 18' Rec. 18' . . . . .

Core No. 3 - 7804-7824' - 20' Rec. 19' . . . . .

Interval logged: E-log 8008-152 . . . . . Other logs Temp. Log 2500-150'

R-log . . . . . Dipmeter 6313-152'

M-log 8005-152 . . . . .

Velocity log . . . . .

The above logs ~~have~~ (will be) submitted in accordance with Section 65 of the Regulations.

DRILL STEM TESTS

<u>Test No.</u>	<u>Date</u>	<u>Interval Tested</u>	<u>Duration</u>	<u>Results</u>
None . . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
. . . . .	. . . . .	. . . . .	. . . . .	. . . . .

(If space insufficient, attach further sheet)

(Strike out the non-applicable) (Completion) (Rework) (Recompletion)

Perforations Ballet . . . . .

Shootings . . . . .

Hydraulic fracturing . . . . .

Chemical treatment . . . . .

Date initial production tests . . . . .

Initial production data . . . . .

Pumping or flowing . . . . .

Plug back . . . . .

Other . . . . .

. . . . .

. . . . .

. . . . .

. . . . .

CEMENT PLUGS SET

<u>Date</u>	<u>Plug set at</u>	<u>Sacks cement</u>	<u>Method</u>	<u>Top found at</u>
Sept..8.	.1150-1250.	. . 125 . . .	Displacement	. . 1125 . . .
. . . . .	top . . . . .	. . . . 5 . . . . .	Hand	See face
. . . . .	plate welded on	. . . . .	13. 3/8" . . . . .	pipe . . . . .
. . . . .	to narrow plate welded on	. . . . .	. . . . .	. . . . .
. . . . .	bottom plate - see	. . . . .	. . . . .	. . . . .

Washed well samples ~~have been~~ sent to Geological Survey of Canada, Calgary  
will be

Cores will be stored at Calgary, Alberta and will be sent to Mr. B.H.J. Thoms,  
Conservation Engineer

Core analysis (~~was~~ <sup>not</sup> made) of the Intervals . . . . .  
(~~has been~~ made)

Oil analysis (was made) of the Intervals . . . . .  
(to be made)

Gas analysis (was made) of the Intervals . . . . .  
(to be made)

Water analysis (was made) of the Intervals . . . . .  
(to be made)

The above analyses (are)  
(will be) submitted in accordance with Section 70(2) of  
the Regulations.

ADDITIONAL DETAILS AND COMMENTS

. Cores No. 1, 2 and 3 have been sampled for microfossils, at the consent .  
 . of Mr. Thoms . . . . .

Signed . . *E. B. Eubanks* . . . . . Address 703 - 6th Avenue S.W., Calgary

E. B. Eubanks

Date . September 20, 1960 . . . . .

(To be submitted in triplicate in accordance with Sections  
68, 69, 70 and 71, of the Territorial Oil and Gas Regulations  
to the Oil Conservation Engineer at Calgary, Alberta.)