WELLSITE COMPOSITE LOG

AQUITAINE
Courtesy of Canada Ltd

AQUITAINE ALBERT ET al-33

LAT: 65°32'51.5"N.
LONG: 136°31'56.7"W.

GEOLOGIST THOMAS BOLDARTU, P.Geol.
PI Geological Consultants (1977) Ltd.

PROVINCE NORTH TERRITORY

1) March 8, 1978
2) December 13,1979

1) April 5,1978

PROCESSING (Mud/Gas Logging)
C.Townsend, C. Lundstrom, B. Redford

ELEVATIONS: K.B. 57m (187.8')
D.F. 55.5m (182.1')
G.L. 37.8m (124.1')

RIG CONTRACTOR ALMOND #3

MUD VOLUMES CO. Western Laboratory Services

SCALE - 1:600 & 1:240

LOGGED - ONE DRILLDOWN CARD STRAC DATA SOURCES

CASING RECORD
Pt.Num (30" @ 37.5m (123')
20.8cm (24" @ 57.3m (188')
[illegible] cm (13 3/8" @ 355m (1165')
[illegible] cm (9 5/8" @ 2216 (7272')

RUN NO.
1) Type DIL/BHCS-C/SONIC/GR/SP ran 503 -87m
2) DIL/BHCS-C/Sonic/Gamma/GR/SP 1317-4299m Dec. 27/78
3) DIL/BHCS-C 3923-1323m Feb. 6/79
4) DIL/BHCS-C/Sonic/Gamma/GR/ VELOCITY SURVEY 3691-2700m/-1500m March 27/79
5) 3400-120m (83 shots)

3979-1745m Drill Depth-Sonic/Schlumberger Log Depth.(LD)
1745-1323m Drill Depth-15m
Correction made

CORED INTERVAL
NONE

SMALL STEM TESTS
NONE

FORMATION	(BD)	LD	SUBSEA-m	SUBSEA'
Aquifer Creek MB	(Kugaluk) 1.5m		+543.6m	+1118'
UNCONFORMITY				
Natrolik Equivalent	305m		+184.5m	+ 617'
Unit 2 MB	308m	305m	+ 25m	+ 82'
UNCONFORMITY				
Upper Shark River(LD)	757m	752m	-222m	-728'
Lower Shark River	1291m	1280m	-750m	-2457'
Kanguk Fm Equiv.(BD)	1436m	1431m	-921m	-3022'
Unit 1 MB	1645m	1645m	-1095m	-3592'
UNCONFORMITY (U)				
Kanguk Fm (BD)	2261.5m	2237.5m	-1728.5m	-5668'
Hekpa Creek (BD)	2779m	2777m	-2269m	-7445'
UNCONFORMITY (U)				
Kamik Fm	2860m	2859m	-2351m	-7709'
Unconformity	2964m	2964m	-2456m	-8055'
Oil Bearing Fm	3015m	3015m	-2507m	-8223'
Base Unconformity	3048m	3048m	-2540m	-8331'
Total Depth - Driller	3979m		-3471m	-11384'
Total Depth - Logger	3979.5m			
Casing (Bit on Bottom)				

ENGINEERING DATA — DRILLING RATE (m/hr) — LITHOLOGY — CUTTINGS % — ALGOMETRY OF SILT/SH RATIO — GEOLOGICAL COMMENTS



1/OF



1 OF


UNIT E SNAKE RIVER
Upper Salt River Fm.
Lime Pressure
Lime Pressure
Lime Pressure
Lime Pressure
Bryozoan Shoalstone
Bryozoan Floodlime
Bryozoan Floodlime
Bryozoan Shoalstone
POOR GAS RECOVERIES:
POOR SAMPLES TAKEN
FROM FLOOD-LIME.
NO returns (FRACTURES)
Coal Circulation
Coal Pressure
Coal Pressure
Coal Pressure



204

FROZEN LINE
FROZEN LINE
FROZEN LINE


FROZEN LINE
FROZEN LINE
FROZEN LINE

3 OF —

4


FROZEN LINE
LS lgy,org, biosparite, tr wstn, grdg ssw MDL sty
SH o/a v sscr grn/brn flec (carb & lmc. in SH)
Drop in pump pres. result in lower mud flow meter gas trap. FOOS GAS READINGS
NOTE: blky hard nature of SH upon al silicones (does not break down in acid or water).
SH o-dk gy o/a v scat pyr nod to 2mm, carbonac, scales, scat pyr s.
Increased pump pres. & lower flow meter gas trap. FOOS GAS READINGS
SH dk gy/blk carb sl-tr dolic, ht, dns, scat scales,sl sily,pyr com as pel & scales/vns,
Partial mud loss.
SH blk sc dk gy,v carb s ht, blky sc flk, blk scat & scm sft pyritd, scm dolicstr dolic, 1-2M sh calc lined FRAC scr blk & sh silic slick
TOTAL GAS 100-200
FROZEN GAS LINE
SH blk carb o/scscr sl lcm flec frm scat, contemb, scm dolic, sft sc, scm grdlag sng MDL to dolic SH
DOWN TIME GAS
DOWN TIME GAS /TC 300+
FROZEN GAS LINE
SH blk & brn/blk o/a blky -shfle, scm dolic grdg brkt sl dolic, sng SH lam fill=t FRAC; 1-3M sh calcite, filled FRAC (spar silc). scat pr-fr f FRAC; tr sl lcm flec frm SH
PYR nod scm. sc pel & pyritd scmblns (spicules) tr pyritd vns burrow.
PARTIAL MUD LOSS
FORMATION GAS
FROZEN LINE
DOWN TIME GAS
SS wh-lt brn, sh calc cmt 15-20%, sng sbi scat(20-30) -ng, chert, v scat gy sl cht peb cvrng, ht st, v grdding l-mgr, sng SH grdg silic 5-10% & tr pyr scat.grdg sdy SH & cht peb scat grvl, ht, dns, st, NO FOR. NO SHOW.
SS lgy-pr/sl scr o/a sndy, tr sh flec [illegible] in sng strs.
SH dk gy/blk,sl dolic v scat dol rhombs v lotsbs LS-lgy & gy/brn, ply, ht
lotsbs DOL: dk gy/brn, sng,scat dk gy cht bds LS bf-lbrn,sl dolic & silic,ht,ply grdg cht 5-10% sh calcite spar (pos foo or frac.) LS o/a wh,bf,silic,sc rwnln,dolic sc v lgy silic v wh/bf cht nod
SH o/a grdg v sng,grdg strs LS
CHT sl lscr,lsn & nod sc spotted,bf dsk brn
SS wh,sl-gy,v l & SH CHT s. 20-30% wh calc cmt scr sng stx & silic cmt
DOL dk gy & gy/brn,sng, silic, ht,dns,
LS bf-lbrn, rwnln,scatchty
-LS bf-lgy o/a sl dolic sl sng, pos orig pelmls.
-DOL lgy v-sh gy, grdg dolic LS, ht pity sc dolic SH lam,scscr silic & lcms cht lam/nod.
carbide lag check
DTC
CC (rdspale)
DTC
TC
CC
DTC
CC
CC
CC
DTC
DTC
TC
CC
DTC
MONDAY DECEMBER 25 / 1978
MONDAY JANUARY 1 / 1979

3 OF —

4

PARTIAL MUD LOSS
FROZEN GAS LINE
FORMATION GAS
FROZEN LINE
TOTAL GAS UNITS
carbide lag check
lime plaster

50'

5 of




TOTAL GAS SCALE CHANGES
100 200
Change filament
Increased WOB and rpm due to faster drilling
Increased rpm due to faster drill rate.
Increased WOB and rpm due to faster drilling
Lithology
Abundant
Trace
2300-2350m
(Incr 50m)
SS
SH
LST
CHT
ANHY
Fm(SH)
Fm(ANHY)
Fm(SH/anhy)
Fm(SH/LST)
Fm(SH/CHT)
Fm(SH/LST/CHT)
Fm(SH/CHT/LST)
Fm(SH/LST/CHT/anhy)
Fm(SH/CHT/LST/anhy

70

69

8 OF

8 OF



9 of



9 of


INCR. GAS fm FRACTURES.
TO CLEAN BH. CAVE
OCEOLIVE FM.
FT. CARSON FM.
Foam Gas from 2690-2800m
TOTAL GAS SCALE
FOAM GAS READINGS FROM FROZEN LINES
GAS TRAP REMODELLED & PARTIAL BLOCKAGE OF GAS TRAP BY FILTER
MUD PUMP CAVINGS (CHAOTIC READINGS)
Partial blockage of gas trap intake
FM/Drilled Gas (incr. Dri rate)
92932 depth correction
Foam Gas (2912-55m)

1 of

9 of


DRILLING RATE SCALE PT.
TOTAL GAS SCALE
100 200 units
ROOM GAS
READINGS FROM
FROZEN LINES
AS TRAP REMOVED
& PARTIAL
BLOCKAGE
OF GAS TRAP
BY FILTER
GAS FROM
HIGH PIG
MUD PITS
DRILLING FM
INCREASED
SAVINGS
(GRAPHIC READINGS)
Partial blockage
of gas trap intake
Drill Rate
Total Gas
Trip Gas
Bkgd Gas
Conn Gas
Bkgd Gas 3200ft.
Bot. Up Trip Gas
Trip Gas
Conn Gas
Bkgd Gas
Conn Gas
Bkgd Gas
Trip Gas
Conn Gas
Bkgd Gas
Trip Gas
Conn Gas
Bkgd Gas
Trip

CAVINGS
(ERATIC READINGS)
Partial blockage
gas trap intake
Drill Rate
Trip Gas
Background Gas
Connection Gas
Pump Gas
Drilled
No Lime
Gas trap plugged.
cleaned filter
take from gas
trap. Erratic
trap intake
outlage.
Drill G
(Fm C)
SATURDAY
TUESDAY FEB. 13/79
WEDNESDAY FEBRUARY 14, 1979
THURSDAY FEBRUARY 15, 1979
FRIDAY FEBRUARY 16, 1979
SATURDAY FEBRUARY 17, 1979
MONDAY FEBRUARY 12, 1979
TUESDAY FEBRUARY 13, 1979
WEDNESDAY FEBRUARY 14, 1979
THURSDAY FEBRUARY 15, 1979
FRIDAY FEBRUARY 16, 1979
SATURDAY FEBRUARY 17, 1979
MONDAY FEBRUARY 12, 1979
TUESDAY FEB. 13/79



gas trap plugged.
mw-1095
vis-100
cleaned filter cake & flow line. Large intake of cuttings.
130s Drill @ (79 C)
MW-1090
vis-110
wl-8.4 pH-9.2
Pv-14 Yp-17.)
Gas Trap Blocked
mw-1090
vis-110
Gas trap blocked
Line Freeze
Gas Trap blocked
DC/Gumbo
86 °C)
Mixer gun pushed mud to increased drill rate of micro-vfrac DOL.
Gas Gas/Trap Blocked.
DC 19s
clean Gas Trap
mw-1095
vis-125
clean trap
Line Freeze
mw-1095
vis-105
Low 10s due to recovered mud flow through trap. Mixer and level in shaker box-to-open pit(s).
NOTE: Gas trap keeps cleaned of cuttings needs 1 hr.
Gas Detector
MAX
35%
DOLOMITE MBR
DOLOMITE MBR
SURFACE CASING
PRESENT FORMATION AT BIT
Black Shale (Exshaw)
Limestone
Dolomite
Sandstone
Anhydrite
Salt
Coal
Shale
Chert
Conglomerate
Gypsum
Volcanic
Basement
Core
Sidewall Core
Fossil
Oil Show
Gas Show
Water Flow
Fracture
Vug
Vertical Fracture
Bedding Plane
Fault
Unconformity
Stylolite
Pyrite
Glauconite
Siderite
Ankerite
Hematite
Calcite
Quartz
Fluorite
Barite
Celestite
Gypsum
Anhydrite
Halite
Sylvite
Carnallite
Kainite
Langbeinite
Polyhalite
Kieserite
Bischofite
Tachyhydrite
Sylvinite
Carnallite
Kainite
Langbeinite
Polyhalite
Kieserite
Bischofite
Tachyhydrite
Sylvinite

12 of


END DOLOMITE MBR
Core Trap Blocked
Lime Present
Core Trap Blocked
Core Trap Blocked
Lost Core/Trap Blocked
clean Core Trap
clean trap
Lime Present
END DOLOMITE MBR

12 of


END DOLOMITE MBR
2nd Dolomite MBR
Lime Process
Premier Drive Shale
Cliffordville Ls.
Fall River (Lst.fill)
Fall River (Sandy)
Fall River (Shale)
Fall River (Lst.


END DOLOMITE MBR
FEBRUARY 18, 1978
FEBRUARY 19, 1978
Hoosier Drive Chalk
Differentially
Caliper in Hole
Caliper in Pipe
DRILLER- 3934m
3713.4m
(Est.TD)
Drilling (2) miles

13 of 13

PERMIAN	(KB)	0	+530	+1739
Jungle Creek SS	(Surface)	6.4	+523.6	+1118
PENNSYLVANIAN				
Ettrain Equivalent		342	+188	+ 617
Unit 2 SH	502	505	+ 25	+ 82
Upper Hart River (LS)	757	752	-222	- 728
PENN-MISS				
Lower Hart River	1291	1288	-758	-2487
MISSISSIPPIAN				
Birch Mbr Equiv.(SS)	1456	1451	-921	-3022
Unit 1 SH	1635	1629	-1099	-3605
DEVONIAN (U)				
Imperial Fm (SH)	2241.5	2226.5	-1696.5	-5566
		?2218	?-1668	
? Fort Creek (Sil.SH?)	2790	2275	-2245	-7366
DEVONIAN (M)				
Ogilvie LS	2869	2854	-2324	-7625
Gossage LS	3066	3066	-2536	-8320
1st Dolomite	3263	3263	-2733	-8967
2nd Dolomite	3518	3518	-2988	-9803
TOTAL DEPTH-Driller	3714	-	-3814	-10446
-Measure	3715.4			
-Log (fill on bottom)				

STEM TESTS

NONE

-Log (fill on bottom)

DATE	ENGINEERING DATA — DRILLING RATE Min/metre, SCALE I 5 10 25 50, SCALE II 15 30 75 150	LITHOLOGY — CUTTINGS % 20 40 60 80	DEPTH (m.)	FORMATION	POROSITY TYPE; POROSITY CURVE Por% 30 -12 Ht%	INTERPRETED LITHOLOGY; CRYSTAL GRAIN FRAGMENT SIZE; FOSSILS; DIAG. TYPE; DIAGENESIS; DIAG. DEGREE	SHOWS	HYDROCARBON GAS IN MUD — METHANE, ETHANE, PROPANE 2 4 6 8	CALCIMETRY OR SD/SH RATIO 20 40 60 80	GEOLOGICAL COMMENTS



30 55 60 65 70 75 80 485 90 95 500

ETTRAIN EQUIV.



5-15m discrepency between sample & schlumberger depths, (" error)

INTERPRETED LITHOLOGY

LOG corrected with Density/Sonic/Gamma Logs (LD) corrected to Driller's Depth (DD)

Sample Depth (DD)

SLTST: v arg,m gy/brn, 10-40% arg,5-10%dolic cmt oc grdg vfg,w lam SLTST DGY/BK,sl arg,glau,20% dol cmt,mnr Sh dk gy/bn LS wh,20-25%ca-cmt,m-cg w slt/vfg mtx.,cht peb, -vcg km-cg LS clasts, glau grdg sdy,bioclast LS(coq)

20


5-15m discrepency
between sample &
schlumberger depths,
(" error)
INTERPRETED LITHOLOGY
LOG corrected with
Density/Sonic/Gamma
Logs (LD) corrected to
Driller's Depth (DD)
Sample Depth (DD)
Sonic/Gamma
corrected to
Driller's
Depth(DD)
ETTRAIN EQUIV.
UNIT 2 SHALE MBR
WEDNESDAY DECEMBER 13, 1978
DECEMBER 14,1978
12/15
16

16 | 12/15 | DECEMBER 14,1978 | WEDNESDAY DECEMBER 13, 1978

UNIT 2 SHALE MBR

ETTRAIN EQUIV.

5-15m discrepency
between sample &
(schlumberger depths)
error

INTERPRETED LITHOLOGY
LOG corrected with
Density/Sonic/Gamma
Logs (LD) corrected to
Driller's Depth (DD)
Sample Depth

Sonic/Gamma
Corrected to
Driller's
Depth (DD)

WEDNESDAY
DECEMBER 14, 1978
12/15
16
12/17/78
UNIT 2 SHALE MBR
Wonday Dec. 18/78
blk carb g, tr pyr.grdg
dk gy/brn v.arg SLTST
SS lam,wh/bf,-lgy,vfg grdg
slty,20-30%dolic cmt,
tr glau,blk carb g,
LS wh/lbrn,slty coq.w scat
plyc sh frg,oc pyr,tr
pr ø w dd oil stn, grdg
v sdy to 50%vfg ss,
SLTST sl slty, l-mgy/brn,
5-15% arg,dolic scat vfg
glau g. scat Ca-spar fld
FRAC & FRAC ø (ca xls).
SLTST: cs slt, dolic,lgy/b
hd,plty oc Ca-cmt,scat c.
carb g.
s. LOGS INDICATE INCR.
s) ARG. % w. DEPTH.
INTBDS: SS slty-vfg,dolic
glau, & sl arg-v.arg SLTST
grdg sdy, dolic a/a
587-597m (24 HR)
76m³ mud loss.
m-dk gy,dolic,
blky,hd,dns,hd,sl silic
10% wh calc spar fl frc
grdg 20-30% slty SH,
scat glau g, scat blk
slty carb g, tr micmica
inc. arg % w depth
scat pyr repl. carb g.
SH l-mgy,inc calc cmt
hd dns plty, tr brach
frgs, mnr dk gy-blk SH
Scat FRAC w calcite
veinlets & wh spar xls
SH m-dk gy,<5% slt,<5% ca
SH l-m gy/bn sl calc, oc
slt lam grdg 10-15% slt
content, scat blk carb g
oc pyr sph & g.
SH m-dk gy, blky , oc
glau g & slt
Lost Circ
Lost Circ
sl. slty
SH
l-m
gy/bn
SN
sl. slty
3 0


TUESDAY DECEMBER 10, 1978
Monday Dec. 18/78
UNIT 2
SM
sl. slty
SM
m-dy
SM
m-dgy
SM
m-dgy
SM
m-dg


DECEMBER 20/78
TUESDAY DECEMBER 19, 1978
UNIT 2
Scat FRAC w calcite veinlets & wh spar xls
SH m-dk gy, <5% slt, <5% ca
SH l-m gy/bn sl calc, oc slt lam grdg 10-15% slt content, scat blk carb g oc pyr sph & g.
SH m-dk gy, blky , oc glau g & slt
tr bn flor.(carb. SH)
SH l-mgy/bn w 15-20%slt sl dolic, grdg sl calc hd dns blky, tr glau&pyr
SH m-dk gyoc blk
SHALE
SS wh mot wh,crm w scat wh-lgy cht peb, av mg 20-30% silic cmt ovgwths
SH m-dk gy,blky sl calc--dolic, blky,hd
SH dk gy, less slt & ca% tr glau,
scat cht peb in SH
1 SS wh,crm, cg av, wl rd gy-wh cht peb, 20-30% Si cmt, oc sec calc cmt, pr-fr srtg, mnr 5-10% ø tr cut,no live Flor/show
SLTST l gy, v dolic cmt oc vfg,
SLTST dolic grdg slty DOL hd,plty,scat brach sp, sl arg.
SH dk gy oc blk,blky, mhd a/a sl calc, oc pyr

1978 | 12/20/78 | WEDNESDAY DECEMBER 20/78 | TUESDAY

UNIT

UPPER HART RIVER FM.

-dolic, blky,hd

SH dk gy, less slt & ca%
tr glau;
scat cht peb in SH
1 SS wh,crm, cg av, wl rd
gy-wh cht peb, 20-30% Sl
cmt, oc sec calc cmt,
pr-fr srtg, mnr 5-10% ø
tr cut,no live Flor/show
SLTST l gy, v dolic cmt
oc vfg,

SLTST dolic grdg slty DOL
hd,plty,scat brach sp,
sl arg.

SH dk gy oc blk,blky,
mhd a/a sl calc, oc pyr
oc sbfis,

SH dk gy/blk a/a non-calc
but sl dolic,scat blk
carb & oom. scat brach
frgs, less than 5% slt
becoming laminae Flor w
depth, mfr (Cuttings drill

SH dk gy/l gy/l blky/l dolic
blky gy/oc fis,l mudca
scat blk carb & (slt-size)
tr pyr pel-slt-vfg repl.
carb &. grdg non-dolic,
non-slty, v mnr slty/dolic
lam & gradations;
(mnr pyr needles)

SH a/a dk gy grdg blk

NOTE: Geolog 800m=
Sonic Log 797m

SH a/a dk gy grdg sl inc
calc ⅞, & inc. slt%
w grad. SH dk gy, dolic,
w 20-30% slt content, blky
sl glau, blky.


WEDNESDAY DECEMBER 20/78
12/20/78
DECEMBER 21/1978
?UPPER HARE RIVER FM.
SH dk gy
SH dgy-blk
SH dgy
SH dgy-blk
corrected w. Sonic
Gamma
SLTST dolic grdg slty DOL hd,plty,scat brach sp, sl arg.
SH dk gy oc blk,blky, mhd a/a sl calc, oc pyr oc sbfis,
SH dk gy/blk a/a non-calc but sl dolic,scat blk carb g oom. scat brach frgs, less than 5% slt becoming increase Fiss w depth, sftr (faster drill)
SH dk gy,sl slty,sl dolic blky oc fis,sl mcmica scat blk carb g (slt-size) tr pyr pel-slt-vfg repl. carb g, grdg non-dolic, non-slty, w mnr slty/dolic lam & gradations. (mnr pyr needles)
SH a/a dk gy grdg blk
NOTE: Geolog 800m= Sonic Log 797m
SH a/a dk gy grdg sl inc calc %, & inc. slt% w grad. SH dk gy, dolic, w 20-30% slt content, blky sl glau, blky.
SH dk gy a/a sl calc grdg SH dk gy slty (10-15%) dolic, glau
LS lam bf-l brn, sl slty, hd,plty,grdg SH mgy,slty sl calc
scat brach frgs.
5%

NOTE: Geolog 800m=
Sonic Log 797m

SH a/a dk gy grdg sl inc calc %, & inc. slt% w grad. SH dk gy, dolic, w 20-30% slt content, blky sl glau, blky.

SH dk gy a/a sl calc grdg
SH dk gy slty (10-15%) dolic, glau

LS lam bf-l brn, sl slty, hd, plty, grdg SH mgy, slty sl calc

scat brach frgs.

SH dk gy-blk, sl slty, dolic blky, carb, scat cs slt & cs slt glau g, tr pyr pel & needles.
LS: bf, lbn, mcxln-sl dolic plty, arg, grdg calc cs slt

SH mgy, slty & calc grdg arg LS lam,

LS wh-bf, bioclastic, oc slty, biosparite oc grdg calc. sltst, crin.

SH blk oc dk gy, blky carb oc slty, scat slty pyr g, repl. carb g.

SH m gy/bn, mgy, calcar grdg arg LS, sl slty & doli scat glau,

LS lam l gy, arg, slty, glau slt to 1%,

SH dk gy-blk, sl calc, blky a/a


DECEMBER 22/1978
FRIDAY
925
30
35
40
45
950
55
60
65
70
975
80
85
90
95
000
5
10
15
20
025
30
35
40
45
050
55
60
65
SH blk-dkgy
SH mgy/bn
SH m-dkgy
SH dkgy/bk
SH m-dk gy
SH gy-blk
SH dk gy/bn
SH dk gy
LS(s)
SH mgy
SH dkgy -blk
SH m-dk gy
SH mgy/bn
LS wh-bf, bioclastic, oc slty, biosparite oc grdg calc. sltst, crin.
SH blk oc dk gy, blky carb oc slty, scat slty pyr g, repl. carb g.
SH m gy/bn, mgy, calcar grdg arg LS, sl slty & doli scat glau,
LS lam l gy, arg, slty, glau slt to 15%,
SH dk gy-blk, sl calc, blky a/a
SH m-dk gy, & gy/brn, sl calc, sl slty, w scat pyr com repl slty carb g, tr glau & carb g, w lam calc SH grdg slty arg LS tr dl brn flor (min).
SH dk gy a/a blky sl clc, slty w scat blk carb g, grdg SH m-dk gy/bn calc oc grdg arg LS lam
SH dk gy-blk, carb, blky m hd, oc brac, w lam & grdg SH mgy, calc grdg arg LS & oc slty w calc cmt. scat pyr g a/a
SH dk gy a/a blky, grdg

60/-



clc,slty w scat blk carb g, grdg SH m-dk gy/bn calc oc grdg arg LS lam

SH dk gy-blk, carb, blky m hd, oc brac, w lam & grdg SH mgy,calc grdg arg LS & oc slty w calc cmt. scat pyr g a/a

SH dk gy a/a blky, grdg SH mgy,grdg dolic &arg Dol,sl slty oc arg LS lam

tr wh calc xls fld FRAC

SH m-dk gy, non dolic, sl slty, scat pyr com, grdg sl dolic-calc lam

LS lgy,arg, biosparite, tr brac, grdg mnr DOL arg

SH a/a w mnr grn/brn flor (carb % inc. in SH)

NOTE: blky hard nature of SH =poss sl siliceous (does not break down in acid or water).

SH m-dk gy a/a w scat pyr nod to 2mm, carbonac, mcmica, scat pyr g,

60/-


SATU
SUNDAY DECEMBER 24/78
1978
SH m-dk gy
SH dk gy/blk carb
SH dk gy
SH carb. blk
SH blk carb.
SH a/a w mnr grn/brn flor (carb % inc. in SH)
NOTE: blky hard nature of SH =poss sl siliceous (does not break down in acid or water).
SH m-dk gy a/a w scat pyr nod to 2mm, carbonac, mcmica, scat pyr g,
SH dk gy/blk carb sl-tr dolic, hd, dns, scat mcmica, sl slty, pyr com as pel & needle/rods,
SH blk oc dk gy, v carb m hd, blky oc fis, blk carb g com oft pyrizd, non dolic-tr dolic, 1-2% wh calc lined FRAC mnr blk & wh silic slick.
SH blk carb a/amnr dl brn lor frm carb. content. non dolic -tr, mnr grding arg DOL to dolic SH
Pyr nod com, as pel & pyrzd needles (spicules?)


SUNDAY
MONDAY DECEMBER 25 / 1978
HART RIVER FM
SH blk carb.
SH blk
SH blk
non dolic-tr dolic,
1-2% wh calc lined FRAC
mnr blk & wh silic slick.
SH blk carb a/amnr dl brn
flor frm carb. content.
non dolic -tr, mnr grdng
arg DOL to dolic SH
Pyr nod com, as pel &
pyrzd needles (spicules?)
tr pyrzd wrm burrow.
SH blk & brn/blk a/a blky
-sbfis, non dolic grdg
hrdr sl dolic, arg SH lam
FRAC: 3-5% wh calcite
filled FRAC (spar xlls).
scat pr-fr Ø FRAC? tr
dl brn flor frm SH
SS wh-lbrn, wh calc cmt
15-20%, arg mtx com(10-5%)
f-mg, sbrd, w scat gy
rd cht peb c-vcg, hd tt,
w grading l-mgy, arg SS
grdg silic 5-10% & tr pyr
cmt,grdg sdy SH w cht peb
med srtd, hd, dns, tt,
NO POR. NO SHOW.
SS lgy-grdg mgy a/a m-cg,
tr wh flor spotted, no
cut. trpyr cmt & in arg


MONDAY DECEMBER 25 / 1978
SUN. 12/31
SH blk carb.
SH blk
SH dk gy/blk
SH gy-blk
Dol
LOWER HART RIVER FM
Pyr nod com, as pel & pyrzd needles (spicules?) tr pyrzd wrm burrow.
SH blk & brn/blk a/a blky -sbfis, non dolic grdg hrdr sl dolic, arg SH lam FRAC: 3-5% wh calcite filled FRAC (spar xlls). scat pr-fr Ø FRAC? tr dl brn flor frm SH
SS wh-lbrn, wh calc cmt 15-20%, arg mtx com(10-5%) f-mg, sbrd, w scat gy rd cht peb c-vcg, hd tt, w grading l-mgy, arg SS grdg silic 5-10% & tr pyr cmt, grdg sdy SH w cht peb med srtd, hd, dns, tt, NO POR. NO SHOW.
SS lgy-grdg mgy a/a m-cg, tr wh flor spotted, no cut. trpyr cmt & in arg mtx.
SH dk gy/blk, sl dolic w scat dol rhombs w intbds LS-lgy & gy/brn, plty, hd
Intbds: DOL: dk gy/brn, arg, scat dk gy cht bds LS bf-lbrn, sl dolic & silic, hd, plty grdg cht 5-10% wh calcite spar (pos fos or frac.)
LS a/a wh, bf, silic, oc rexln, dolic oc v lmy


MONDAY JANUARY 1 / 1979
SUN. 12/31
JANUARY 2, 1979
LOWER HART RIVER
SH gy-blk
LS gy
Dol dk gy
SH bm/blk
rd cht peb c-vcg, hd tt, w grading l-mgy, arg SS grdg silic 5-10% & tr pyr cmt, grdg sdy SH w cht peb med srtd, hd, dns, tt, NO POR. NO SHOW.
SS lgy-grdg mgy a/a m-cg, tr wh flor spotted, no cut. trpyr cmt & in arg mtx.
SH dk gy/blk, sl dolic w scat dol rhombs w intbds LS-lgy & gy/bn, plty, hd
Intbds: DOL: dk gy/brn, arg, scat dk gy cht bds LS bf-lbrn, sl dolic & silic, hd, plty grdg cht 5-10% wh calcite spar (pos fos or frac.)
LS a/a wh, bf, silic, oc rexln, dolic oc v lmy silic w wh/bf cht nod
DOL a/a grdg v arg, grdg arg LS
CHT sl incr, lam & nod oc spotted, bf &dk brn
SS wh, m-cg, w l & Dk CHT g, 20-30% wh calc cmt mnr arg mtx & silic cmt
DOL dk gy & gy/brn, arg, silic, hd, dns,
-LS bf-lgy a/a sl dolic sl arg, pos orig pelmic.
-DOL lmy m-dk gy, grdg dolic LS, hd plty oc dolic SH lam, decr silic & less cht lam/nod.
-DOL a/a w mnr LS & SHlam
-SH dk gy/brn, & brn/blk slty, non-dolic-sl dolic grdg calc sltst, w scat fg qtz & cht g, lam w
(high Gamma Log reading)
8


SUN. 12/31
MONDAY JANUARY 1 / 1979
TUESDAY JANUARY 2, 1979
HART
LOWER
SH gy-blk
Dol dk gy
Dol dk gy
Dol dk gy
SH bn/blk
Dol dk gy
SS lgy-grdg mgy a/a m-cg, tr wh flor spotted, no cut. trpyr cmt & in arg mtx.
SH dk gy/blk,sl dolic w scat dol rhombs w intbds LS-lgy & gy/bn, plty, hd
Intbds: DOL: dk gy/brn, arg,scat dk gy cht bds LS bf-lbrn,sl dolic & silic,hd,plty grdg cht 5-10% wh calcite spar (pos fos or frac.)
LS a/a wh,bf,silic,oc rexln,dolic oc v lmy silic w wh/bf cht nod
DOL a/a grdg v arg,grdg arg LS
CHT sl incr,lam & nod oc spotted,bf &dk brn
SS wh,m-cg,w l & Dk CHT g, 20-30% wh calc cmt mnr arg mtx & silic cmt
DOL dk gy & gy/brn,arg, silic, hd,dns,
LS bf-lbrn, rexln,
-LS bf-lgy a/a sl dolic sl arg, pos orig pelmic.
-DOL lmy m-dk gy, grdg dolic LS, hd plty oc dolic SH lam,decr silic & less cht lam/nod.
-DOL a/a w mnr LS & SHlam
-SH dk gy/brn, & brn/blk slty,non-dolic-sl dolic grdg calc sltst,w scat fg qtz & cht g, lam w
(high Gamma log reading)
-DOL a/a dk gy, grdg dolic
-LS, mnr bf LS & SH lam
-SS wh,f-cg,oc cht peb, 30% calc.cmt ,<1% y.fl

WEDNESDAY JANUARY 3/ 1979 | TUESDAY JANUARY 2, 19

RT RIVER FORMATION (BIRCH MBR.)

-LS bf-lgy n/a sl dolic sl arg, pos orig pelmic.

-DOL lay m-dk gy, grdg dolic LS, hd plty oc dolic SH lam,decr sltic & less cht lam/nod.

-DOL a/a w mnr LS & SHlam

-SH dk gy/brn, & brn/blk alty,non-dolic-sl dolic grdg calc sltst,w scat fg qtz & cht g, lam w gy

-DOL a/a dk gy, grdg dolic

-LS, mnr bf LS & SH lam

-SS wh,f-cg,oc cht peb, 30% calc.cmt ,<1% y.fl

-SH dk gy/brn,carbal alty

-SS wh, chty(40-60% cht g) m-cg lncr w depth, scat c-vcg peb, 1-2mm com, 20-30% calc cmt sl rodln w tr ø, tr yel flor,tr ct,pr perm. oc stn? TT

-SH gy,slt-vfg arg mtx (20-30%) &5-10%sil cmt SS wh w calc cmt,grdg finer arg SS w sil/arg

-LS l-mgy,sl dolic,sl arg w ex eff in acid,grdg dk gy,spotted wh,oc sdy-alty,w mnr SH lam & mnr

-SS lam-wh calc cmt grdg arg mtx,tr yel flor < 1%

-SH dk gy/brn & brn/blk, carb w scat calc spic, oc alty lamw 40% arg mtx blky, mhd,sl mcaica grdg non-sl calc & inc calc w wh spic % n

-SH m-dk brn,spotted wh w calc spic to lmm,oc arg LS,v.calc w gd eff.

-SH dk gy/bn,carb,sl calc

-SS lam wh-gy/arg,w calc

TUESDAY JANUA | WEDNESDAY JANUARY 3/ 1979 | JANUARY 4, 1979

(LOWER) HART RIVER FORMATION (BIRCH MBR.)

-SH dk gy/brn, & brn/blk
alty,non-dolic-sl dolic
grdg calc slst,w scat
fg qtz & chts g, lam w
-DOL a/a dk gy, grdg dolip
-LS, mnr bf IS & SH lam
-SS wh,f-cg,oc cht peb,
30% calc.cmt ,<1% y.fl
-SH dk gy/brn,carbal slty
-SS wh, chty(40-60% cht g)
m-cg lncr w depth, scat
c-vcg peb, 1-2mm com,
20-30% calc cmt sl rexln
w tr ϕ, tr yel flor,tr
ct,pr perm. oc stn? TT
-SH gy(slt-vfg arg mtx
(20-30%) &5-10%sil cmt
SS wh w calc cmt,grdg
finer arg SS w sil/arg
-LS l-mgy,al dolic,al arg
w ex off in acid,grdg
dk gy,spotted wh,oc sdy-
alty,w mnr SH lam & mnr
-SS lam-wh calc cmt grdg
arg mtx,tr yel flor<1%
-SH dk gy/brn & brn/blk,
carb w scat calc spic,
oc slty lamw 40% arg mtx
blky, mbd,al mcnlca
grdg non-al calc & lnc
calc w wh spic %

-SH m-dk brn,spotted wh
w calc spic to 1mm,oc
arg lS,v.calc w gd eff.

-SH dk gy/bn,carb,sl calc
,SS lam wh-gy/arg,w calc
xls grdg sdy LS vf-fg
-SS mgy-dgy,arg,(30-40%
arg mtx, scat m-cg chtg
SH dkgy/brn,blk,carb a/a
SS wh,20-40%calc cmt,vfg
trx>7 ϕ in rexln calc m
cmt.,bd, tt,no show.grdg
LS lgyoc wh,sl arg,crpxl
plty,sl dolic grdg vfgSS
-SH m-dkgy/bn,calc,carb
-SS wh,30%calc cmt,m-cg,
80%qtzg &20%chtg g,tr
flor in calc cmt.

/D 0/

WEDNESDAY JANUARY 4, 1979
THURSDAY JANUARY 5/79
6, 1979
(LOWER) HART RIVER FORMATION
SH dk gy/brn
SH blk
grdg non-sl calc & inc
calc w wh spic %
-SH m-dk brn,spotted wh
w calc spic to 1mm,oc
arg LS,v.calc w gd eff.
-SH dk gy/bn,carb,sl calc
SS lam wh-gy/arg,w calc
xls grdg sdy LS vf-fg
SS mgy-dgy,arg,(30-40%
arg mtx, scat m-cg chtg
SH dkgy/brn,blk,carb a/a
SS wh,20-40%calc cmt,vfg
tr<3% Ø in rexln calc
cmt.,hd, tt,no show.grdg
LS lgyoc wh,sl arg,crpxl
plty,sl dolic grdg vfgSS
SH m-dkgy/bn,calc,carb
SS wh,30%calc cmt,m-cg,
80%qtzg &20%whcnt g,tr
flor in calc cmt.
LS bf-mgy/bn,arg,silic,
w bedded cht,grdg vf-fgSS
grdg mgy,arg,dolic &
LS bf/wh,sdy-slty,oc crpx
w5% bedded cht,silic LS
SH dkgy/brn,sl calc,carb
SS lam c-vcg,arg blk mtx
LS wh,bf,lgy,crpxln,sdy,
silic,vfg,grdg bedded wh-
lgy,spotted cht (spic),
SS wh,calc vfg grdg slt
&fg,30%calc cmt,silic,
scat calc g,grdg sdy LS
& silic.LS grdg bf CHTbds
SH dk gy/blk w mnrslty LS
SH MNR LAM dkgy wh spotted
calc, (Log - high Gamma)
SH BLK/brn,v.carb,brn strk
(dkbrn drl md),sl slty,
sl mcmica, scat pyr spic
non-calc -sl calc, blky
mhd oc sbfis, oc brach
frgs, tr wh calcite fld
FRAC.(sparry calcite)
oc blk plt frgs,-(carb)
SH a/a tr blk cht lam
w tr.ANHY. fld frac


SAT JANUARY 6, 1979
JAN.5/79
THURSDAY JANUARY 4, 1979
(LOWER) HART
IPPIAN SHALE
SH blk carb
SH dk gy/brn
SS lam wh-gy/arg,w calc xls grdg sdy LS vf-fg
SS mgy-dgy,arg,(30-40% arg mtx, scat m-cg chtg
SH dkgy/brn,blk,carb a/a
SS wh,20-40%calc cmt,vfg tr<3% ø in rexln calc cmt.,hd, tt,no show.grdg
LS lgyoc wh,sl arg,crpxl plty,sl dolic grdg vfgSS
SH m-dkgy/bn,calc,carb
SS wh,30%calc cmt,m-cg, 80%qtzg &20%whcht g,tr flor in calc cmt.
LS bf-mgy/bn,arg,silic, w bedded cht,grdg vf-fgSS grdg mgy,arg,dolic &
LS bf/wh,sdy-slty,oc crpx w5% bedded cht,silic LS
SH dkgy/brn,sl calc,carb
SS lam c-vcg,arg blk mtx
LS wh,bf,lgy,crpxln,sdy, silic,vfg,grdg bedded wh-lgy,spotted cht (spic),
SS wh,calc vfg grdg slt &fg,30%calc cmt,silic, scat calc g,grdg sdy LS & silic.LS grdg bf CHTbds
SH dk gy/blk w mnrslty LS
SH MNR LAM dkgy wh spotted calc, (Log - high Gamma %)
SH BLK/brn,v.carb,brn strk (dk brn drl md),sl slty, sl mcmica, scat pyr spic non-calc -sl calc, blky mhd oc sbfis, oc brach frgs, tr wh calcite fld FRAC.(sparry calcite) oc blk plt frgs,-(carb)
SH a/a tr blk cht lam w tr.ANHY. fld frac
LOG RUN #4 - CAVE SHALE 1640-60m >375mm(15")
SH a/a dk gy-blk, w brn strk, non-calc, blky mhd-hd, non slty w oc slt lam,mas bds,scat slt/pyr g, repl. plt frgs,sl mcmica, tr blk slksd
11 of

SATURDAY JANUARY 6, 1979
JANUARY 7, 1979
UNIT #1 (UNNAMED MISSISSIPPIAN SHALE)
SH blk
SH MNR LAM dkgy wh spotted calc. (Log - high Gamma %)
SH BLK/brn,v.carb,brn strk (brn drl md),sl slty, sl mcmica, scat pyr spic non-calc -sl calc, blky mhd oc sbfis, oc brach frgs, tr wh calcite fld FRAC.(sparry calcite) oc blk plt frgs,-(carb)
SH a/a tr blk cht lam w tr.ANHY. fld frac
LOG RUN #4 - CAVE SHALE 1690-60m. >375mm(15")
SH a/a dk gy-blk, w brn strk, non-calc, blky mhd-hd, non slty w oc slt lam,mas bds,scat slt/pyr g, repl. plt frgs,sl mcmica, tr blk slksd
OR
SH a/a w increase in pyr nod-framboidal sph (disdem pyr), & increase in tr brn/gy,IRONSTONE cone. & lam.
tr wh Anhy. fld frac
mnr lam lbrn, & gy/brn SLTST calc,grdg slty LS
SH a/a w pyr sph com,
& tr calc sltst.
LOG RUN #4 - CAVE SHALE 1710-30m, 325-375 mm (13-15" hole
SH a/a becoming less blky & more sub-fis-fis, less pyr framboidal sph, decreasing slty lam,oc Irstn nod.
LOG RUN #4 - CAVE SHALE
LD:1710-30m, 325-375mm
DD:1715-35m (13-15")
SH a/a blk,carb,sbfis-fis sft-mhd,tr mcmica, non-s -slty,non-calc,scat pyr
11 of


SUNDAY JANUARY 7, 1979
UNIT #1 (UNNAMED F
tr wh Anhy. fld frac
mnr lam lbrn, & gy/brn SLTST calc,grdg slty LS
SH a/a w pyr sph com,
& tr calc sltst.
LOG RUN #4 - CAVE SHALE
1710-30m, 325-375mm (13-15")hole
SH a/a becoming less blky & more sub-fis-fis, less pyr framboidal sph, decreasing slty lam,oc lrstn nod.
LOG RUN #4 - CAVE SHALE
LD:1710-30m, 325-375mm
DD:1715-35m (13-15")
SH a/a blk,carb,sbfis-fis sft-mhd,tr micmica, non-s-slty,non-calc,scat pyr lam to 2mm, & scat pyr xlls thruout SH, mnr brn gy arg SLTST lam,oc cht lam-blk
500-1775m, DD-5m=LD
DEPTH CORRECTION:10m
1775-2925m ,DD-15M=LD
(LD=Schlumberger Log Dep)
SH a/a w mnr lam of SLT & SS wh,qtzic,silic,vf-fg grdg arg,tr ø,no live show, tr dd oil stn.
SS wh, qtzic,15-30% silic cmt, qtz ovgths com, wl rd,fg, wl srtd, cln SS
SH a/a grdg 0-5% arg mtx. dd oil stn, no flor, wh-lbrn, 0-10% in 5% ofSS
mnr lam arg sltst,& SH tr Anhy lam in SH
wh SS grdg dk gy arg SS
SLTST: dk gy-dk gy/bn, arg, grdg sdy,sl calc,
LOG RUN #4 - CAVE HOLE
>1820-75m, >375mm (15")
SS vf-fg,dk gy, arg,grdg wh,silic SS 25% sil.cmt
SUNDAY JANUARY 8, 1979

ARY 9, 1979 | MONDAY JANUARY 8, 1979 | SUND

ED MISSISSIPPIAN SHALE)

SH dk gy/blk a/a, carb, blky, micaceous, non calc grdg sl slty lam, Pyr a/a

LOG RUN ### CAVE HOLE
LD1 1520-75m, >375mm, (>15")
DD1 1835-90m,

tr ANHY fld frac

SH a/a dk gy/blk, carb, micaceous, tr pyr lam & scat slt pyr xls, blky, micr fis, v lam of SLTST & SLTY SH dk gy/brn, sl dolic, & micr lam SS (tr-15%) vf-fg, slt-vfg, silic a/a

SH a/a dk gy/blk, carb, micaceous, tr pyr lam & scat slt pyr xls, blky, micr fis, v lam of SLTST & SLTY SH dk gy/brn, sl dolic, & micr lam SS (tr-15%) vf-fg, dk gy, arg, grdg wh, silic SS 25% sil. cmt hd, tt, no ϕ, tr dd oil stn tr ANHY fr in SH

CAVE HOLE >375mm (15") 1820-75m

SH a/a dk gy/blk, carb, micaceous, tr pyr lam & scat slt pyr xls, blky, micr fis, v lam of SLTST & SLTY SH dk gy/brn, sl dolic, & micr lam SS (tr-15%) vf-fg, dk gy, arg, grdg wh, silic SS 25% sil. cmt hd, tt, no ϕ, tr dd oil stn tr ANHY fr in SH

SH a/a v micr lam of SLT & SS wh, qtzic, silic, vf-fg grdg arg, tr ϕ, no live show, tr dd oil stn.

SS wh, qtzic, 15-30% silic cmt, qtz ovgths com, sl rnd, fg, sl rnd, cln SS

SS a/a grdg 0-5% arg mtx. SH oil stn, no flor, wh-lbrn, 0-10% in 5% of SS micr lam arg slst, & SH tr Anhy lam in SH with SS grdg dk gy arg SS SLTST, dk gy-dk gy/bn, arg, grdg sdy, sl calc.

gy arg SLTST lam, oc cnt lam-blk

500-1775m, DD-9m=LD

1775-2925m, DD-15½=LD

(LD=Schlumberger Log Dep)

SH a/a v micr lam of SLT & SS wh, qtzic, silic, vf-fg grdg arg, tr ϕ, no live show, tr dd oil stn.

SS wh, qtzic, 15-30% silic cmt, qtz ovgths com, sl rnd, fg, sl rnd, cln SS

SS a/a grdg 0-5% arg mtx. SH oil stn, no flor, wh-lbrn, 0-10% in 5% of SS micr lam arg slst, & SH tr Anhy lam in SH with SS grdg dk gy arg SS SLTST, dk gy-dk gy/bn, arg, grdg sdy, sl calc.

CAVE HOLE >375mm (15") 1820-75m

SS vf-fg, dk gy, arg, grdg wh, silic SS 25% sil. cmt hd, tt, no ϕ, tr dd oil stn tr ANHY fr in SH

=

SH dk gy/blk, carb, micaceous, tr pyr lam & scat slt pyr xls, blky, micr fis, v lam of SLTST & SLTY SH dk gy/bn, sl dolic, & micr lam SS (tr-15%) vf-fg, slt-vfg, silic a/a

tr ANHY fld frac

LOG RUN ### CAVE HOLE
LD1 1520-75m, >375mm, (>15")
DD1 1835-90m,

SH dk gy/blk a/a, carb, blky, micaceous, non calc grdg sl slty lam, Pyr a/a

TUESDAY JANUARY 9, 1979
MONDAY JANUARY 8, 1979
(UNNAMED MISSISSIPPIAN SHALE)
SH dk gy blk
wl rd,fg,
SS vf-fg,dk gy, arg,grdg wh,silic SS 25% sil.cmt hd, tt, no ϕ,tr dd oil stn tr ANHY fr in SH
LOG RUN #4 - CAVE HOLE >1820-75m, >375mm (15")
SH a/a dk gy/blk,carb, mcmica, tr pyr lam & scat slt pyr xls,blky,mnr fis, w lam cf
SLTST & SLTY SH dk gy/bn, sl dolic, & mnr lam SS wh-gy,slt-vfg,silic a/a (tr-1%)
tr ANHY fld frac
LOG RUN #4- CAVE HOLE LD1820-75m,>375mm,(>15") OD1835-90m,
SH dk gy/blk a/a, carb, blky,mcmica, non calc grdg sl slty lam,Pyr a/a (lam & scat xls),less pyr w lam & grdg SLTST dk gy brn,blky, arg oc calc & grdg SS lam a/a
tr ANHY lam(.3mm)interlam w SH & arg SLTST
SH a/a becoming sltier

13 of


TUESDAY JANUARY 9, 197
WED. JAN. 10/79
THURS. JAN. 11/79
2/79
UNIT #1 (UNNAMED MISSISSI
LD1820-75m,>375mD,(>15")
DD1835-90m,
SH dk gy/blk a/a, carb, blky, mcmica, non calc grdg sl slty lam, Pyr a/a (lam & scat xls), less pyr w lam & grdg SLTST dk gy brn, blky, arg oc calc & grdg SS lam a/a
tr ANHY lam(.3mm) interlam w SH & arg SLTST
SH a/a becoming sltier grdg slty SH (5-30% slt) & arg SLTST grdg sdy, oc calc
SS wh, qtzic, cln qtz ovgth com, wl srtd, wl rd, f-mg, 30% silic cmt, hd, dns plty, oc carb g, no show grdg 0-5%Ø in 10% spl scat blk pyrobit (Asph stn w inbds of slty SH a/a
SS f-mg, wh, qtz g-cln sss, 0-3% ig Ø, w intbds SH
SH dk gy, slty, blky, mcmica sl dolic, carb
SH a/a blk, carb, w scat p pyr, xls (no pyr lam), grdg slty SH a/a & interlam
SS wh-bf, silic, vf-fg
tr ANHY fld Frac.
SH a/a dk gy-blk, carb, blky, sl mcmica, non-calc, w scat slty pyr xls, scat pyr lam com, grdg 5-10% slty SH a/a m-dk brn w incr. mcmica %, oc grdg
13


TUESDAY JANUARY
WED. JAN. 10/79
HURS. JAN. 11/79
UNIT #1 (UNNAMED
blky,mcmica, non calc
grdg sl slty lam,Pyr a/a
(lam & scat xls),less pyr
w lam & grdg SLTST dk gy
brn,blky, arg oc calc &
grdg SS lam a/a
tr ANHY lam(.3mm)interlam
w SH & arg SLTST
SH a/a becoming sltier
grdg slty SH (5-30% slt)
& arg SLTST grdg sdy,
oc calc
SS wh,qtzic,cln qtz ovgth
com, wl srtd, wl rd,f-mg,
30% silic cmt, hd, dns
plty, oc carb g, no show
grdg 0-5%ø in 10% spl
scat blk pyrobit (Asph stn
w inbds of slty SH a/a
SS f-mg,wh,qtz g-cln sss,
0-3% ig ø,w intbds SH
SH dk gy,slty,blky,mcmica
sl dolic, carb
SS
SH a/a blk, carb,w scat p
pyr,xls (no pyr lam), grdg
slty SH a/a & interlam
SS wh-bf, silic,vf-fg
tr ANHY fld Frac.
FRIDAY JANUARY 12/79
SH a/a dk gy-blk,carb,
blky,sl mcmica, non-
calc,w scat slty pyr xls,
scat pyr lam com,grdg
5-10% slty SH a/a m-dk brn
w incr. mcmica %, oc grdg
arg. sltst-oc calc, & mnr
SS wh, slt-vfg, lam,oc
grdg arg.scat pyr cmt
in ss & sltst
tr ANHY FLD FRAC
SH slty ,dk gy/bn,grdg
arg sltst, sl calc,w
mnr SSlam,l gy, arg,

14 of

FRIDAY JANUARY 12/79
SATURDAY JANUARY 13, 1979
SH a/a blk, carb, w scat p pyr, xls (no pyr lam), grdg slty SH a/a & interlam SS wh-bf, silic, vf-fg tr ANHY fld Frac.
SH a/a dk gy-blk, carb, blky, sl mcmica, non-calc, w scat slty pyr xls, scat pyr lam com, grdg 5-10% slty SH a/a m-dk brn w incr. mcmica %, oc grdg arg. sltst-oc calc, & mnr SS wh, slt-vfg, lam, oc grdg arg. scat pyr cmt in ss & sltst tr ANHY FLD FRAC
SH slty, dk gy/bn, grdg arg sltst, sl calc, w mnr SSlam, l gy, arg, slty-vfg, scat fg carb g. silic cmt & arg mtx tr brn Irst lam, brn/gy dolic.
SH a/a slty, m-dk gy/brn, gradg arg sltst, sl dolic blky grdg SH dk gy, w pyr lam to 1mm & pyr nod.
SH dk gy/blk, fiss grdg blky, scat slty pyr xls, tr pyr nod & lam esp com in dkr blk SH
rare IRST nod/lam, brn, dolic
SS lam, wh, silic, f-mg, grdg slty, arg, 30% si cmt
SS interlam w SH a/a SS l gy, arg mtx 10-30%, w 10-20% silic cmt, bbang brd, m srtdi, tr pyr cmt in SS & coating sd g, wh cht g com, f-mg, hd, tt, plty, no Ø, no show CHT (blu/wh/gy) com in
14 of


FRIDAY JANUARY 12/
SATURDAY JANUARY 13. 1979
JANUARY 14, 1979
FORMATION
w incr. mcmica %, oc grdg arg. altst-oc calc, & mnr SS wh, alt-vfg, lam,oc grdg arg.scat pyr cmt in ss & altst tr ANHY FLD FRAC
SH slty ,dk gy/bn,grdg mg altst, sl calc,w mnr SSlam,l gy arg, slty-vfg, scat fg carb g. silic cmt & arg mtx tr brn lrst lam,brn/gy dolic.
SH a/a slty,m-dk gy/brn, gradg arg altst, sl dolic blky grdg SH dk gy, w pyr lam to lmm & pyr nod.
SH dk gy/blk,fiss grdg blky, scat slty pyr xls, tr pyr nod & lam esp com in dkr blk SH
rare lrst nod/lam,brn, dolic
SS lam, wh, silic,f-mg, grdg slty, arg,30% si cmt
SS interlam w SH a/a SS l gy, arg mtx 10-30%, w 10-20% silic cmt, abang brd, m srtd , tr pyr cmt in SS & coating sd g, wh cht g com,f-mg, hd, tt,plty, no ø, no show CHT (blu/wh/gy) com in cg, SS
SH a/a dk gy/blk, oc dk brn/gy, fis oc blky,w scat slt pyr xls,oc pel pyr along bedding planes,
SS l gy, arg a/a grdg v arg SS, oc carb g,silic cmt & arg mtx
SH slty
m-dk gy/brn
FRACTURE
PYRITE
DOLOMITE
CHERT
PELLETS
PYRITE NODULES
15 op

ANUARY - 15 , | 1979 | SUNDAY JANUARY 14, 1979 | SATURDAY

MISSISSIPPIAN | UNIT 1 FORMATION

SS interlam w SH a/a
SS 1 gy, arg mtx 10-30%,
w 10-20% sltic cmt, lbang
brgd, m srtd ; tr pyr cmt
in SS & coating sd g,
rh cht g com,f-mg, hd,
tt,plty, no ø, no show
CHT (blu/wh/gy) com in
cg, SS

SH a/a dk gy/blk, oc dk
brn/gy, fis oc blky,w
scat slt pyr xls,oc pel
pyr along bedding planes,

SS 1 gy, arg a/a grdg
v arg SS, oc carb g,sltic
cmt & arg mtx

SS a/a vfg av,oc fg cht g
hd,dns,sltic, w scat pyr
g & pyr cmt, interlam wSH

SH dk gy-blk a/a oc mgy,
incr. fis, mnr thn pyr
lam, oc mg carb/plt g,
tr IRST brn,dolic,nod-lam
oc slty
tr SS lam, lgy-brn,arg
slt-vfg grdg sltst,oc
fg cht g,oc pyr cmt,
PYR lam & nod com assoc
w slty lam

SH dk gy,fis, oc blk &
gy/brn,sl mmlca, scat
carb g, non-calc, scat
pyr lln & pyr mcroxls,
note pyr xls, com thruout
pyrzd spicules com @20m
SLTS tr, arg, oc cs slt
lam, l brn, sl dolic,
w scat carb/coal g
less than 1% slty lam)
FRSTN; rare, mbrn,nod,sl
dolic
sl.increase in gamma
ray deflection zone.

1500

MONDAY JANUARY 15 1979 SUNDAY JANUARY 14

ON MISSISSIPPIAN UNIT 1 FORMA

SS l gy, arg a/a grdg
v arg SS, oc carb g,sllc
cmt & arg mtx

SS a/a vfg av,oc fg cht g
hd,dns,sllc, v scat pyr
g & pyr cmt, interlam wSH

SH dk gy-blk a/a oc mgy,
incr. fis, mnr thn pyr
lam, oc mg carb/plt g,
tr IRST brn,dolic,nod-lam
oc alty

tr SS lam, lgy-brn,arg
slt-vfg grg sltst,oc
fg cht g,oc pyr cmt,

FIR lam & nod com assoc
w alty lam

SH dk gy,fis, oc blk &
gy/bn,sl mmlca, scat
carb g, non-calc, scat
pyr lin & pyr mroxls,
note pyr xls, com thruout
Pyrzd spicules com @20m
SLTS tr, arg, oc cs slt
lam, l brn, sl dolic,
w scat carb/coal g
less than 1% slty lam)

rSSM; rare, mbrn,nod,sl
dolic

sl increase of Gamma
a transition zone.

SH dk gy & gy/brn,sl fis,
lighter than abv, oc sl
calc, blky-fis,pyr xls com
increase in Gamma.

SH dk gy grdg blk,v carb
scat carb g,fis scat pyr
repl. carb g, tr pyr lam
scat pyr xls & pyrzd spic
tr carb ptg & cody lam
to .05mm lam,hd, brit.

w incr SH dk gy, slty,
sl-v calc incr. w slty %
grdg arg SLTST lam, w
pyr cmt in SLTST, oc flty
vf-fg, lgy CHT G, oc wh
vfg wh calcispheres.

16 of 16


MONDAY JANUARY 15, 1979
TUESDAY JANUARY 16, 1979
MISSISSIPPIAN -- IMPERIAL FORMATION
DEVONIAN
SH dk gy P
dk gy/brn
SH
dk sy/blk
SH dk gy/blk
to m.dk
gy/brn
(lesa than 1% slty lam)
IRSTN: rare, mbrn,nod,sl
dolic
sl.increase γGamma
transition zone.
SH dk gy & gy/brn,sl fis,
lighter than abv, oc sl
calc, blky-fis,pyr xls com
increase in γGamma.
SH dk gy grdg blk,v carb
scat carb g,fis,scat pyr
repl. carb g, tr pyr lam
scat pyr xls & pyrzd spic
tr carb ptg & coaly lam
to .05mm lam,hd, brit.
w incr SH dk gy, slty,
sl-v calc incr. w slty %
grdg arg SLTST lam, w
pyr cmt in SLTST, oc fltg
vf-fg, lgy CHT G, oc wh
vfg wh calcispheres.
SH a/a decr. Pyr lam/nod
SH a/a w scat wh,vfg
calcispheres.
SH dk gy/blk a/a,mas,blky
grdg fis, brit,sl mcmca
scat pyr xls, dissem pyr
lineations,scat pyr spic.
tr Slty SH decreasing
SH a/a dk gy-blk w decr.
blk, carb %,
SLTST lam & slty SH=sl
incr %, sl calc,
SCAT rd pyrzd spores?
.1-.2mm (30-40μ)
NOTE 2350-2385m, incr.
SHALE CAVINGS OVER SHAKER
SH a/a dk gy/blk grdg
dk gy/brn, carb,blky
w scat carb lam, & pyr
com dissem along lam,
tr SLTY SH w wh calcippher
16 of

TUESDAY JANUARY 16, 1979

DEVONIAN - IMPERIAL FORMATION

vfg wh calcispheres.

SH a/a decr. Pyr lam/nod

SH a/a w scat wh,vfg calcispheres.

SH dk gy/blk a/a,mas,blky grdg fi3, brit,sl mcmca scat pyr xls, dissem py- lineatinns,scat pyr splc.

tr Slty SH decreasing

SH a/a dk gy-blk w decr. blk, carb %,
SLTST lam & slty SH=sl incr %, sl calc,

SCAT rd pyrzd spores? .1-.2mm (30-40m)

NOTE 2350-2385m, incr. SHALE CAVINGS OVER SHAKER

SH a/a dk gy/blk grdg dk gy/brn, carb,blky w scat carb lam, & pyr com dissem along lam, tr SLTY SH w wh calcisphere

Scat pyrzd spores .1-.2mm 2360-2400m

SH dk gy/brn oc blk,non-calc, rare pyr lam/nod

SH dk gy & gy/brn,sl slty sl wxy, blky,grdg w slty SH,sl dolic

SH dk gy,blky,sl slty, mcmbcm,grdg incr slty no pyr lam, scat pyr xls in SH w mnr
SLTST l gy/brn,-mgy,silic sl arg, vf slt grdg cs slt & mnr vf-fg SS lam incr. dolic cmt w incr % of SLTST (no pyr xls in

1701



tr SLTY SH w wh calcipphe

Scat pyrzd spores .1-.2mm
2360-2400m

SH dk gy/brn oc blk, non-calc, rare pyr lam/nod

SH dk gy & gy/brn, sl slty sl wxy, blky, grdg v slty SH, sl dolic

SH dk gy, blky, sl slty, mcmica, grdg incr slty no pyr lam, scat pyr xls in SH w mnr
SLTST l gy/brn, -mgy, silic sl arg, vf slt grdg cs slt & mnr vf-fg SS lam incr. dolic cmt w incr % of SLTST (no pyr xls in SLTST or slty SH)
SS grdg 10%vf-fgw scat blk carb & cht g, ang.

SH m gy, grdg dk gy, sl slty, mcmica, grdg carb mnr slty, dolic lam.

SH a/a m-dk gy, blky, sl slty, mcmica, tr carb, rare pyr nod, w lam of SLTST: l gy, sl dolic, arg

INCREASE SH CAVE @ 2455m.

SS wh-gy, dolic, arg, silic, s&p, w sh & carb g.

SH a/a w mnr lam arg SLTST & SS (s&p, cht & carb g,

CAVING SHALE (LOG RUN 4)
2455-2710m = 300-400mm (12-16")
2485-95m = >400mm (>16")
2510-2610m > " " "

SS bf-lgy, s&p, vf-fg &mg, 10-15% silic cmtg

17/1


WEDNESDAY JANUARY 17
THURSDAY JANUARY 18, 1979
FRIDAY JANUARY 19, 1979
SH dk gy,blky,sl slty, mcmica,grdg incr slty
no pyr lam, scat pyr xls in SH w mnr
SLTST l gy/brn,-mgy,silic sl arg, vf slt grdg cs slt & mnr vf-fg SS lam incr. dolic cmt w incr % of SLTST (no pyr xls in SLTST or slty SH)
SS grdg 10%vf-fgw scat blk carb & cht g,ang.
SH m gy, grdg dk gy,sl slty, mcmica, grdg carb mnr slty, dolic lam.
SH a/a m-dk gy,blky,sl slty,mcmica,tr carb, rare pyr nod, w lam of SLTST:l gy,sl dolic,arg
INCREASE SH CAVE @ 2455m.
SS wh-gy,dolic,arg,silic, s&p,w sh & carb g.
SH a/a w mnr lam arg SLTST & SS (s&p, cht & carb g,
CAVING SHALE (LOG RUN #4)
2455-2710m - 300-400mm (12-16")
2485-95m - >400mm (>16")
2510-20m " " "
SS bf-lgy,s&p,vf-fg &mg, 10-15% silic cmt
5-10% dolic/sid cmt,
-15% arg mtx,grdg sdy SH & arg SLTST, p-m srtg, sbang, blu/wh cht com, scat pyr,carb,SH,felds g, scat silic fos g,hd,dns fltg m-cg cht g(cht=20%SS)
SLTST:cs slt,lgy, arg, dolic,grdg SS & SH
SH a/a w interlam SS &


FRIDAY JANUARY 19. 1979
SATURDAY JANUARY 20/79
JAN 21
JAN 22/79
24
1/21
80
85
90
95
2500
05
10
15
20
25
30
35
40
45
2550
55
60
65
70
75
80
85
90
95
600
5
10
15
SH a/a w mnr lam arg SLTST & SS (s&p, cht & carb g,
CAVING SHALE (LOG RUN 4)
2455-2710m = 300-400mm (12-16")
2485-95m = >400mm (>16")
2510-26m = " " "
SS bf-lgy,s&p,vf-fg &mg, 10-15% silic cmtg 5-10% dolic/sid cmt, -15% arg mtx,grdg sdy SH & arg SLTST, p-m srtg, sbang, blu/wh cht com, scat pyr,carb,SH,felds g, scat silic fos g,hd,dns fltg m-cg cht g(cht=20%SS)
SLTST:cs slt,lgy, arg, dolic,grdg SS & SH
SH a/a w interlam SS & SLTST a/a
SS lam lgy,arg,dolic,silic vfg grdg f,mg & slty trvcg blk cht peb (=greywacke type SS)
SH a/a mgy,blky oc fis, micaceous-sl wxy tex,
SH a/a tr Anhy frac fld
tr Dolic frac fld
SLTST gy,v.arg grdg slty SH lam, grdg vfg w oc fltg vf-fg cht
SH m-dk gy,micaceous,sl carb, blky-shfis,scat pyr pel, sl wxy tex, w mnr lam SLTST l-mgy,dolic grdg vfg sdy,grdg slty SH lam,scat blk sh g, scat cht g, oc pyr g,


THURSDAY
FRIDAY JANUARY 19, 1979
SATURDAY JANUARY 20/79
JAN 21
JAN 22/79
65
70
75
80
85
90
95
2500
05
10
15
20
25
30
35
40
45
2550
55
60
65
70
75
80
85
90
95
INCREASE SH CAVE @ 2455m.
SS wh-gy,dolic,arg,silic, s&p,w sh & carb g,
SH a/a w mnr lam arg SLTST & SS (s&p, cht & carb g,
CAVING SHALE (LOG RUN #4)
2455-2710 m = 300-400 mm (12-16")
2485-95 m = >400 mm (>16")
2510-2600 m > " " "
SS bf-lgy,s&p,vf-fg &mg, 10-15% silic cmtn 5-10% dolic/sid cmt, -15% arg mtx,grdg sdy SH & arg SLTST, p-m srtg, sbang, blu/wh cht com, scat pyr,carb,SH,felds g, scat silic fos g,hd,dns fltg m-cg cht g(cht=20%SS)
SLTST:cs slt,lgy, arg, dolic,grdg SS & SH
SH a/a w interlam SS & SLTST a/a
SS lam lgy,arg,dolic,silic vfg grdg f,mg & slty trvcg blk cht peb (=greywacke type SS)
SH a/a mgy,blky oc fis, micaceous-sl wxy tex,
SH a/a tr Anhy frac fld
tr Dolic frac fld
SLTST gy,v.arg grdg slty
SH lam, grdg vfg w oc fltg vf-fg cht
SH m-dk gy,micac,sl carb,

THURS. JANUARY 23,1979 | WEDNESDAY JANUARY 24 | JAN 22/79 | JAN 21 | SATURDAY JANUARY

lam lky,arg,dolic,silt
vfg grdg f,mg & slty
trcg blk cht peb
(=greywacke type SS)

SH a/a mky,blky oc fis,
mcmica-sl mxy tex,

SH a/a tr Anhy frac fld
tr Dolic frac fld

SLTST gy,v.arg grdg slty
SH lam, grdg vfg w oc
flg vf-fg cht

SH ~~dk~~ gy,~~mass~~,sl carb,
blky-fis,scat pyr pel,
sl mxy tex, w mic lam
SLTST l-mgy,dolic grdg
vfg sdy,grdg sltySH
lam,scat blk sh g,
scat cht g, oc pyr g,

LIME, GAS from FRAC

LS wh-l cy,s&p,vf-fg,grdg
slt carb-m srtd,sbang
-sbrd,flty m-qtz &chty,
sl arr, sl dolic,Tr FRAC
fld,sl fld frac/slick.

5-10% dolic cmt,10-15%
silic cmt, 5-10% arg mtx
grdg SLTST bf-lbn/CY,
oc wh s&p,w scat wh-blk
cht, grdg vfg,plty,sl dolic
-ic,sl silic,grdg arg,
SLTST a/a l-mcy,arg,sl
dolic, grdg v arg &slty
SH,


JAN 22/
WEDNESDAY JANUARY 24
THURS. JANUARY 25,1979
1/26
SH lam, grdg vfg w oc
fltg vf-fg cht
SH m-dk gy,nonlm,sl carb,
blky-sbfis,scat pyr pel,
sl wxy tex, w anr lam
SLTST l-mgy,dolic grdg
vfg sdy,grdg sltySH
lam,scat blk sh g,
scat cht g, oc pyr g,
INCR. GAS frm FRAC
SS wh-lgy,s&p,vf-fg,grdg
slt p-m srtd,sbang
-sbrd,fltg m-qtz &chtg,
sl arg, sl dolic,TR FRAC
SS wh-lgy,sl fld frac/slick.
5-10% dolic cmt,10-15%
silic cmt, 5-10% arg mtx
grdg SLTST bf-lbn/gy,
oc wh s&p,w scat wh-blk
cht, grdg vfg,slty,sl dolic
-ic,sl silic,grdg arg.
SLTST a/a l-mgy,arg,sl
dolic, grdg v arg &slty
SH,
tr DOL,wh,FLD FRAC.
SH m-dk gy, nonlm, blky,
grdg slty w scat fltg
qtz & cht g, w grdg & lam
SLTST & SS vf-fg,wh-lgy
SS a/a wh,-lgy,s&p,vf-fg,
sbang,1-5% dol/sid cmt,
5-10% arg mtx, 5-15% silic
cmt,scat dk cht g,sbrd-
sbang, cht=sbang-ang,
grdg SLTST lgy,grdg vfg
INTBD. SHALE-GRY nonlca
90
95
5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
00
05
10
15
20
25

20


HOURS
1/26
MIN.
THURS. FEB. 1 /19
979
-ic,sl silic,grdg arg.
SLTST a/a l-mgy,arg,sl dolic, grdg v arg &slty SH,
tr DOI,wh,FLD FRAC.
grdg slty w scat fltg
cht g, w grdg & lam
SS a/a wh,-lgy,s&p,vf-fg,
cmt,scat cg cht g,sbrd-
grdg SLTST lgy,grdg vfg
INTBD: SHALE-mgy,micaceous
SS a/a m-dk gy,blky,
mcmica com,sl carb,
sl. silic, brit, w
scat pyr nod.
SLTST mnr lam 1%,arg,
SH: lgy, v micaceous, slty
SH a/a m-dk gy,blky,
mcmica, grdg sl slty
w decr slty lam,1-2%,
SLTST:lam,arg,l-mgy,
sl dolic,oc mg sh &
blk carb g,arg mtx
SH grdg incr. carb,dkr
SH m-dk gy, blky, hd,dns
mcmica com, sl carb,
sl. silic, brit, w
scat pyr nod.
SLTST mnr lam 1%,arg,
SHALE BETTER INDURATED
(IN GAUGE HOLE-LOSS
-POS. FX. CRK.-
SH m-dk gy
sl. slty
m-dgy
SH dk gy
SH
m-dk
gy

20


WED. FEB. 1, 1978
THURS. FEB. 1 /79
FRIDAY FEBRUARY 2, 1979
SS a/a wh,-lgy,sbp,vf-fg,
p-mg,1-5% dol/sid cmt,
5-10% arg mtx, 5-15% silic
cmt,scat cg cht g,sbrd-
sbang, cht=sbang-ang,
grdg SLTST lgy,grdg vfg
INTBD: SHALE-mgy,mcmica,
SANDSTONE: wh-lgy,vf-fg,
SLTST: a/a lgy, arg,dolic
SH: mgy, v mcmica, slty
sl sbfis, &
intbds SLTST-gy/bf,arg
grdg vfg (loss core)
SS wh-lgy, vfg grdg fg, w
mnr dolic SS 5-25% dolic
cmt.
SHALE BETTER INDURATED
(IN GAUGE HOLE-LOSS)
-POS. FX CRK.-
SH a/a m-dk gy,blky,
mcmica, grdg sl slty
w decr slty lam,1-2%,
SLTST:lam,arg,l-mgy,
sl dolic,oc mg sh &
blk carb g,arg mtx
SH grdg incr. carb,dkr
SH m-dk gy, blky, hd,dns
mcmica com, sl carb,
sl. sillic, brit, w
scat pyr nod.
SLTST mnr lam 1%,arg,
dolic, l-mbrn/gy,
grdg vfg grwke SS
Scat Qtz(silicsd)fld frac
& Dol fld frac. tr Frac
Ø,w qtz crystal needles
to 2mm long esp. 60-75m
indicative of Fr Ø
SH m-dk gy
sl. slty
m-dk gy
SLT
SH dk gy
T. CREEK FM?
210


THURS. FEB. 1 /10
FRIDAY FEBRUARY 2,1979
SATURDAY FEBRUARY 3rd, 1979
SH a/a m-dk gy, blky, mcmica, grdg sl slty w decr slty lam, 1-2%, SLTST: lam, arg, l-mgy, sl dolic, oc mg sh & blk carb g, arg mtx
SH grdg incr. carb, dkr
SH m-dk gy, blky, hd, dns mcmica com, sl carb, sl. silic, brit, w scat pyr nod.
SLTST mnr lam 1%, arg, dolic, l-mbrn/gy, grdg vfg grwke SS
Scat Qtz(slicsd)fld frac & Dol fld frac. tr Frac Ø, w qtz crystal needles to 2mm long esp. 60-75m indicative of Fr Ø
SH dk gy/blk, silic, hd, brit, w scat vfg blu/wh silic/cht sph 60-70. hd. (metsomc?) incr. Ø comme.
QTZ XL fld FRAC 55-75m (SH)
SLST BF & lt gy, 20-30% silic cmt grdg cht., hd dns w Blk SH a/a trsilic LS(chty) clasts.
LS: wh, biosparite to biomicrite, w crin clasts to 2mm, vest c-vcg " & fos frag, tr dd Asph str bet. clasts, sl rexln
(Log: Soft LS - cave)
LD: 2866-76m
DD: 2881-91m
LS: lgy, sl arg, sl rexln
SH dk gy/blk
silic. slst.
wh bio spar.
FT. CREEK FM?
OGILVIE FM.
A A A A
21


SATURDAY FEBRUARY 3m, 1979
MON. FEB. 5/79
WED, FEB. 7/79
2/L
OGILVIE FM.
SH (plw) dk gy/blk
LS wh biospar.
LS lgy
LS mgy
SH dk gy/blk, silic, hd, brit, w scat vfg blu/wh silic/cht sph 60-70. hd. (metsomc?) incr γ gamma.
QTZ XL fld FRAC 55-75m (SH)
SLST BF & lt gy, 20-30% silic cmt grdg cht., hd dns w Blk SH a/a trsilic LS(chty) clasts.
LS: wh, biosparite to biomicrite, w crin clasts to 2mm, vest c-vcg " & fos frag, tr dd Asph str bet. clasts, sl rexln
(Log: Soft LS - CAVE)
LD: 2806-76m
OD: 2881-91m
LS: lgy, sl arg, sl rexln crp-micxln, micritic, w mnr lam dk gy-blk arg, dolic LS sl silic & chty
LS a gy, incr arg%, sl mot grdg sl dolic, lith-rexln
w scat crin, mnr lam
LS: dk gy/blk, v arg, dolic
LS lgy a/a v.dolic grdg lmy DOL, crypxlngrdg mcxln ghost m-cg, biomicrite grdg LS mgy, v dolic, arg, sl mot, w vf clasts in arg micritic mtx.
Soft LS - CAVE 2941-2951m (LOG RUN #4)
scat repl. cht, <1%
LS dolic, lgy, oc wh, rexln, crypxln grdg mcxln, biomic tr silic grdg cht, grdg LS mgy-agy/bu, mot, arg, dolic (30-40% dolic xls) scat crin, sl slty grdg silic stroht, mnr
22

79 FRIDAY FEBRUARY 9/79 2/8

SDAY FEBRUARY 8/79 WED, FEB. 7/79 MON. FEB. 5/79

LS lgy a/a v.dolic grdg
lmy DOL,cryptlnrdg mexln
ghost m-cg,biomicrite
grdg LS mgy,v dolic,arg,
sl mot,w vf clasts in arg
micritic mtx.
Sept 75 - CAVE #99/-2(5)/M
(Log Run #4)

scat repl. cht, dk

LS dolic,lgy,oc wh,rexln,
cryptln grdg mexln,biomic
tr silic grdg cht, grdl
LS dk-mgy/bn,mot,arg,
dolic (10-15% dolic
rls) sm crinoid alty
grdg silic micrht,mx
LS v arg,dkg grig layer
2hr intbd thn ss lam wh,
f-mg.

LS l mgy/wh-micrite,sl
dolic & rexln,10-70%dol
rls,m-cg ghost clasts.
LS mgy, grdg dk mgy/bn,arg
lith,bd,dns,dolic,ply

LS l-mgy,sl dolic,lith,
grdg dk mgy/bn, arg, scat
dol rls in lo mtx, w mx
intbds: (+/- f-mg sd w-sc
LS lgy/wh, micrite,ply
sl rexln

LS a/a l-mgy, arg, sl doll
lith,bd, dns,sl silic
grdg to dk mgy cht (repl).

LS bf-wh,intrabiomicrite
to sparite, scat crin,
scat shell frgs, sl dolic
w clasts f-mg w mxr lam

LS (10%) l-mgy, arg, sl
dolic, lith, sl silic
w tr cht,

82

WED, FEB. 7/
SDAY FEBRUARY 8/
FRIDAY FEBRUARY 9/79
2/0
SATURDAY FEBRUARY 10, 1979
55
60
65
70
75
80
85
90
95
5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
FM
LS dolic,lgy,oc wh,rexln, crypxln grdg mcxln,biomic tr silic grdg cht, grdg
LS lgy-mgy/bn,mot,arg, dolic (30-40% dolic xln) scat crin,sl slty grdg silic strcht,mnr
LS v arg,dkgy grdg lmySH
tr intbd thn ss lam wh, f-mg,
LS l gy/wh-micrite,sl dolic & rexln,10-70%dol xls,m-cg ghost clasts.
LS mgy, grdg dk gy/bn,arg lith,hd,dns,plty,dolic
LS l-mgy,sl dolic,lith, grdg dk gy/bn, arg, scat dol xls in Ls mtx, w mnr intbds; (tr f-mg sd 95-05
LS lgy/wh, micrite,plty sl rexln
LS a/a l-mgy, arg, sl dol lith,hd, dns,sl silic grdg tr dk gy cht (repl)
LS bf-wh,intrabiomicrite to sparite, scat crin, scat shell frgs, sl dolic w clasts f-mg w mnr lam
LS (<10%) l-mgy, arg, sl dolic, lith, sl silic w tr cht,
3055-68 (partial wash-out)
LS lgyoc mgy,plty dolic sl silic w tr cht, arg grdg10-30% DOL lmy grdg Dolic LS-dk gy & gy/bn, hd, dns, lith,crypxln, sl silic, plty w oc dk gy cht(meta)
sl. increase log. density
INTBDS: wh,l-mgy & dk gy
LS bf-wh,intrabiomicrite
LS l gy/wh,micrite,plty
LS a/a l-mgy, arg, sl dol
LS bf-wh,intrabiomicrite
LS (<10%) l-mgy, arg, sl
LS lgyoc mgy,plty dolic
INTBDS: wh,l-mgy & dk gy

SATURDAY FEBRUARY 10, 1979 | FRIDAY FEBRUARY 9/79 | 2/0 | SDAY FEBRUARY | WED, FEB. 7/

LS dolic,lgy,oc wh,rexln,
cryptxln grdg mcxln,biomic
tr silic grdg cht, grdg
LS [illegible]-mgy/bu,mot,arg,
[illegible] (30-40% dolic
xln) scat crs,sl sdy
grdg silic stretch,mar
LS v arg,dkgy grdg lmy3H
[illegible]
[illegible]2tr intbd thn ss lam wh,
f-mg,
LS l gy/wh-micrite,sl
dolic & rexln,10-70%dol
xls,m-cg ghost clasts.
LS mgy, grdg dk gy/bn,arg
lith,hd,dns,plty,dolic
[illegible]

LS l-mgy,sl dolo,lith,
grdg dk gy/bn, arg, scat
dol xls in Ls mtx, v mxr
intbds; (+r f-mg sd %red
[illegible]
LS lgy/wh, micrite,plty
sl rexln

LS a/a l-mgy, arg, sl dol
lith,hd, dns,sl silic
grdg tr dk gy cht (rep).

LS bf-wh,intrabiomicrite
to sparite, scat crln,
scat shell frgs, sl dolic
v clasts f-mg v mxr lam

LS (10%) l-mgy, arg, sl
dolic, lith, sl silic
v tr cht,

3055-68 (partial washout)

LS lgyoc mgy,plty dolic
sl silic v tr cht, arg
grdg10-30% DOL lmy grdg
Dolic LS-dk gy & gy/bn,
hd, dns, lith,cryptxln,
sl silic, plty v oc dk gy
cht(meta)
sl. increase 70's. Possibly

INTBDS: wh,l-mgy & dk gy


FRIDAY FEBRUARY 9/79
SATURDAY FEBRUARY 10, 1979
SUN. FEB. 11 1979
GOSSAGE FM.
LS lgy/wh, micrite, plty sl rexln
LS a/a l-mgy, arg, sl dol lith, hd, dns, sl silic grdg tr dk gy cht (repl.)
LS bf-wh, intrabiomicrite to sparite, scat crin, scat shell frgs, sl dolic w clasts f-mg w mnr lam
LS (<10%) l-mgy, arg, sl dolic, lith, sl silic w tr cht,
3055-68 (partial wash-out)
LS lgyoc mgy, plty dolic sl silic w tr cht, arg grdg 10-30% DOL lmy grdg
Dolic LS-dk gy & gy/bn, hd, dns, lith, crypxln, sl silic, plty w oc dk gy cht (meta)
INTBDS: wh, l-mgy & dk gy LS to Dol, & mnr DOL blk, hd, dns, sl silic, plty oc fos frgs, biomicrite w blk arg mtx.
LS lgy, dolic, rexln, sl arg, crpxln grdg mnr mcxln, w grdg
LS a/a dolic, m-dk gy, grdg lmy DOL, arg
LS l gy, sl dolic, oc mcxln, biomic, crinoidal, oc gast, tr pr ix ϕ w ASPH stn, dd
LS (10-20%) sf, litho, micrite, tr spar calc sh's, spar-xtn, sucr-dolic
bf-wh biosparite, sl dolic
LS l-m gy
LS lgy
LS lgy
LS lgy
bf-wh biospar
23


MONDAY FEBRUARY 12, 1979
SUN. FEB. 11
SATURDAY
GOSAGE FM.
LS lgy
LS l-m gy
LS wh-gy/wh
LS lgyoc mgy, plty dolic
sl silic w tr cht, arg
grdg10-30% DOL lmy grdg
Dolic LS-dk gy & gy/bn,
hd, dns, lith,crypxln,
sl silic, plty w oc dk gy
cht(meta)
Sl. increase log. Density
INTBDS: wh,l-mgy & dk gy
LS to Dol, & mnr DOL blk,
hd, dns, sl silic, plty
oc fos frgs, biomicrite w
blk arg mtx.
LS lgy, dolic, rexln, sl
arg,crpxln grdg mnr
mcxln, w grdg
LS a/a dolic,m-dk gy, grdg
lmy DOL,arg
LS 1 gy, sl dolic, oc mcxln,
biomic,crinoidal, oc gast,
tr pr ix Ø w ASPN stn,dd
LS (10-20%) bf,litho,
micrite, tr spar calc
xls, spar-eys,non-dolic
biosparite, sl dolic
LS bf/lt tan, litho, a/a
LS wh & gy/wh, rexln
crpxln grdg mcxln, sft,
slmot,lgy & wh, sl dolic
LS (10-20%) lam, l-mgy,
sl dolic, arg, rexln
3194-3202 m (partial wash-out)
LS WH & gy/wh,rexln,
A
A
24/1


MONDAY FEBRUARY 12, 1979
TUESDAY FEB. 13/79
WEDNESDAY 14/79
LS lgy
LS wh - gy/wh
LS bf. lith
LS 1 gy, sl dolic, oc mcxln, biomic, crinoidal, oc gast, tr pr ix ø w ASPH stn, dd
LS (10-20%) bf, litho, micrite, tr spar calc xls, spar-eys, non-dolic biosparite, sl dolic
LS bf/lt tan, litho, a/a
LS wh & gy/wh, rexln crpxln grdg mcxln, sft, slmot, lgy & wh, sl dolic
LS (10-20%) lam, l-mgy, sl dolic, arg, rexln
3194-3202 m (partial wash-out)
LS WH & gy/wh, rexln, crpxln, sft grdg mcxln,
mnr lam Litho Ls w scat wh, mCasph a/a
LS bf & lgy/wh, litho, micritic, hd, plty, Casph, (algal), w spar calcite "birdseye", w mnr LS wh & m-dk gy arg Dol.
tr DOL, mcxln, scat dd ASPH stn.
24

WEDNESDAY FEBRUARY 14/79
TUESDAY FEBRUARY 15, 1979
1ST DOLOMITE MBR
LS bf & lgy/wh,litho, micritic,hd,plty,Casph, (algal),w spar calcite "birdseye", w mnr LS wh & m-dk gy arg Dol.
tr DOL,mcxln,scat dd ASPH stn.
LS crm/bfa/a scat spar clcite,micrite,plty. sl.dolic tr intxln DOL w Asph.
Lith Ls,w 10-30 mcxln scat DOL xls, grdg,wh-l gy, LS rexln LS,sl.dolic
scat lgy/wh shell frgs
LS wh, biospar,in pt chky crypxln grdg mcxln,m hd ex eff in acid w mnr LS l gy/wh,algal & LS l-mgy,dolic,arg grdg DOL.
DOL l gy,grdg dk gy, arg hd, brit,sl arg w sl blu-wh cast, grdg LS,dolic (transition zone between dolic LS & lmy DOL.
DOL bf/wh, mcxln-crpxlnw 5-20%vfxln w scat pr vis ø, sl calc decr. w intbds 10-30% gy/wh & l gy, oc dk gybn,mot, sl calc. scat spar xlns
DOL a/a bf/wh, oc gy/wh, sl calc, mcxln,grdg crpxln-vfxln,w scat pyr xls in lgy arg DOL, pr scat ix ø,w incr ø below 3385m


WEDNESDAY
THURSDAY FEBRUARY 15, 1979
1ST DOLOMITE MBR
DOL bf/wh, mcxln-crpxlnw 5-20%vfxln w scat pr vis ø, sl calc decr. w intbds 10-30% gy/wh & lgy, oc dk gybn,mot, sl calc. scat spar xlns
DOL a/a bf/wh, oc gy/wh, sl calc, mcxln,grdg crpxln-vfxln,w scat pyr xls in lgy arg DOL, pr scat ix ø,w incr ø below 3385m


THURSDAY FEBRUARY 15, 1979
FRIDAY FEBRUARY 16, 1979
1ST DOLOMI
DOL a/a bf/wh, oc gy/wh, sl calc, mcxln, grdg crpxln-vfxln, w scat pyr xls in lgy arg DOL, pr scat ix ∅, w incr ∅ below 3385m
DOL a/a wh, mcxln grdg vfxln incr % lg wh Dolic &calc spar xls, scat pr ix ∅ & oc fr vis ix ∅ 1-5%mpl 90-95m w tr (1-2g)pyrobit stn(A)scat pyr xls
DOL: bf/wh, crpxln grdg 20-40%mcxln and 5-10%vfxln hd, dns, plty, tr mxln (m-cs g clast vestiges)sl lmy scat pr vis. ∅, 1-2%sple oc 1-5%of sple, w scat clacite & Dolic xl spar-fld vugs? or foss casts?
Lmnr DOL l gy/wh, sl arg crypxln, hd, dns, plty
DOL a/a bf wh, grdg dolic LS, (est 60% dolic xls)
DOL lgy/wh & bf/wh a/a w incr. LS lgy/wh grdg dolic & lmy DOL, sl arg, grdg m-dk gy, arg, mcxln-vfx
A
A


FRIDAY FEBRUARY 16, 1979
SATURDAY FEBRUARY 17, 1979
DOL a/a wh,mcxln grdg vfxln incr % lg wh Dolic &calc spar xls, scat pr ix Ø & oc fr vis ix Ø 1-5%spl 90-95m w tr (1-2g)pyrobit stn(A)scat pyr xls
DOL: bf/wh,crpxln grdg 20-40%mcxln and 5-10%vfxln hd,dns,plty, tr mxln (m-cs g clast vestiges)sl lmy scat pr vis. Ø, 1-2%sple oc 1-5%of sple, w scat clacite & Dolic xl spar-fld vugs? or foss casts?
Log Ø often SH effect @ 3428m
incr DOL l gy/wh, sl arg crypXln,hd,dns,plty
DOL a/a bf wh, grdg dolic LS,(est 60% dolic xls)
DOL lgy/wh & bf/wh a/a w incr. LS lgy/wh grdg dolic & lmy DOL,sl arg, grdg m-dk gy,arg,mcxln-vfx
DOL a/a l gy/wh,dkr shade w sl incr arg % & incr. xln %,scatpr vis %esp in vfxln DOL, scat-rare,blk Pyrobit(A)stn, w intbds 30% lmy DOL (60% dolic xl) lgy &gy/blu,mcxln-vfxln (pos. Amph.vestiges)
DOL m-dkgy,oc sbrn, mot-dk gy/bn,mc-vfxln,pos? Amph vestiges,sm-cg clast
DOL a/a lgy/wh,sl calc,mc-
DOL lgy/wh
DOL
DOL
DOL

18./79 SATURDAY FEBRUARY 17, 1979 FRIDAY F.R

VD DOLOMITE MBR

DOL a/a bf wh, grdg dolic
LS,(est 60% dolic xls)

DOL lgy/wh & bf/wh a/a
w incr. LS lgy/wh grdg
dolic & lmy DOL, sl arg,
grdg m-dk gy, arg, mcxln-vfx

DOL a/a l gy/wh, dkr shade
w sl incr arg % & incr.
xln %, seatpr vis %esp in
vfxln DOL,
seat-rare, blk
Pyrobit(A)stn, w intbds
30% lmy DOL (60% dolic xl
ley &gy/blu, mcxln-vfxln
(pos. Amph vestiges)

DOL, m-dkgy, oc mbrn, mot-
l-dk gy/bn, mc-vfxln, pos?
Amph vestiges, m-cg clast
intgrwn xls, scat wh spar
xls contrasts w dkr DOL
scat pr vis ø in vfxln
grdg l gy/wh, sl calc, mc-
crpxln DOL a/a

DOL a/a bf/wh, gy/wh & wh,
mcxln, grdg crpxln, sl calc
hd, plty, no ø due to less
xln DOL 3525-65m

5-10% wh SPAR calcite &
dolic, w wh chky Fos frgs,

DOL wh/bf & wh/gy a/a
plty, mld, tr pyr xls in DOL
mcxln grdg crpxln-vfxln,
scat pr vis ø 1-5% sole

9 10/


SATURDAY FEBRUARY 18./79
2ND DOLOMITE MBR
DOL. lgy/wh
DOL m-dkgy & gy/blu, mcxln-vfxln (pos. Amph.vestiges)
DOL, m-dkgy, oc mbrn, mot-l-dk gy/bn, mc-vfxln, pos? Amph vestiges, &m-cg clast intgrwn xls, scat wh spar xls contrasts w dkr DOL scat pr vis Ø in vfxln grdg l gy/wh, sl calc, mc-crpxln DOL a/a
DOL a/a bf/wh, gy/wh & wh, mcxln, grdg crpxln, sl calc hd, plty, no Ø due to less xln DOL 3525-65m
5-10% wh SPAR calcite & dolic, w wh chky Fos frgs,
DOL wh/bf & wh/gy a/a plty, mhd, tr pyr xls in DOL mcxln grdg crpxln-vfxln, scat pr vis Ø 1-5% sple, mnr fr ixØ 70-75m, esp vfx
DOL a/a lgy/wh (dkr) DOL intbds m-dkgy and gy/bn, mottled, mcxln-vfxln w oc scat fg qtz g, sl arg, grdg ltr gy arg DOL, slcalc @ base. Scat pr vis Ø ix in 1-5% of sple,
DOL: wh-gy/wh & bf/wh, micxln grdg 10-20% crypxln, &10-20%vfxln, oc saccy-micxln, hd, plty oc mxln (frm m-cg clast vestiges), scat pr ix & pp Ø esp in vfxln DOL w 5% calcite spar & oc chlky Fos frgs, cs-spar xl tr clr wh QTZ xls
scat blk pyrobit(A) stn,
ft rare- 1-2%,


MONDAY FEBRARY 19, 1979 SUNDAY FEBR
Differentially stuck in hole. Collars 3550-3635m
LITH. corrected w.Dens./ log.to Drill Depth
bn, mottled,mcxln-vfxln w oc scat fg qtz g,sl arg, grdg ltr gy arg DOL,slcalc @ base. Scat pr vis Ø ix in 1-3% of sple,
DOL: wh-gy/wh & bf/wh, micxln grdg 10-20% crypxln, &10-20%vfxln, oc saccy-micxln,hd,plty oc mxln(frm m-cg clast vestiges), scat pr ix & pp Ø esp in vfxln DOL w 5% calcite spar & oc chlky Fos frgs,cs-spar xl tr clr wh QTZ xls @3615m scat blk pyrobit(A)stn,3640m oft rare- 1-2g,
NOTE: drill breaks are indicative of incr. xl % & scat Ø. Scat pr Ø in 1-5% of sple (Vis. poros)
DOL a/a w. 5-10% l blu/gy grdg gy/wh, sl arg, sl lmy,crypxln grdg micxln hd, dnse, no scat Ø
DOL a/a bf/wh,gy/wh & wh sl calc,mc-vfxln w scat pr visual Ø in 10% sple @ 3675-80m, mnr saccy-micxln
DOL a/a l gy/blu & wh a/a micxln grdg mnr crypxln &vfxln,tr saccy-micxln, less than 5% pr Ø in sple.

28 of


MONDAY FEBRARY 12, 1979
stuck in hole
collars 3550-
-3635
indicative of incr. xl %
scat ø. Scat pr ø in
1-5% of sple (Vis. poros)
Log: W. Army Dol. 3645-54m.
DOL a/a w. 5-10% l blu/gy
grdg gy/wh, sl arg,
sl lmy,crypxln grdg micxln
hd, dnse, no scat ø
DOL a/a bf/wh,gy/wh & wh
sl calc,mc-vfxln w scat
pr visual ø in 10% sple @
3675-80m, mnr sacy-micxln
DOL a/a l gy/blu & wh a/a
micxln grdg mnr cryxln
&vfxln,tr saccy-mcxln,
less than 5% pr ø in sple.
LITH.
corrected
W.Dcmn./
log.to
Drill
A

28 of