

321 50TH AVENUE S.E. • CALGARY 24, ALBERTA • PH 255-1151
A DIVISION OF SCHLUMBERGER CANADA LIMITED

TEST DATA			
Type of Test	Open Hole, Straddle, Bypass.		
Time Started in Hole	0145 Hrs.	Tool Opened	0500 Hrs.
First Flow	5 Min.	Initial Shut-In	30 Min.
Second Flow	90 Min.	Second Shut In	Min.
Third Flow	Min.	Final Shut In	180 Min.
Pulled Loose @	1015 Hrs.	Out of Hole	0200 Hrs.
Wt. Set/on Packers	40,000 #	Pulled Loose Wt.	20,000 #
Description of Blow During Test	Good initial puff on preflow.		
	Good final flow, dead in 90 minutes.		

TOOL SEQUENCE		
Tool	Length	O.D.
Jars & Sub	9.40	
P.O. Sub	1.00	
Sub	.80	
MFE Tool	9.50	
Bypass Tool	2.95	
H. Sub	1.00	
Safety Joint	1.75	
S.S. & Packer	8.50	7 3/4"
T.C. & Packer	4.60	7 3/4"
Total	39.50	
Stub	1.20	
Perfs	23.00	
R. Sub	1.00	
Recorder	5.90	
Recorder	5.90	
Sub	.80	
Drill Collar	62.00	
Sub	1.35	
Travel Collar	3.05	
Total Interval	104.20	

FLUID RECOVERY			
Was Test Reverse Circulated	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
Total Fluid Recovered	864		Ft.
Description of Fluid Recovered	834' Drilling fluid.		
	30' Gas cut drilling fluid.		

GAS BLOW MEASUREMENT			
Measured With			I.D. Riser
Time	Sfce. Choke	Reading psi inches	M Cubic Feet/Day
		NO GAS TO SURFACE.	


Packer	2.80	7 3/4"
T.C. & Packer	5.85	7 3/4"
Recorder	5.90	
Perfs	23.00	
Sub	.80	
Drill Pipe	2615.69	
Total Below Intv.	2654.04	
TOTAL LENGTH	2797.74	
Elevation G.L.	1701	K.B. 1716
Bottom Hole Choke Size.	1/2	

REMARKS: Test satisfactory. While tool was open, lost about 10 bbls. of drilling fluid in hole.

Fluid Cushion Type	N11	Amt.	
MUD AND HOLE DATA			
Mud Type	Gel	W.L.	6.4
Filter Cake	2/32	Visc.	120
		Wt.	11.4
Time Taken			
Contractor	G.P. Drilling	Rig No.	24
Drill Pipe Size	4 1/2" FH		
Drill Collar Size	2 7/8" ID	&	
Drill Collar Length	300'	&	
Main Hole Size	8 3/4"	Rat Hole	

RESISTIVITY		SALT CONTENT	
Recovery Water	@	°F.	ppm.
Mud Pit sample filtrate	@	°F.	ppm.
District	Inuvik	Ticket No.	D06973
		Date	April 27, 1972
Company	Chevron Standard Limited	Address	400 - 5th Ave. S.W.
Well Name	Chevron SOBC Wm E Porcupine YT F-18		Calgary, Alberta
Number	66°07'25"N 137°48'16"W	Field	Wildcat
		Province	Yukon
Formation		Co. Rep.	H. Herring
Interval	3970 - 4074	T.D.	6728
		Technician	J. Hames
Distribution of Reports		12 - Calgary	
		Attention: Mr. Connon	

Test No. (3) J.T. No. 3



JOHNSTON TESTERS 321 · 50TH AVENUE S.E. · CALGARY 24, ALBERTA · PH. 255-1151
A DIVISION OF SCHLUMBERGER CANADA LIMITED


GUIDE TO IDENTIFICATION OF DRILL STEM TEST PRESSURE CHARTS

FIELD REPORT NO.

RECORDER NO.

D06973


AK1-4366




- A. Initial Hyd. Mud
- B. First Flow
- C. Initial Shut-In
- D. Second Flow
- E. Second Shut-In
- F. Third Flow
- G. Final Shut-In
- H. Final Hyd. Mud

The following points are either fluctuating pressures or points indicating other packer settings (testing different zones).

A-1, A-2, A-3, etc. Initial Hyd. Pressures
Z — Special pressure points such as pumping pressures recorded for formation breakdown.



DO6973 AKI-4371



D5T

DO6973 AKI-4374
can below straddle

