

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Mudon WELL NAME & No. Socony of Whiteston CONTRACTOR Packer Drilling

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12 - 8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.														<i>Traveling Time from Dawson City to Grande Prairie & Edmonton.</i>	
4 A.M.															
6 A.M.															
8 A.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____											BOP Tested		DRILLER:	CONTRACTOR'S TIME	CO'S. TIME
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8 - 4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.														<i>Travel from Dawson City to Edmonton.</i>	
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____											BOP Tested		DRILLER:	CONTRACTOR'S TIME	CO'S. TIME
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4 - 12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ ON HAND: _____											BOP Tested		DRILLER:	CONTRACTOR'S TIME	CO'S. TIME

CASING TESTED TO: _____ PSI. MIN. _____ FORMATION TESTED _____ PSI. MIN. _____ EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: J. T. Raw

PETROBRAS OIL OF CANADA, LTD.

DATE Aug 11/60

No. 134 DAILY TIME SHEET

3-35

WORKING REPORT

No. 134

Well Socant Mobil Whitestair

CONTRACTOR Packer Drilling

RIG No. Mobil #1

Approved _____ Date Aug 11/60

WORK RECORD 12 - 8 TOUR

Time from
city to Grande
Edmonton

FROM	TO	FOOTAGE	HRS.	SIZE

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	<u>E. Gable</u>	<u>8</u>
DERRICK	<u>E. Prosser</u>	<u>8</u>
MOTORMAN	<u>K. Longson</u>	<u>8</u>
FLOORMAN	<u>E. Wainwright</u>	<u>8</u>
FLOORMAN	<u>H. Brooks</u>	<u>8</u>
FIREMAN		

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	
STANDS		SIZE	
SINGLE		MAKE	
D.C.'s		TYPE	
		SERIAL	
		JET SIZE	
		FROM	
		TO	
KELLY IN		FOOTAGE	
TOTAL		HRS.	
RATHOLE TOP		COND.	

REMARKS AND INJURIES:
Great Time

CONTRACTOR'S TIME CO'S. TIME

8 - 4 TOUR

Time Dawson
Edmonton

FROM	TO	FOOTAGE	HRS.	SIZE

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	<u>E. Gable</u>	<u>8</u>
DERRICK	<u>D. Robb</u>	<u>8</u>
MOTORMAN	<u>P. ...</u>	<u>8</u>
FLOORMAN	<u>L. ...</u>	<u>8</u>
FLOORMAN	<u>H. ...</u>	<u>8</u>
FIREMAN		

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	
STANDS		SIZE	
SINGLE		MAKE	
D.C.'s		TYPE	
		SERIAL	
		JET SIZE	
		FROM	
		TO	
KELLY IN		FOOTAGE	
TOTAL		HRS.	
RATHOLE TOP		COND.	

REMARKS AND INJURIES:
Great Time

CONTRACTOR'S TIME CO'S. TIME


4 - 12 TOUR

FROM	TO	FOOTAGE	HRS.	SIZE

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	
STANDS		SIZE	
SINGLE		MAKE	
D.C.'s		TYPE	
		SERIAL	
		JET SIZE	
		FROM	
		TO	
KELLY IN		FOOTAGE	
TOTAL		HRS.	
RATHOLE TOP		COND.	

REMARKS AND INJURIES:



EQUIPMENT FAILURES _____ TIME LOST _____
TOOL PUSHER: S. ... APPROVED: _____
CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: White WELL NAME & No. White CONTRACTOR White

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12 - 8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.														<i>8</i> <i>Turning from White to Dawson City.</i>	
4 A.M.															
6 A.M.															
8 A.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____											BOP Tested		DRILLER:	CONTRACTOR'S TIME	CO'S. TIME
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8 - 4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.														<i>5</i> <i>Turning from White to Dawson City.</i>	
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____											BOP Tested		DRILLER:	CONTRACTOR'S TIME	CO'S. TIME
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4 - 12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____											BOP Tested		DRILLER:	CONTRACTOR'S TIME	CO'S. TIME

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____
 TOOL PUSHER: _____

DRILLING REPORT

No. 133

Well Whitestone

CONTRACTOR W. J. ...

RIG No. ...

Approved _____ Date Aug 14/60

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED
REAMED
CORED

DRILLER F. Goble 8
DERRICK F. ... 8
MOTORMAN ... 2
FLOORMAN ... 8
FLOORMAN ... 7
FIREMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.
STANDS		SIZE
SINGLE		MAKE
D.C.'s		TYPE
		SERIAL
		JET SIZE
		FROM
		TO
KELLY IN		FOOTAGE
TOTAL		HRS.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

RAT HOLE TOP

COND.

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED
REAMED
CORED

DRILLER ... 8
DERRICK ... 8
MOTORMAN ... 3
FLOORMAN ... 3
FLOORMAN ... 8
FIREMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.
STANDS		SIZE
SINGLE		MAKE
D.C.'s		TYPE
		SERIAL
		JET SIZE
		FROM
		TO
KELLY IN		FOOTAGE
TOTAL		HRS.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

RAT HOLE TOP

COND.

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.
STANDS		SIZE
SINGLE		MAKE
D.C.'s		TYPE
		SERIAL
		JET SIZE
		FROM
		TO
KELLY IN		FOOTAGE
TOTAL		HRS.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

RAT HOLE TOP

COND.

MIN. EQUIPMENT FAILURES TIME LOST

TOOL PUSHER: ... APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Upton I. WELL NAME & No. Whitestone N-26 CONTRACTOR Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12 - 8 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
2 A.M.														FINISH Tearing out Rig Clean up Lease Spray pipe with fuel. And Held tank out with hose.				
4 A.M.																		
6 A.M.																		
8 A.M.																		
LINER SIZE: _____ STROKE _____											MUD & CHEMICALS							
LBS. Added		KIND																
											BOP Tested		DRILLER: <u>W. White</u>		CONTRACTOR'S TIME		CO'S. TIME	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8 - 4 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
10 A.M.														Tearing out water line to clean to rig & to camp.				
NOON																		
2 P.M.																		
4 P.M.																		
LINER SIZE: _____ STROKE _____											MUD & CHEMICALS							
LBS. Added		KIND																
											BOP Tested		DRILLER: <u>C. White</u>		CONTRACTOR'S TIME		CO'S. TIME	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4 - 12 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
6 P.M.																		
8 P.M.																		
10 P.M.																		
12 P.M.																		
LINER SIZE: _____ STROKE _____											MUD & CHEMICALS							
LBS. Added		KIND			LBS.		ON HAND											
											BOP Tested		DRILLER: _____		CONTRACTOR'S TIME		CO'S. TIME	

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon 1 WELL NAME & No. Whitestone No 26 CONTRACTOR Socony

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		12-8 TOUR		
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
2 A.M.														TEAR OUT RIG				
4 A.M.														CHANGE OIL TO MISTERS No 10				
6 A.M.														ADD DRILLING STONE				
8 A.M.														LOADING L.P. W.P. + COMPANIES				
														UNDER STAKE				
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
MUD & CHEMICALS											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
LBS. Added				KIND							BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
MUD RECORD											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		8-4 TOUR		
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
10 A.M.														TEARING OUT L.P. PICK UP WATER				
NOON														LINE, WASH UP DOWNHOLE CLEAN				
2 P.M.														UP RIG				
4 P.M.																		
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
MUD & CHEMICALS											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
LBS. Added				KIND							BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
MUD RECORD											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		4-12 TOUR		
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
6 P.M.																		
8 P.M.																		
10 P.M.																		
12 P.M.																		
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
MUD & CHEMICALS											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
LBS. Added				KIND							BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	
											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

MOBIL OIL OF CANADA, LTD.

DATE Aug 9-6-

No. 131 DAILY TIME SHEET

3 35

DRILLING REPORT

No. 131

Well Secom mobile

CONTRACTOR Secom mobile

RIG No. 4

Approved _____

Date Aug 9

WORK RECORD		12-8 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.
<p><u>at Rig</u> <u>at 14 meters No 10</u> <u>at 50m</u> <u>at 100m + Compensator</u> <u>at 150m</u></p>											
DRILLED								DRILLER <u>F. GOSSEL 12</u>			
REAMED								DERRICK <u>F. PROSSER 12</u>			
CORED								MOTORMAN <u>K. LANGRISH 12</u>			
TALLY				BIT RECORD				FLOORMAN <u>E. PROSSER 12</u>			
No.	LENGTH	BIT No.						FLOORMAN <u>H. LEEDS 12</u>			
STANDS		SIZE						FIREMAN			
SINGLE		MAKE						REMARKS AND INJURIES:			
D.C.'s		TYPE						<u>E. PROSSER LEFT</u>			
		SERIAL									
		JET SIZE									
		FROM									
		TO									
		FOOTAGE									
KELLY IN				HRS.							
TOTAL				COND.							
CONTRACTOR'S TIME		CO'S. TIME		RAT HOLE TOP							

WORK RECORD		8-4 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.
<p><u>out. big pick up water</u> <u>sh on DERRICK CLEAN</u></p>											
DRILLED								DRILLER			
REAMED								DERRICK			
CORED								MOTORMAN			
TALLY				BIT RECORD				FLOORMAN			
No.	LENGTH	BIT No.						FLOORMAN			
STANDS		SIZE						FIREMAN			
SINGLE		MAKE						REMARKS AND INJURIES:			
D.C.'s		TYPE									
		SERIAL									
		JET SIZE									
		FROM									
		TO									
		FOOTAGE									
KELLY IN				HRS.							
TOTAL				COND.							
CONTRACTOR'S TIME		CO'S. TIME		RAT HOLE TOP							

WORK RECORD		4-12 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.
<p><u>at 150m</u></p>											
DRILLED								DRILLER <u>R. BRITTON 12</u>			
REAMED								DERRICK <u>D. BRITTON 12</u>			
CORED								MOTORMAN <u>R. BRITTON 12</u>			
TALLY				BIT RECORD				FLOORMAN <u>R. BRITTON 12</u>			
No.	LENGTH	BIT No.						FLOORMAN <u>R. BRITTON 12</u>			
STANDS		SIZE						FIREMAN			
SINGLE		MAKE						REMARKS AND INJURIES:			
D.C.'s		TYPE									
		SERIAL									
		JET SIZE									
		FROM									
		TO									
		FOOTAGE									
KELLY IN				HRS.							
TOTAL				COND.							
CONTRACTOR'S TIME		CO'S. TIME		RAT HOLE TOP							

MIN. EQUIPMENT FAILURES TIME LOST
 TON MILE TOOL PUSHER: APPROVED: _____
 CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon J. WELL NAME & No. Whitestone N26 CONTRACTOR Socony 2214

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		12 - 8 TOUR		
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
2 A.M.																		
4 A.M.																		
6 A.M.																		
8 A.M.																		
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: <u>W. Yabl</u>		CONTRACTOR'S TIME		CO's TIME	
MUD & CHEMICALS																		
LBS. Added _____ KIND _____																		
MUD RECORD											BOP Tested		DRILLER: <u>W. Yabl</u>		CONTRACTOR'S TIME		CO's TIME	
WT. VISC. W.L. F.C. BIT WT. M TABLE RPM PUMP SPM PRESS DEVIATION DEPTH DEG.																		
10 A.M.																		
NOON																		
2 P.M.																		
4 P.M.																		
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: <u>W. Yabl</u>		CONTRACTOR'S TIME		CO's TIME	
MUD & CHEMICALS																		
LBS. Added _____ KIND _____																		
MUD RECORD											BOP Tested		DRILLER: <u>W. Yabl</u>		CONTRACTOR'S TIME		CO's TIME	
WT. VISC. W.L. F.C. BIT WT. M TABLE RPM PUMP SPM PRESS DEVIATION DEPTH DEG.																		
6 P.M.																		
8 P.M.																		
10 P.M.																		
12 P.M.																		
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: _____		CONTRACTOR'S TIME		CO's TIME	
MUD & CHEMICALS																		
LBS. Added _____ KIND _____																		
LBS. _____ ON HAND _____																		

CASING TESTED TO: _____ PSI. MIN. _____ FORMATION TESTED _____ PSI. MIN. _____ EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GAL'S BOILER FUEL CONSUMPTION _____ GAL'S WIRELINE TON MILE _____ TOOL PUSHER: _____

RILLING REPORT

No. 130

CONTRACTOR Socomec RIG No. _____

Well Whitehorse 47.970
Socomec
Approved _____ Date Aug 7

WORK RECORD		12-8 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.
DRILLED											
REAMED											
CORED											
TALLY				BIT RECORD							
No.	STANDS	LENGTH		BIT No.							
	SINGLE			SIZE							
	D.C.'s			MAKE							
				TYPE							
				SERIAL							
				JET SIZE							
				FROM							
				TO							
				FOOTAGE							
				HRS.							
				COND.							
REMARKS AND INJURIES:											

CONTRACTOR'S TIME		CO's TIME		8-4 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLED													
REAMED													
CORED													
TALLY				BIT RECORD									
No.	STANDS	LENGTH		BIT No.									
	SINGLE			SIZE									
	D.C.'s			MAKE									
				TYPE									
				SERIAL									
				JET SIZE									
				FROM									
				TO									
				FOOTAGE									
				HRS.									
				COND.									
REMARKS AND INJURIES:													

CONTRACTOR'S TIME		CO's TIME		4-12 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.
DRILLED													
REAMED													
CORED													
TALLY				BIT RECORD									
No.	STANDS	LENGTH		BIT No.									
	SINGLE			SIZE									
	D.C.'s			MAKE									
				TYPE									
				SERIAL									
				JET SIZE									
				FROM									
				TO									
				FOOTAGE									
				HRS.									
				COND.									
REMARKS AND INJURIES:													

MIN. _____ EQUIPMENT FAILURES _____ TIME LOST _____

ONE TON MILE _____ TOOL PUSHER: _____ APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I WELL NAME & No. White Stone 1426 CONTRACTOR Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12 - 8 TOUR	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
2 A.M.														W.O.C. Log down for bit cleaning - 11/14 - 11/15 - 11/16 pumps 730 500 1/2 4" 10" 2 10" 11" 2. Tearing out		
4 A.M.																
6 A.M.																
8 A.M.																
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____											BOP Tested _____		DRILLER: <u>W. H. H.</u> CONTRACTOR'S TIME _____		CO'S TIME _____	
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8 - 4 TOUR	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
10 A.M.														Repair cut bit LA, DL back down my record of 11/14 11/15		
NOON																
2 P.M.																
4 P.M.																
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____											BOP Tested _____		DRILLER: <u>W. H. H.</u> CONTRACTOR'S TIME _____		CO'S TIME _____	
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4 - 12 TOUR	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
6 P.M.																
8 P.M.																
10 P.M.																
12 P.M.																
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. _____ ON HAND _____											BOP Tested _____		DRILLER: _____ CONTRACTOR'S TIME _____		CO'S TIME _____	

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

RILLING REPORT

No. 129

CONTRACTOR Socomeg Milled Oil RIG No. 4

Approved _____ Date Aug 6 1954

WORK RECORD		12 - 8 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.
Long down drill pipe with 10' & 12' sections		DRILLED	T.L. 495						DRILLER	E. GRIFFIN	14
		REAMED							DERRICK	E. WASSER	14
		CORED							MOTORMAN	K. LEWIS	14
		TALLY		BIT RECORD				FLOORMAN		E. KIRBY	14
To Pick plug No H@9+5 with pipe out		No.	LENGTH	BIT No.				FLOORMAN		J. WALSH	14
		STANDS		SIZE				FIREMAN			
		SINGLE		MAKE							
		D.C.'s		TYPE							
				SERIAL							
				JET SIZE							
				FROM							
				TO							
		KELLY IN		FOOTAGE							
		TOTAL		HRS.							
		RAT HOLE TOP		COND.							

REMARKS AND INJURIES:

CONTRACTOR'S TIME		CO's TIME		8 - 4 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.
OUT RIG		DRILLED									DRILLER	E. BRITTON	14
RICK DOWN		REAMED									DERRICK	E. WASSER	14
		CORED									MOTORMAN	K. LEWIS	14
		TALLY		BIT RECORD						FLOORMAN		E. HECHT	14
		No.	LENGTH	BIT No.						FLOORMAN		E. CHADWICK	14
		STANDS		SIZE						FIREMAN			
		SINGLE		MAKE									
		D.C.'s		TYPE									
				SERIAL									
				JET SIZE									
				FROM									
				TO									
		KELLY IN		FOOTAGE									
		TOTAL		HRS.									
		RAT HOLE TOP		COND.									

REMARKS AND INJURIES:

CONTRACTOR'S TIME		CO's TIME		4 - 12 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.
		DRILLED									DRILLER		
		REAMED									DERRICK		
		CORED									MOTORMAN		
		TALLY		BIT RECORD						FLOORMAN			
		No.	LENGTH	BIT No.						FLOORMAN			
		STANDS		SIZE						FIREMAN			
		SINGLE		MAKE									
		D.C.'s		TYPE									
				SERIAL									
				JET SIZE									
				FROM									
				TO									
		KELLY IN		FOOTAGE									
		TOTAL		HRS.									
		RAT HOLE TOP		COND.									

REMARKS AND INJURIES:

MIN. EQUIPMENT FAILURES TIME LOST
 TON MILE TOOL PUSHER: APPROVED:
 CALGARY OFFICE

DRILLING REPORT

No. 129

CONTRACTOR Socomec 711 Ltd RIG No. H Approved _____ Date Aug 5

WORK RECORD			12-8 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.
<u>Misc. Rig up Cement</u>			DRILLED	<u>12-8</u>	<u>15</u>				DRILLER	<u>L. G...</u>	<u>12</u>
<u>split plug N° 2</u>			REAMED						DERRICK		
<u>12% Collo</u>			CORED						MOTORMAN		
<u>plug #2 @ 6280</u>			TALLY			BIT RECORD			FLOORMAN	<u>L. G...</u>	<u>12</u>
			No.	LENGTH	BIT No.				FLOORMAN	<u>H. G...</u>	<u>12</u>
			STANDS		SIZE				FIREMAN		
			SINGLE		MAKE				REMARKS AND INJURIES:		
			D.C.'s		TYPE						
					SERIAL						
					JET SIZE						
					FROM						
					TO						
<u>6392-6392</u>			KELLY IN		FOOTAGE						
<u>w/ 67 sacks + 2% Collo</u>			TOTAL		HRS.	<u>5/6</u>					
<u>plug town @</u>			RAT HOLE TOP		COND.						

CONTRACTOR'S TIME			CO'S TIME	RAT HOLE TOP	COND.	8-4 TOUR			Tour 2	8 A.M. to 4 P.M.	Hrs.
<u>2745</u>			DRILLED						DRILLER	<u>E. BRITAIN</u>	<u>12</u>
<u>to cement</u>			REAMED						DERRICK	<u>D. BRIDGEMAN</u>	<u>12</u>
<u># 37 w/ 67 SKS CEMENT</u>			CORED						MOTORMAN	<u>D. PAVELICH</u>	<u>12</u>
<u>1/2 DISTANCE w/ 37 Bidders</u>			TALLY			BIT RECORD			FLOORMAN	<u>R. HECHT</u>	<u>12</u>
			No.	LENGTH	BIT No.				FLOORMAN	<u>G. GRAY</u>	<u>12</u>
<u>lay down down pipe</u>			STANDS		SIZE				FIREMAN		
<u>to FEEL PLUG # 3 PLUG @ 2645</u>			SINGLE		MAKE				REMARKS AND INJURIES:		
<u>to 1065 & CIRC</u>			D.C.'s		TYPE						
<u>run plug # 4</u>					SERIAL						
<u># 4 70 SKS CEMENT w/</u>					JET SIZE						
<u>2 DISTANCE w/ 19 BBS WATER</u>					FROM						
					TO						
			KELLY IN		FOOTAGE						
			TOTAL		HRS.						
			RAT HOLE TOP		COND.						

CONTRACTOR'S TIME			CO'S TIME	RAT HOLE TOP	COND.	4-12 TOUR			Tour 3	4 P.M. to Midnite	Hrs.
<u>2748-2648</u>			DRILLED						DRILLER		
<u>rod w/ 67 sacks + 2% Collo</u>			REAMED						DERRICK		
<u>down @ 200 pm - 1145</u>			CORED						MOTORMAN		
<u>felt plug @ 2645</u>			TALLY			BIT RECORD			FLOORMAN		
			No.	LENGTH	BIT No.				FLOORMAN		
<u>to 1065-965</u>			STANDS		SIZE				FIREMAN		
<u>rod w/ 70 sacks</u>			SINGLE		MAKE				REMARKS AND INJURIES:		
<u>+ 2% Collo</u>			D.C.'s		TYPE						
<u>down @ 12 mid night</u>					SERIAL						
<u>1145</u>					JET SIZE						
					FROM						
					TO						
			KELLY IN		FOOTAGE						
			TOTAL		HRS.						
			RAT HOLE TOP		COND.						

MIN. _____ EQUIPMENT FAILURES _____ TIME LOST _____
 NE TON MILE _____ TOOL PUSHER: J. J. ... APPROVED: _____
 CALGARY OFFICE

MOBIL OIL OF CANADA, LTD.

DATE Aug. 2/68

No. 127 DAILY TIME SHEET

3-35

DRILLING REPORT

No. 127

Well 30-11-68-200

CONTRACTOR Penkel Drilling

RIG No. 4

Approved _____ Date _____

WORK RECORD		12-8 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to	A.M.	Hrs.	
<p>Testing Drill 100' at 10:00 to 100' & 100' 50' at 10:00 out at 10:45 run 40' 50' & load down 10' 50' at 10:45</p>				DRILLED	70.8055					DRILLER			
				REAMED					DERRICK				
				CORED					MOTORMAN				
				TALLY		BIT RECORD			FLOORMAN				
No.		LENGTH		BIT No.					FLOORMAN				
STANDS				SIZE					FIREMAN				
SINGLE				MAKE					REMARKS AND INJURIES:				
D.C.'s				TYPE									
				SERIAL									
				JET SIZE									
				FROM									
				TO									
				FOOTAGE									
KELLY IN				HRS.									
TOTAL				COND.									
CONTRACTOR'S TIME		CO's TIME		RAT HOLE TOP									

WORK RECORD		8-4 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to	4 P.M.	Hrs.	
<p>CALLS LSA VIKI ENDED TO START, PICK UP IS FINE, BACK STATE PILL TO 8055 1, 65 50' 12 1/2 GEL TO 8055. DRILLING 4/125 BAH AT 10:55</p>				DRILLED	70.8055					DRILLER			
				REAMED					DERRICK				
				CORED					MOTORMAN				
				TALLY		BIT RECORD			FLOORMAN				
No.		LENGTH		BIT No.					FLOORMAN				
STANDS				SIZE					FIREMAN				
SINGLE				MAKE					REMARKS AND INJURIES:				
D.C.'s				TYPE									
				SERIAL									
				JET SIZE									
				FROM									
				TO									
				FOOTAGE									
KELLY IN				HRS.									
TOTAL				COND.									
CONTRACTOR'S TIME		CO's TIME		RAT HOLE TOP									

WORK RECORD		4-12 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to	Midnite	Hrs.
				DRILLED					DRILLER			
				REAMED					DERRICK			
				CORED					MOTORMAN			
				TALLY		BIT RECORD			FLOORMAN			
No.		LENGTH		BIT No.					FLOORMAN			
STANDS				SIZE					FIREMAN			
SINGLE				MAKE					REMARKS AND INJURIES:			
D.C.'s				TYPE								
				SERIAL								
				JET SIZE								
				FROM								
				TO								
				FOOTAGE								
KELLY IN				HRS.								
TOTAL				COND.								
CONTRACTOR'S TIME		CO's TIME		RAT HOLE TOP								

PSI. MIN. _____ EQUIPMENT FAILURES _____ TIME LOST _____
 RELINE TON MILE _____ TOOL PUSHER: Liam APPROVED: _____
 CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Eagle Plains, N. 36* WELL NAME & No. *Socony Mobil Whitestone No. 36* CONTRACTOR *Tractor Drilling*

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12 - 8 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
											12:00	12:15	1/4	Eng Service - Check Blind 1 1/2 ins				
2 A.M.											12:15			Install new Brake Blocks on				
4 A.M.												2:30	2 1/2	Hydraulic side of Draw works				
6 A.M.	8.9/11A										2:30	3:30	1	Stop & cut Drilling line				
8 A.M.											3:30	4:00	2 1/2	Thrip in w/ Bit to clean cut hole				
											4:00	5:00	2	Circulate				
											5:00	11:00	3	Thrip OUT				
											11:00	6:00	1	MAKE UP 1 7/8" CV				
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S TIME _____	
MUD & CHEMICALS																		
LBS. Added: _____ KIND _____																		
water																		

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8 - 4 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
10 A.M.											12:00	12:15	1/4	SERVICE HSE				
NOON											12:15	3:00	2 3/4	RUN IN HOLE w/ PACKER				
2 P.M.											3:00	4:15	1 1/2	MAKE UP TESTING HEAD				
4 P.M.											4:15	4:30	1	TESTING MISS RUN				
											4:30	6:15	2	THIP OUT OF HOLE				
											6:15			LAY DOWN PACKER & WORK ON SAME				
											8:15	8:30	2	MAKE UP PACKER				
											8:30	10:30	2 1/4	RUN IN HOLE w/ PACKER				
											10:30	10:45	1 1/4	MAKE UP TESTING HEAD				
											10:45	12:00	1 1/2	TESTING				
LINER SIZE: <i>6 1/2</i> STROKE <i>15'</i>											BOP Tested		DRILLER: <i>E. Butler</i>		CONTRACTOR'S TIME _____		CO'S TIME _____	
MUD & CHEMICALS																		
LBS. Added: _____ KIND _____																		

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4 - 12 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
6 P.M.																		
8 P.M.																		
10 P.M.																		
12 P.M.																		
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S TIME _____	
MUD & CHEMICALS																		
LBS. Added: _____ KIND _____											LBS. _____		ON HAND _____					

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Eagle Plains Yukon WELL NAME & No. Socony Whitestone No. 1 CONTRACTOR Parker Drilling

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.											1200	1215	1/4	Rig Service - Check BOP Hydral	
4 A.M.	100	170									1215	1230	3/4	Finish Trip 1000	
6 A.M.	90	150	6.0								1230	1245	1/4	Break Circulation & Jam 10' Fill	
8 A.M.											1245	5:00	3/4	Circulate - condition mud	
											5:00	7:30	2 1/2	Dummy Trip 30 Stands	
											7:30	8:00		Circulate Sand Hole	
LINER SIZE: <u>9 5/8</u> STROKE MUD & CHEMICALS LBS. Added: <u>2000</u> KIND: <u>WATER</u> <u>2-BROXIN</u>															
BOP Tested														DRILLER: <u>W. J. ...</u> CONTRACTOR'S TIME	CO'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.											12:00	12:15	1/4	SERVICE RIG & CHECK BOP	
NOON											12:15	12:30	1	PICK UP & MAKE UP RIG	
2 P.M.											12:30	2:45	2 1/2	Run in Hole - SLOW	
4 P.M.											2:45	4:00	1 1/4	MAKE UP FASTING HEAD	
											4:00	7:00	3	TESTING	
											7:00	8:00	2	TRIP OUT - 1125 T	
											8:00	12:00	1	BACK & LA. DOWN 1125 T	
											12:00	12:15	1/2	WORK ON SOAK	
LINER SIZE: <u>1 1/2</u> STROKE <u>15'</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____ _____															
BOP Tested														DRILLER: <u>E. ...</u> CONTRACTOR'S TIME	CO'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ _____ LBS. ON HAND _____															
BOP Tested														DRILLER: _____ CONTRACTOR'S TIME	CO'S TIME

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: 1 in

MOBIL OIL OF CANADA, LTD.

DATE Aug 2/64

No. 125 DAILY TIME SHEET

3-25

DRILLING REPORT

No. 125

Well Sandy Mobil
Whitestone N26

CONTRACTOR Parker Drilling

RIG No. Sandy HU

Approved _____ Date Aug 2

WORK RECORD		12 - 8 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.
e - Check BOP. HYDRIL		DRILLED		Nil					DRILLER	D. NAWCHUK	12
Lump 100' circulation + Test. 10' fill condition mud.		REAMED		Close out (11)					DERRICK	F. PROSSER	12
36 stands		CORED							MOTORMAN	K. Longson	12
Sand Hole		TALLY		BIT RECORD					FLOORMAN	E. Kramps	12
Sand Hole		No.	LENGTH	BIT No.	SIZE				FLOORMAN	H. BLOCKS	12
1 to run DST		79	STANDS 2956	SIZE	5 1/2				FIREMAN		
		2	SINGLE 6220	MAKE	Round				REMARKS AND INJURIES:		
		24	D.C.'s 65920	TYPE	YH						
				SERIAL	N921925						
				JET SIZE	10K40						
				FROM							
				TO							
		KELLY IN	1900	FOOTAGE	1000						
		TOTAL	5055	HRS.	10 1/2 To Test						

CONTRACTOR'S TIME		CO's. TIME		RAT HOLE TOP	COND.

WORK RECORD		8 - 4 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.
G - CHECK BLIND RAMS		DRILLED		TO 5055					DRILLER	E. KRITZMAN	12
MAKE UP PACKER		REAMED							DERRICK	D. BRADY	12
P - SLOW		CORED							MOTORMAN	P. HAVELICH	12
TESTING HEAD		TALLY		BIT RECORD					FLOORMAN	E. HECHT	12
		No.	LENGTH	BIT No.	SIZE				FLOORMAN	J. CARROLL	12
			STANDS	MAKE					FIREMAN		
			SINGLE	TYPE					REMARKS AND INJURIES:		
			D.C.'s	SERIAL							
				JET SIZE							
				FROM							
				TO							
		KELLY IN		FOOTAGE							
		TOTAL		HRS.							

CONTRACTOR'S TIME		CO's. TIME		RAT HOLE TOP	COND.

WORK RECORD		4 - 12 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.
DRILLED									DRILLER		
REAMED									DERRICK		
CORED									MOTORMAN		
TALLY		BIT RECORD							FLOORMAN		
No.	LENGTH	BIT No.	SIZE						FLOORMAN		
	STANDS	MAKE							FIREMAN		
	SINGLE	TYPE							REMARKS AND INJURIES:		
	D.C.'s	SERIAL									
		JET SIZE									
		FROM									
		TO									
	KELLY IN	FOOTAGE									
	TOTAL	HRS.									

CONTRACTOR'S TIME		CO's. TIME		RAT HOLE TOP	COND.

MIN. EQUIPMENT FAILURES TIME LOST

TON MILE TOOL PUSHER: Time used APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon WELL NAME & No. Whitstone No. 2 CONTRACTOR Tanker Drilling

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
2 A.M.	75	30	6	5/8							12:00	12:15	1/4	rig 500 Check Hydrol.		
4 A.M.											12:30	1:30	2	trip in w/ packer bridge cut at 5050		
6 A.M.											1:30	5:15	3 1/2	trip out w/ packer		
8 A.M.											5:15	7:00	2 1/4	lay down packer		
											7:30	8:00	1/2	trip in w/ 5 1/2 ft		
														11:30	12:00	to bottom
LINER SIZE: <u>6 1/2</u> STROKE <u>50</u>																
MUD & CHEMICALS																
LBS. Added: <u>500</u> KIND <u>100</u>																
LBS. Added: <u>163</u> KIND <u>100</u>																
BOP Tested											DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____					

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.											12:00	1:00	1	FINISH CUT OF HOLE	
NOON											1:00	1:15	1/2	SERVICE HORN CHECK BLIND HOLE	
2 P.M.											1:30	1:45	1/2	SLIP 3 FT. DRILL LINE	
4 P.M.											1:45	2:00	1	PICK UP & MAKE UP PACKER	
											2:00	4:00	1 1/2	RUN IN W/ SAME BRIDGE TO 5200	
											4:00	6:15	1 1/2	TRIP IN W/ PACKER THROUGH SAME	
											6:00	7:15	1	TRIP OUT OF HOLE	
											7:15	7:45	1/2	LAY DOWN PACKER	
											7:45	8:45	1 1/2	PICK UP BRIDGE & MAKE UP KIT	
											8:45	9:45	2	RUN IN HOLE TO 5200	
											9:45	11:00	1 1/2	BRIDGE CUT BRIDGE 5200	
											11:00	12:00	1	RUN IN HOLE	
LINER SIZE: <u>6 1/2</u> STROKE <u>15</u>															
MUD & CHEMICALS															
LBS. Added: <u>WATER</u> KIND _____															
BOP Tested											DRILLER: <u>E. Thelton</u> CONTRACTOR'S TIME _____ CO'S TIME _____				

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____															
MUD & CHEMICALS															
LBS. Added: _____ KIND _____															
LBS. _____ ON HAND _____															
BOP Tested											DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____				

CASING TESTED TO: _____ PSI. MIN. _____ FORMATION TESTED _____ PSI. MIN. _____ EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS _____ BOILER FUEL CONSUMPTION _____ GALS _____ WIRELINE TON MILE _____ TOOL PUSHER: _____

DBIL OIL OF CANADA, LTD.

DATE _____

No. _____ DAILY TIME SHEET

3-35

DRILLING REPORT

No. _____

Well Sunny M White stone
N 26

CONTRACTOR Packer Drilling

RIG No. Sunny #2

Approved _____ Date Aug 18

WORK RECORD 12 - 8 TOUR

check hydro
driller - bridge & flow 5750
w/ driller
w/ driller
w/ 5750
to be taken
to note cases
1 for 5750

DRILLED	FROM	TO	FOOTAGE	HRS.	SIZE
REAMED					
CORED					

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
STANDS	200	36	2 1/2
SINGLE	200	MAKE	Hard
D.C.'s	200	TYPE	VIII
		SERIAL	A2455
		JET SIZE	200
		FROM	
		TO	
KELLY IN	200	FOOTAGE	
TOTAL	200	HRS.	
RAT HOLE TOP		COND.	

Tour 1	Midnite to 8 A.M.	Hrs.
	<u>1. Gable</u>	<u>12</u>
DERRICK	<u>1. Flesher</u>	<u>12</u>
MOTORMAN	<u>1. Lawson</u>	<u>12</u>
FLOORMAN	<u>E. Kamps</u>	<u>12</u>
FLOORMAN	<u>H. Rocks</u>	<u>12</u>
FIREMAN		

REMARKS AND INJURIES:
1 day 1 Gable -
to be taken out
from work - 12 hours
injury - 12 hrs
out work

CONTRACTOR'S TIME CO'S. TIME

8 - 4 TOUR

T. of Hole
on neck blind hole
on drill line
make up packer
1 same bridge & flow
on neck blind hole
CE Hole
PACKER
make up hole
to 5700
BRIDGE - 5700
hole

DRILLED	FROM	TO	FOOTAGE	HRS.	SIZE
REAMED					
CORED					

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
STANDS	200	36	2 1/2
SINGLE	200	MAKE	Hard
D.C.'s	200	TYPE	VIII
		SERIAL	A2455
		JET SIZE	200
		FROM	
		TO	
KELLY IN	200	FOOTAGE	
TOTAL	200	HRS.	
RAT HOLE TOP		COND.	

Tour 2	8 A.M. to 4 P.M.	Hrs.
	<u>1. BRITAIN</u>	<u>12</u>
DERRICK	<u>1. BRACKLEY</u>	<u>12</u>
MOTORMAN	<u>1. BAVELICH</u>	<u>12</u>
FLOORMAN	<u>1. HECHT</u>	<u>12</u>
FLOORMAN	<u>1. SHAW</u>	<u>12</u>
FIREMAN		

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S. TIME

4 - 12 TOUR

DRILLED	FROM	TO	FOOTAGE	HRS.	SIZE
REAMED					
CORED					

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
STANDS			
SINGLE		MAKE	
D.C.'s		TYPE	
		SERIAL	
		JET SIZE	
		FROM	
		TO	
KELLY IN		FOOTAGE	
TOTAL		HRS.	
RAT HOLE TOP		COND.	

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

REMARKS AND INJURIES:

MIN. EQUIPMENT FAILURES TIME LOST

TON MILE TOOL PUSHER: APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon 1 WELL NAME & No. Socony Mobil Oil CONTRACTOR Socony Mobil Oil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
2 A.M.											12 ⁰⁰	12 ¹⁵	1/4	Rig SERVICES CLOSE				
4 A.M.											12 ¹⁵	2 ³⁰	2 1/2	TRIP IN 12' CLEAR HOLE TO LOG				
6 A.M.											2 ³⁰	2 ⁴⁵	1/2	BREAK CIR.				
8 A.M.											2 ⁴⁵	3 ³⁰	3/4	CLEAR 20' TO BOTTOM				
											3 ³⁰	5 ³⁰	2	CIR. HOLE CLEAR				
											5 ³⁰	7 ⁰⁰	2 1/2	HOLE TO LOG				
											7 ⁰⁰	8 ⁰⁰	1/4	Rig up 1 log				
											8 ⁰⁰	12 ⁰⁰	4	Logging				
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: <u>7/12/44</u>		CONTRACTOR'S TIME		CO'S TIME	
MUD & CHEMICALS																		
LBS. Added: _____ KIND _____																		
MUD RECORD											BOP Tested		DRILLER: <u>E. Kuttan</u>		CONTRACTOR'S TIME		CO'S TIME	
10 A.M.											12 ⁰⁰	12 ¹⁵	1/4	SERVICE RIG				
NOON											12 ¹⁵	3 ⁰⁰	2 1/2	RUN IN HOLE w/ BIT				
2 P.M.											3 ⁰⁰	6 ⁰⁰	2 1/2	CIRC TO COND. HOLE TO TEST				
4 P.M.											6 ⁰⁰	9 ⁰⁰	2 1/2	TRIP OUT TO TEST				
											9 ⁰⁰	9 ³⁰	1/2	LAY DOWN SQUARE D.C.				
											9 ³⁰	11 ⁰⁰	1/2	PICK UP TESTER TOOL & MAKE UP				
											11 ⁰⁰	12 ⁰⁰	1/2	SAME				
											11 ⁰⁰	12 ⁰⁰	1/2	RUN IN HOLE FILL PIPE w/ WATER				
														FIRST 1024 FT.				
LINER SIZE: <u>6 1/2</u> STROKE <u>10</u>											BOP Tested		DRILLER: <u>E. Kuttan</u>		CONTRACTOR'S TIME		CO'S TIME	
MUD & CHEMICALS																		
LBS. Added: _____ KIND <u>WATER</u>																		
MUD RECORD											BOP Tested		DRILLER: _____		CONTRACTOR'S TIME		CO'S TIME	
6 P.M.																		
8 P.M.																		
10 P.M.																		
12 P.M.																		
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: _____		CONTRACTOR'S TIME		CO'S TIME	
MUD & CHEMICALS																		
LBS. Added: _____ KIND _____																		
LBS. _____ ON HAND _____																		

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: 1 jaw

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon 1 WELL NAME & No. Whitehorse N-26 CONTRACTOR Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12 - 8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	94	32	26	3 3/4				64	110				120 12 1/2	1/4	Rig services & Hydrant OK
4 A.M.													100 11 1/2	1/4	Ream change 5 strokes OK Bottom
6 A.M.													115 20	3/4	Finish trip in hole
8 A.M.													200 330	1 1/2	Clear 21' fill to bottom
													330 630	3	Clear hole clear to log
													630 730	1	Hoist to log
													130 730	1 1/4	Slip 31' + cut 62' Calc bit
													730 1200	1 1/4	Rig up to log
															Logging

LINER SIZE: 6 1/2 STROKE 15"
MUD & CHEMICALS

LBS. Added: _____ KIND _____

BOP Tested yes DRILLER: 7/14/68 CONTRACTOR'S TIME _____ CO'S. TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8 - 4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.													120 11 1/2	11 1/2	Logging (See log)
NOON													11 30	11 1/2	START LIGHT PLANT & HIS METALS
2 P.M.															
4 P.M.															

LINER SIZE: _____ STROKE _____
MUD & CHEMICALS

LBS. Added: _____ KIND _____

BOP Tested _____ DRILLER: E. Britto CONTRACTOR'S TIME _____ CO'S. TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4 - 12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINER SIZE: _____ STROKE _____
MUD & CHEMICALS

LBS. Added: _____ KIND _____ LBS. _____ ON HAND _____

BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S. TIME _____

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: 1 inch

MOBIL OIL OF CANADA, LTD.

DATE July 30-62

No. 121 DAILY TIME SHEET

3-35

DRILLING REPORT

CONTRACTOR Sonomy Mobil Oil

RIG No. 4

Well Location ... Date July 30

WORK RECORD 12-8 TOUR
ICES ... 5 stands off bottom ... Log ... 62' Log base ...

Table with columns: FROM, TO, FOOTAGE, HRS., SIZE. Includes TALLY and BIT RECORD sections.

Table with columns: Tour 1, Midnite to 8 A.M., Hrs. Includes personnel names like F. GRABLE, F. PAUSSER, etc.

CONTRACTOR'S TIME CO's. TIME 8-4 TOUR
(SERVICE RIG) ...

Table with columns: FROM, TO, FOOTAGE, HRS., SIZE. Includes TALLY and BIT RECORD sections.

Table with columns: Tour 2, 8 A.M. to 4 P.M., Hrs. Includes personnel names like E. BRITAIN, D. BABNIK, etc.

CONTRACTOR'S TIME CO's. TIME 4-12 TOUR

Table with columns: FROM, TO, FOOTAGE, HRS., SIZE. Includes TALLY and BIT RECORD sections.

Table with columns: Tour 3, 4 P.M. to Midnite, Hrs. Includes personnel names like DRILLER, DERRICK, etc.

EQUIPMENT FAILURES TIME LOST
TOOL PUSHER: ... APPROVED: ... CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon T. WELL NAME & No. Whitestone N-26 CONTRACTOR Socony Mobil Oil

Table for 12-8 TOUR with columns for MUD RECORD, BIT, TABLE, PUMP, DEVIATION, START, STOP, HRS., and WORK RECORD. Includes handwritten entries for rig services, hole cleaning, and logging.

Table for 8-4 TOUR with columns for MUD RECORD, BIT, TABLE, PUMP, DEVIATION, START, STOP, HRS., and WORK RECORD. Includes handwritten entries for service rig, mud conditioning, and logging.

Table for 4-12 TOUR with columns for MUD RECORD, BIT, TABLE, PUMP, DEVIATION, START, STOP, HRS., and WORK RECORD. Includes handwritten entries for liner size and mud/chemicals.

CASING TESTED TO: PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES. RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER: 2.7

MOBIL OIL OF CANADA, LTD.

DATE July 29 - 62

No. 120 DAILY TIME SHEET

3-35

DRILLING REPORT

CONTRACTOR Senary mobil oil

RIG No. H

Well White Bluffs #1120
Approved _____ Date July 29

WORK RECORD		12 - 8 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.
Close Hydrant to Log				8095	T				DRILLER	E GABLE 12	
Log									DERRICK	F PROSSER 12	
Hurry up to 4677									MOTORMAN	K LONGSON 12	
Logging Tools									FLOORMAN	E KRAMER 12	
TO 4677									FLOORMAN	H BROOKS 12	
T BRIDGES 614677									REMARKS AND INJURIES:		
Tip in HOLE											
TO BOTTOM											
1. Min) 1.0 Log											
CONTRACTOR'S TIME		CO's TIME		RAT HOLE TOP		COND.					

WORK RECORD		8 - 4 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.
RIG				8095	T				DRILLER	E BRITAIN 12	
0 MUD TO LOG									DERRICK	D BABKIN 12	
TO LOG SLOW									MOTORMAN	P PAVELICH 12	
TO LOG									FLOORMAN	K HECHE 12	
UNABLE TO CUT IN WITH									FLOORMAN	C GRANVILLE 12	
2 SAND									FIREMAN		
W/ BIT TO CLEAR CUT									REMARKS AND INJURIES:		
CONTRACTOR'S TIME		CO's TIME		RAT HOLE TOP		COND.					

WORK RECORD		4 - 12 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.
									DRILLER		
									DERRICK		
									MOTORMAN		
									FLOORMAN		
									FLOORMAN		
									FIREMAN		
									REMARKS AND INJURIES:		
CONTRACTOR'S TIME		CO's TIME		RAT HOLE TOP		COND.					

MIN. _____ EQUIPMENT FAILURES _____ TIME LOST _____
 TON MILE _____ TOOL PUSHER: 37 APPROVED: _____
 CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: 2 Yukon 7. WELL NAME & No. Whitestone N 26 CONTRACTOR SOCONY 1210 Ltd

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
2 A.M.														Rig SERVICES		
4 A.M.	95	310	5	32			50	1100			12:15	12:15	14	1 FINISH TRIP IN HOLE		
6 A.M.											1:15	1:45	1/2	CLEAN TO BOTTOM		
8 A.M.											1:45	5:15	3 1/2	CIRC HOLE CLEAN TO LOG		
											5:15	8:00	2 3/4	HOIST TO LOG		
											8:00	8:15	1/4	CLOSE 15' LIFT PUMPS		
											8:15	8:30	1/4	WIG UP TO LOG		
											9:30	10:00	1/2	Logging: getting up @ 20' SEC		
											10:00	10:15	1/2	Log down logging tools		
											10:15	10:45	1/2	SLIP 31 FT LOG LINE		
											10:45	12:00	1 1/4	WIG UP TO 560'		
LINER SIZE: <u>6 1/2</u> STROKE <u>15'</u>											BOP Tested <u>YES</u>		DRILLER: <u>W. H. H.</u>	CONTRACTOR'S TIME	CO'S TIME	RAT
MUD & CHEMICALS																
LBS. Added: _____ KIND _____																

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
10 A.M.											12:00	4:00	1 1/4	BEAM BRIDGES @ 4575 TO 5000		
NOON							50	1100			4:00	4:15	1/4	TRIP OUT TO 4300		
2 P.M.	1.5	400	6	3/2							4:15	5:00	3/4	TRIP OUT TO 4300		
4 P.M.											5:00	7:15	2 1/4	BEAM CUT BRIDGES TO 3600		
											7:15	8:00	3/4	TRIP OUT TO 4500		
											8:00	9:00	1	BEAM CUT BRIDGES TO 3600		
											9:00	10:00	1	RUN IN TO BOTTOM		
											10:00	10:30	1/2	CLEAR 10 FT TO BOTTOM		
											10:30	12:00	1 1/2	CIRC. TO LOG		
LINER SIZE: <u>6 1/2</u> STROKE <u>15'</u>											BOP Tested _____		DRILLER: <u>C. Butler</u>	CONTRACTOR'S TIME	CO'S TIME	RAT
MUD & CHEMICALS																
LBS. Added: _____ KIND _____																

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
6 P.M.																
8 P.M.																
10 P.M.																
12 P.M.																
LINER SIZE: _____ STROKE _____											BOP Tested _____		DRILLER: _____	CONTRACTOR'S TIME	CO'S TIME	RAT
MUD & CHEMICALS																
LBS. Added: _____ KIND _____																

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: 1

MOBIL OIL OF CANADA, LTD.

DATE July 29-60

No. 119 DAILY TIME SHEET

3-25

DRILLING REPORT

Well Locomony n/w of Guelph

CONTRACTOR Locomony n/w of Guelph

No. 119

RIG No. 44

Approved Date July 29

WORK RECORD	12-8 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.	
DRILLED	3085	T.O.				8 1/2"	DRILLER	E. GIBBLE 12		
REAMED							DERRICK	R. LOUGHEED 12		
CORED							MOTORMAN	F. KRASSER 12		
		TALLY		BIT RECORD						
No.	LENGTH	BIT No.								
7	STANDS 2310 60	SIZE 8 1/2"								
1	SINGLE 31 10	MAKE RWD								
23	D.C.'s 719 30	TYPE YM								
	Bit 5 45	SERIAL N4725								
	Suds 1 65	JET SIZE								
		FROM								
		TO								
KELLY IN	17 00	FOOTAGE								
TOTAL	3085	HRS.	1 00							
CONTRACTOR'S TIME	CO'S TIME	RAT HOLE TOP	COND.							

WORK RECORD	8-4 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.	
DRILLED	5085	T.O.					DRILLER	E. BATTAIN 12		
REAMED							DERRICK	D. L. BARBER 12		
CORED							MOTORMAN	R. PAVELICH 12		
		TALLY		BIT RECORD						
No.	LENGTH	BIT No.								
1	STANDS 2310 60	SIZE 8 1/2"								
1	SINGLE 31 10	MAKE RWD								
23	D.C.'s 719 30	TYPE YM								
	Bit 5 45	SERIAL N4725								
	Suds 1 65	JET SIZE								
		FROM								
		TO								
KELLY IN	17 00	FOOTAGE	6 00							
TOTAL	3085	HRS.	1 00							
CONTRACTOR'S TIME	CO'S TIME	RAT HOLE TOP	COND.							

WORK RECORD	4-12 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.	
DRILLED							DRILLER			
REAMED							DERRICK	R. LOUGHEED 3		
CORED							MOTORMAN	G. SCHACKER 3		
		TALLY		BIT RECORD						
No.	LENGTH	BIT No.								
	STANDS	SIZE								
	SINGLE	MAKE								
	D.C.'s	TYPE								
		SERIAL								
		JET SIZE								
		FROM								
		TO								
KELLY IN		FOOTAGE								
TOTAL		HRS.								
CONTRACTOR'S TIME	CO'S TIME	RAT HOLE TOP	COND.							

EQUIPMENT FAILURES _____ TIME LOST _____
 APPROVED: *J. J. Schack*
 CALGARY OFFICE

MOBIL OIL OF CANADA, LTD.

DATE July 29-60

No. 119 DAILY TIME SHEET

3-25

DRILLING REPORT

Well Locomony n/w of Red Lake
Whitehorse Y.P. 4-26

CONTRACTOR Locomony n/w of Red Lake

No. 119

RIG No. 44

Approved Date July 29

WORK RECORD	12 - 8 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.
DRILLED	3085	T.D.				8 1/2	DRILLER	E. GIBBLE 12	
REAMED							DERRICK	R. LOUGHEED 12	
CORED							MOTORMAN	F. KRASSER 12	
TALLY		BIT RECORD							
No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	FLOORMAN	E. KRASSER 12	
7	STANDS 2310.00		8 1/2	REED	YM		FLOORMAN	E. KRASSER 12	
1	SINGLE 31.10						FLOORMAN	H. BROOKS 12	
23	D.C.'s 719.30						FIREMAN		
	REEM 5.45						REMARKS AND INJURIES:		
	SUB 1.65								
KELLY IN		FOOTAGE							
TOTAL		3085		HRS. 1.00					
CONTRACTOR'S TIME		CO'S TIME		RAT HOLE TOP		COND.			

WORK RECORD	8 - 4 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLED	5085	T.D.					DRILLER	E. BATTAIN 12	
REAMED							DERRICK	D. L. BARBER 12	
CORED							MOTORMAN	R. PAVELICH 12	
TALLY		BIT RECORD							
No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	FLOORMAN	R. HECHT 12	
1	STANDS 2310.00		8 1/2	REED	YM		FLOORMAN	G. W. BARRVILLE 12	
1	SINGLE 31.10						FIREMAN		
	D.C.'s 719.30						REMARKS AND INJURIES:		
	REEM 5.45								
	SUB 1.65								
KELLY IN		FOOTAGE							
TOTAL		5085		HRS. 1.00					
CONTRACTOR'S TIME		CO'S TIME		RAT HOLE TOP		COND.			

WORK RECORD	4 - 12 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.
DRILLED							DRILLER		
REAMED							DERRICK	R. LOUGHEED 8	
CORED							MOTORMAN	G. SCHACKER 8	
TALLY		BIT RECORD							
No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	FLOORMAN	J. BUCKLEY 8	
	STANDS						FLOORMAN	T. BUCKLEY 8	
	SINGLE						FIREMAN	T. BUCKLEY 8	
	D.C.'s						REMARKS AND INJURIES:		
KELLY IN		FOOTAGE							
TOTAL				HRS.					
CONTRACTOR'S TIME		CO'S TIME		RAT HOLE TOP		COND.			

EQUIPMENT FAILURES _____ TIME LOST _____
 MIN. _____
 TON MILE _____ TOOL PUSHER: J. J. SCHACKER APPROVED: _____
 CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No. Whitestone - T. 11-2 CONTRACTOR Socony Mobil Oil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	9.5	255			50	70	56	11.0			12 ⁰⁰	12 ¹⁵	1 1/2	Rig Started	
4 A.M.	9.5	247									12 ¹⁵	6 ³⁰	6 1/4	Drilling 8 1/2' Hole	
6 A.M.	9.5	264									6 ³⁰	8 ³⁰	2	Circle Hole Clear to Log @ 80 85	
8 A.M.											8 ³⁰	12 ⁰⁰	3 1/2	Hoist to Log Start Pipe out	
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____															
BOP Tested _____ DRILLER: <u>W. G. B.</u> CONTRACTOR'S TIME _____ CO's. TIME _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	9.5	295					56	10.0			12 ⁰⁰	12 ¹⁵	1	SEARCHED. Run	
NOON											12 ¹⁵	12 ³⁰	1	RIC up to lead	
2 P.M.											12 ³⁰	1 ⁰⁰	1	UNABLE TO GET 1st marker, had down 5'	
4 P.M.											1 ⁰⁰	12 ¹⁵	1 1/2	Run in Hole to 1556. H.P.B. to 5200	
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: <u>2000</u> KIND: <u>GALL</u>															
BOP Tested _____ DRILLER: <u>E. Butler</u> CONTRACTOR'S TIME _____ CO's. TIME _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS.: _____ ON HAND: _____															
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO's. TIME _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

OBIL OIL OF CANADA, LTD.

DATE July 27 68

No. 119 DAILY TIME SHEET

DRILLING REPORT

No. 119

Well name

CONTRACTOR name

RIG No. 4

Approved Date

WORK RECORD 12-8 TOUR

Handwritten notes: 1 1/2" HOLE, CLEAN TO LOG @ 8095, LOG STEAM PIPE OUT.

Table with columns: FROM, TO, FOOTAGE, HRS., SIZE. Values: 8068, 8095, 17, 15 3/4, 8 3/8.

Table with columns: Tour 1, Midnite to 8 A.M., Hrs. Roles: DRILLER, DERRICK, MOTORMAN, FLOORMAN, FIREMAN.

TALLY and BIT RECORD tables. TALLY includes STANDS, SINGLE, D.C.'s, KELLY IN, TOTAL. BIT RECORD includes BIT No., SIZE, MAKE, TYPE, SERIAL, JET SIZE, FROM, TO, FOOTAGE, HRS., COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S. TIME 8-4 TOUR

Handwritten notes: Log in well, Log down 5110, well to 4556 + FROM TO 5202

Table with columns: FROM, TO, FOOTAGE, HRS., SIZE. Values: 8095, 8110, 15, 15 3/4, 8 3/8.

Table with columns: Tour 2, 8 A.M. to 4 P.M., Hrs. Roles: DRILLER, DERRICK, MOTORMAN, FLOORMAN, FIREMAN.

TALLY and BIT RECORD tables for the 8-4 tour.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S. TIME 4-12 TOUR

Table with columns: FROM, TO, FOOTAGE, HRS., SIZE. Values: 8110, 8120, 10, 15 3/4, 8 3/8.

Table with columns: Tour 3, 4 P.M. to Midnite, Hrs. Roles: DRILLER, DERRICK, MOTORMAN, FLOORMAN, FIREMAN.

TALLY and BIT RECORD tables for the 4-12 tour.

REMARKS AND INJURIES: From 8:00 to 8:15, 8 hrs, G. Granville 8 hrs.

MIN. EQUIPMENT FAILURES TIME LOST APPROVED: [Signature] CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I WELL NAME & No. Whitestone 1-120 CONTRACTOR Socony

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		12 - 2 TOUR	
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.								
2 A.M.	9.0	65	6 3/4	70	50	70		50	1100			12 ⁰⁰	12 ¹⁵	11/4	12	12 ¹⁵	11/4	Rig SERVICES
4 A.M.												12 ⁴⁰	12 ⁴⁵	3 3/4	12	12 ⁴⁵	3 3/4	Drilling 8 3/4' Hole
6 A.M.												12 ⁵⁵	7 ¹⁵	3 1/4	12	7 ¹⁵	3 1/4	HOIST for NEW BIT
8 A.M.												7 ⁵⁵	9 ⁰⁰	1 3/4	12	9 ⁰⁰	1 3/4	INSTALL 3 USEL. CRANK PULL ON HYD. SIDE
LINER SIZE: <u>6 1/2</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____												BOP Tested: <u>YES</u> DRILLER: <u>T. Eade</u> CONTRACTOR'S TIME: _____ CO'S. TIME: _____						
LINER SIZE: <u>6 1/2</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>1200</u> KIND: <u>BELL</u>												BOP Tested: <u>YES</u> DRILLER: <u>T. Eade</u> CONTRACTOR'S TIME: _____ CO'S. TIME: _____						
10 A.M.	1.2				45	65		50	1100			12 ¹⁵	12 ¹⁵	11/4	12	12 ¹⁵	11/4	Drilling 8 3/4' Hole
NOON																		
2 P.M.																		
4 P.M.																		
LINER SIZE: <u>6 1/2</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____												BOP Tested: <u>YES</u> DRILLER: <u>T. Eade</u> CONTRACTOR'S TIME: _____ CO'S. TIME: _____						
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____												BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S. TIME: _____						

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GAL. BOILER FUEL CONSUMPTION _____ GAL. WIRELINE TON MILE _____ TOOL PUSHER: _____

OBIL OIL OF CANADA, LTD.

DATE July 26-47

No. 117 DAILY TIME SHEET

3-35

DRILLING REPORT

No. 117

Well Whitestone No. 117
Socomec well oil

CONTRACTOR Socomec well oil RIG No. 117

Approved _____ Date July 27

WORK RECORD 12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

WELLS
8 3/4" HOLE
NEW BIT
USED BAKER PUMP
WITH NEW BIT
3' TO BOTTOM
8 3/4" HOLE

DRILLED 7193 8007 12 4 1/2 8 3/4
REAMED
CORED

DRILLER E. GABLE 12
DERRICK E. PROSSER 12
MOTORMAN H. LONGSON 12
FLOORMAN E. MARRAS 12
FLOORMAN H. WICKS 12
FIREMAN

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
7	2168	8 3/4	8 3/4
1	312		MAKE
2	714		TYPE
	54		SERIAL
	169		JET SIZE
			FROM
			TO

REMARKS AND INJURIES:

ED BLINDS REMOVED WITH
HOLE

KELLY IN 32 1 FOOTAGE 56 4
TOTAL 9007 HRS. 17 1/4 3 1/4

RAT HOLE TOP COND. 7 - 16 1/2

CONTRACTOR'S TIME CO'S. TIME

RAT HOLE TOP COND.

Tour 2 8 A.M. to 4 P.M. Hrs.

8 - 4 TOUR
CHECK HOLE
8 3/4 HOLE

DRILLED 8015 8015 11 11 8 3/4
REAMED
CORED

DRILLER E. BLITTAIN 12
DERRICK H. LONGSON 12
MOTORMAN E. SCHAEFER 12
FLOORMAN T. BUCHER 12
FLOORMAN S. HARRIS 12
FIREMAN

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
7	2168	8 3/4	8 3/4
1	312		MAKE
2	714		TYPE
	54		SERIAL
	118		JET SIZE
			FROM
			TO

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S. TIME

RAT HOLE TOP COND.

Tour 3 4 P.M. to Midnite Hrs.

4 - 12 TOUR

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
STANDS			
SINGLE			MAKE
D.C.'s			TYPE
			SERIAL
			JET SIZE
			FROM
			TO
KELLY IN			FOOTAGE
TOTAL			HRS.
			COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S. TIME

RAT HOLE TOP COND.

MIN EQUIPMENT FAILURES TIME LOST

TON MILE TOOL PUSHER: APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No. Whitestone #1 4-26 CONTRACTOR Socony 7-11-61

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR											
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.																	
2 A.M.												12 ⁰⁰	12 ¹⁴		Rig SERVICES.												
4 A.M.												12 ³³	12 ³⁴		Hoist for NEW LOT string pipe												
6 A.M.	93230											3 ³⁰	4 ³⁰	1	Pipe tally ok. NO LOG. MADE												
8 A.M.												4 ³⁰	4 ⁴⁵	1/4	Ship 31' Log Line + cut 60' of log line												
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u>																											
MUD & CHEMICALS																											
LBS. Added																											
KIND																											
BOP Tested																											
DRILLER: <u>7-11-61</u>																											
CONTRACTOR'S TIME																											
CO's. TIME																											

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR											
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.																	
10 A.M.	93230											12 ⁰⁰	12 ¹⁴	1/4	SERVICE RIG & CHECK HYDRIL												
NOON	932											12 ³³	12 ³⁴	1/4	DRILL 8 1/2" HOLE												
2 P.M.	93230																										
4 P.M.																											
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u>																											
MUD & CHEMICALS																											
LBS. Added																											
KIND																											
10 SLS DEXTALD																											
BOP Tested																											
DRILLER: <u>E. Bette</u>																											
CONTRACTOR'S TIME																											
CO's. TIME																											

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR											
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.																	
6 P.M.																											
8 P.M.																											
10 P.M.																											
12 P.M.																											
LINER SIZE:																											
STROKE																											
MUD & CHEMICALS																											
LBS. Added																											
KIND																											
LBS.																											
ON HAND																											
BOP Tested																											
DRILLER:																											
CONTRACTOR'S TIME																											
CO's. TIME																											

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: D. D. D.

OBIL OIL OF CANADA, LTD.

DATE July 25-64

No. 116 DAILY TIME SHEET

1-35

ILLING REPORT

No. 116

Well ...

CONTRACTOR ...

RIG No. ...

Approved _____ Date July 25-64

WORK RECORD		12 - 8 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.	
DRILLED		7947	7964	17	3 3/4	4 1/2			DRILLER			
REAMED									DERRICK			
CORED									MOTORMAN			
TALLY				BIT RECORD				REMARKS AND INJURIES:				
No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS.	COND.
7	221.83	54	8 3/4	REED	YH-2	854094	9/0	7947	7964	17	3 3/4	REED
STANDS												
SINGLE												
D.C.'s												
KELLY IN	26.0											
TOTAL	7964											
CONTRACTOR'S TIME	CO's TIME	RAT HOLE TOP										

WORK RECORD		8 - 4 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.	
DRILLED		7964	7995	31	11	18 3/4			DRILLER			
REAMED									DERRICK			
CORED									MOTORMAN			
TALLY				BIT RECORD				REMARKS AND INJURIES:				
No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS.	COND.
7	221.83	54	8 3/4	REED	YH-2	854094	9/0	7964	7995	31	11	18 3/4
STANDS												
SINGLE												
D.C.'s												
KELLY IN	26.0											
TOTAL	7995											
CONTRACTOR'S TIME	CO's TIME	RAT HOLE TOP										

WORK RECORD		4 - 12 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.	
DRILLED									DRILLER			
REAMED									DERRICK			
CORED									MOTORMAN			
TALLY				BIT RECORD				REMARKS AND INJURIES:				
No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS.	COND.
STANDS												
SINGLE												
D.C.'s												
KELLY IN												
TOTAL												
CONTRACTOR'S TIME	CO's TIME	RAT HOLE TOP										

MIN. _____ EQUIPMENT FAILURES _____ TIME LOST _____

TON MILE _____ TOOL PUSHER D. Daneshmand APPROVED: A. MacCormac

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

 FIELD or AREA: Upton I.

 WELL NAME & No: Whilstone N-26

 CONTRACTOR: Socony 2110 Ltd

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
2 A.M.	93	2205	0 1/2	2 1/4	90	40	1100			1200	500	5	CUTTING CORE					
4 A.M.	93	225								500	800	3	HOIST CORE MARKER.					
6 A.M.										800	830	12	EASYPAC CORE. FULL ALLUVEY					
8 A.M.										830	845	14	RIG SERVICES CHECK FLUID RANGES.					
										845	900	14	SERVILE CORE MARKER.					
										870	1000	1	FISH BOTTOM OF UNKNOWN BIT MARKER.					
										1000	1100	2	OUT OF. BOPS WITH MIGHT.					
													RUNNING IN WITH NEW BIT.					
LINER SIZE: <u>5 1/2</u> STROKE <u>15"</u> MUD & CHEMICALS											BOP Tested <u>yes.</u>		DRILLER: <u>T. Balle</u>		CONTRACTOR'S TIME		CO'S TIME	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
10 A.M.	12	3100			45	65	86	1100		1200	1200	1/4	SERVICE RIG & CHECK HYDRA.					
NOON	12	40	5 1/2	3/32						1200	8 1/2	8 1/2	REAM. RAT. HOLE FROM 6 1/2 TO 8 1/2					
2 P.M.	12	230								8 1/2	1200	3 1/4	DRILL 8 1/2 HOLE					
4 P.M.	12	315																
LINER SIZE: <u>6 1/2</u> STROKE <u>15"</u> MUD & CHEMICALS											BOP Tested <u>yes.</u>		DRILLER: <u>E. White</u>		CONTRACTOR'S TIME		CO'S TIME	
LBS. Added				KIND														
600				WALKOUT														
150				QBROXIN														
100				DEXTRIN														
100				CAUSTIC														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.								
6 P.M.																		
8 P.M.																		
10 P.M.																		
12 P.M.																		
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS											BOP Tested		DRILLER:		CONTRACTOR'S TIME		CO'S TIME	
LBS. Added				KIND				LBS. ON HAND										

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: 1 Linn

MOBIL OIL OF CANADA, LTD.

DATE July 20 1951

No. _____ DAILY TIME SHEET 318

DRILLING REPORT

No. 115

Well Secony mobile yukon
W-1-11-26

CONTRACTOR Secony Mobil Oil RIG No. 4

Approved _____ Date July 2

WORK RECORD 12-8 TOUR

ISARREL.
ORE FULL RECOVERY
S CHECK BLIND RAMS.
ORE ISARREL.
OF DIAMOND BIT CALIBER.
OPS WITH MIGHT.
IN WITH NEW BIT.

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED	7933	7943	10	5	6 1/8
TALLY			BIT RECORD		
No.	LENGTH	BIT No.			
STANDS	7216.29	82 63			
SINGLE	3159	SIZE 6 1/4 8 3/4			
D.C.'s	618.10	MAKE <u>ROBELOL</u>			
C.B.	471.0	TYPE <u>W7</u>			
		SERIAL <u>5632-1509</u>			
		JET SIZE <u>4 1/2</u>			
		FROM <u>7912</u>			
		TO <u>7943</u>			
KELLY IN	2000	FOOTAGE	31		
TOTAL	7943	HRS.	13 1/4		
RAT HOLE TOP		COND.	<u>good</u>		

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	<u>E. GABLE</u>	12
DERRICK	<u>F. PROSSER</u>	12
MOTORMAN	<u>LONGSON</u>	12
FLOORMAN	<u>E. KRANPS</u>	12
FLOORMAN	<u>A. BROOKS</u>	12
FIREMAN		
REMARKS AND INJURIES:		

CONTRACTOR'S TIME CO's. TIME 8-4 TOUR

G x CHECK HYDRIC.
HOLE FROM 6 1/8 TO 8 3/8
HOLE.

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7943	7947	4	3 1/8	8 3/8
REAMED	7912	7943	31	8	8 3/8
CORED					
TALLY			BIT RECORD		
No.	LENGTH	BIT No.			
STANDS	1123.00	83			
SINGLE	62.71	SIZE 8 3/8			
D.C.'s	711.20	MAKE <u>M.T.C.</u>			
RAT	5.43	TYPE <u>W7</u>			
SUB	1.65	SERIAL <u>74509</u>			
		JET SIZE <u>7/6</u>			
		FROM <u>7943</u>			
		TO <u>7947</u>			
KELLY IN	3800	FOOTAGE	4		
TOTAL	7947	HRS.	3 1/4		
RAT HOLE TOP		COND.	<u>good</u>		

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	<u>E. BRITAIN</u>	12
DERRICK	<u>R. LOEWEN</u>	12
MOTORMAN	<u>E. SCHACHER</u>	12
FLOORMAN	<u>J. BUCHER</u>	12
FLOORMAN	<u>D. BARKER</u>	12
FIREMAN		
REMARKS AND INJURIES:		

CONTRACTOR'S TIME CO's. TIME 4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					
TALLY			BIT RECORD		
No.	LENGTH	BIT No.			
STANDS		SIZE			
SINGLE		MAKE			
D.C.'s		TYPE			
		SERIAL			
		JET SIZE			
		FROM			
		TO			
KELLY IN		FOOTAGE			
TOTAL		HRS.			
RAT HOLE TOP		COND.			

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		
REMARKS AND INJURIES:		

MIN. EQUIPMENT FAILURES TIME LOST
TOOL PUSHER: T. Lank APPROVED: _____ CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon L. WELL NAME & No: Whitestone N26 CONTRACTOR: Socony Mobil Oil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.					1050		40	1000			12 ⁰⁰	11 ⁰⁰	1/2	CLEAN TO BOTTOM.	
4 A.M.											12 ³⁰	10 ⁰⁰	1/2	CIRC HOLE 4 1/2 IN	
6 A.M.											1 ⁰⁰	3 ⁰⁰	3	WORK CORE BARREL UNABLE TO CUT CORE.	
8 A.M.											3 ⁰⁰	6 ⁰⁰	3	HOIST TO CHECK CORE BARREL + BIT RECOVERY 3"	
LINER SIZE: <u>5 1/2</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____															
BOP Tested: _____ DRILLER: <u>J. B. Bitt</u> CONTRACTOR'S TIME: _____ CO'S. TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	92	3000	8.1		14	80	36	1000			12 ⁰⁰	12 ¹⁵	1/4	SERVICE RIG. CHECK HYDRIL	
NOON											12 ¹⁵	2 ⁰⁰	2 1/4	RUN IN HOLE	
2 P.M.	92	3000									3 ⁰⁰	3 ¹⁵	1/4	CIRC CORE TO BOTTOM	
4 P.M.											3 ¹⁵	12 ⁰⁰	8 1/4	CUTTING CORE	
LINER SIZE: <u>5 1/2</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____															
BOP Tested: _____ DRILLER: <u>E. Bitt</u> CONTRACTOR'S TIME: _____ CO'S. TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____															
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S. TIME: _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION: _____ GALS BOILER FUEL CONSUMPTION: _____ GALS WIRELINE TON MILE: _____ TOOL PUSHER: D. T. Pawch

L OIL OF CANADA, LTD.

DATE July 23 - 64

DAILY TIME SHEET

WORKING REPORT

CONTRACTOR

Socomey Mobil Oil

RIG No. 7

Approved

Date July 23-64

WORK RECORD

12 - 8 TOUR

Bottom
2 1/2" id
1 BARREL UNABLE TO CUT
CHECK CORE 15 BARREL + BIT
3"
CHECK CORE 15 BARREL.
CHECK BIT
SET 1 DRILL LINE AND
DRILL PIPE.

FROM TO FOOTAGE HRS. SIZE

DRILLED 7703
REAMED
CORED

TALLY

BIT RECORD

No. LENGTH

77 STANDS 12 1/2

SINGLE

20 D.C.'s 67 30

C.B. 47 10

Subs 165

KELLY IN 20.00

TOTAL 7703

RAT HOLE TOP

COND.

Tour 1 Midnite to 8 A.M. Hrs.

DRILLER F. GAGLE 12
DERRICK F. THORP 12
MOTORMAN J. LONG 12
FLOORMAN F. KORMOS 12
FLOORMAN J. BARKS 12
FIREMAN

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

8 - 4 TOUR

CHECK HYDRIL
TO BOTTOM

FROM TO FOOTAGE HRS. SIZE

DRILLED 7902 7933 21 5 1/2 1/4
REAMED
CORED

TALLY

BIT RECORD

No. LENGTH

79 STANDS 32 9

SINGLE

20 D.C.'s 47 10

C.B. 47 74

Subs 165

KELLY IN 16.00

TOTAL 7933

RAT HOLE TOP

COND.

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLER E. BRITAIN 12
DERRICK R. LOEWEN 12
MOTORMAN E. SCHACHER 12
FLOORMAN J. BUCHER 12
FLOORMAN D. BARKER 12
FIREMAN

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

DRILLED
REAMED
CORED

TALLY

BIT RECORD

No. LENGTH

STANDS

SINGLE

D.C.'s

KELLY IN

TOTAL

RAT HOLE TOP

COND.

Tour 3 4 P.M. to Midnite Hrs.

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

EQUIPMENT FAILURES

TIME LOST

MILE

TOOL PUSHER: D. T. Dawchuk APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I WELL NAME & No. White Stone N-26 CONTRACTOR Socony Mobil Oil

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.						
2 A.M.	9.3				50	65	56	1100				12:00	12:15	14	Rig SERVICES v HYDRIL OK.	
4 A.M.	9.3											12:15	1:00	34	FINISH TRIP OUT.	
6 A.M.												1:00	1:15	14	CLEAN JUNK SUB	
8 A.M.												1:15	2:30	24	TRIP IN WITH NEW BIT.	
												2:30	4:10	45	CLEAN 10 FEET TO BOTTOM.	
												4:10	4:15	14	FISH WITH JUNK SUB.	
												4:15	4:00	74	Drilling 6 3/4" 1 hole.	
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u>																
MUD & CHEMICALS																
LBS. Added: <u>500</u> KIND <u>WATER</u>																
<u>200</u> <u>9 PROXIN</u>																
<u>250</u> <u>CAUSTIC SODA</u>																
<u>250</u> <u>DEXTRID</u>																
BOP Tested <u>YES</u>																
DRILLER: <u>W. B. B.</u> CONTRACTOR'S TIME																
CO'S. TIME																

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.						
10 A.M.	9.3				50	65	56	1100				12:00	12:15	14	SERVICE BIG.	
NOON	9.3											12:15	4:00	34	DRILL 8 1/2" Hole.	
2 P.M.												4:00	6:30	24	CIP SAMPLE	
4 P.M.												6:30	8:45	24	TRIP OUT OF HOLE.	
												8:45	9:15	1	CLEAN OUT W/ JUNK SUB & PICK.	
												9:15	11:15	2	UP CORR BBL.	
												11:15	12:00	4	RUN IN HOLE.	
												12:00	12:00	4	CIP TO BOTTOM	
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u>																
MUD & CHEMICALS																
LBS. Added: <u> </u> KIND <u> </u>																
BOP Tested <u>YES</u>																
DRILLER: <u>C. B. B.</u> CONTRACTOR'S TIME																
CO'S. TIME																

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.						
6 P.M.																
8 P.M.																
10 P.M.																
12 P.M.																
LINER SIZE: <u> </u> STROKE <u> </u>																
MUD & CHEMICALS																
LBS. Added: <u> </u> KIND <u> </u> LBS. <u> </u> ON HAND <u> </u>																
BOP Tested <u> </u>																
DRILLER: <u> </u> CONTRACTOR'S TIME																
CO'S. TIME																

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER:

OBIL OIL OF CANADA, LTD.

DATE July 22 - 64

No. 114 DAILY TIME SHEET

DRILLING REPORT

No. 114

Well Socomp No. 114
W. 26
Approved _____ Date July 22 64

W. 26 CONTRACTOR Socomp No. 114 RIG No. 114

WORK RECORD		12 - 8 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.
<p><u>5 v Hydril ok.</u> <u>2 out.</u> <u>Sank sub</u> <u>WITH NEW BIT.</u> <u>LEFT TO BOTTOM.</u> <u>Sank. Sank.</u> <u>8 3/4" 1 1/2 LB.</u></p>											
DRILLED				7988	7903	15	7 1/4	3/8	DRILLER	F. GARRETT	12
REAMED									DERRICK	F. PROSSER	12
CORED									MOTORMAN	R. LONGSON	12
TALLY				BIT RECORD							
No.	LENGTH	BIT No.									
26	STANDS 7123.04	SIZE 8 3/4									
1	SINGLE 31.61	MAKE REED									
23	D.C.'s 719.30	TYPE 1HAG									
	Sub 3.10	SERIAL E34535									
	REM. 5.45	JET SIZE 10									
	XL sub 1.05	FROM 7988									
		TO 7903									
	KELLY IN 19.00	FOOTAGE 15									
	TOTAL 7903	HRS. 7 3/4									
CONTRACTOR'S TIME		CO'S. TIME		RAT HOLE TOP		COND.		REMARKS AND INJURIES:			

WORK RECORD		8 - 4 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.
<p><u>1/2</u> <u>to Hole.</u> <u>OK.</u> <u>OF HOLE</u> <u>SANK SUB & PICK</u> <u>BBL.</u> <u>OK.</u> <u>BOTTLE</u></p>											
DRILLED				7903	7912	9	3	4 1/2	DRILLER	R. BRITAIN	12
REAMED									DERRICK	R. LEWEN	12
CORED									MOTORMAN	E. SCHACHER	12
TALLY				BIT RECORD							
No.	LENGTH	BIT No.									
26	STANDS 7123.04	SIZE 8 3/4									
1	SINGLE 31.61	MAKE REED									
23	D.C.'s 719.30	TYPE 1HAG									
	Sub 3.10	SERIAL E34535									
	REM. 5.45	JET SIZE 10									
	Sub 1.65	FROM 7903									
		TO 7912									
	KELLY IN 29.00	FOOTAGE 9									
	TOTAL 7912	HRS. 11 1/2									
CONTRACTOR'S TIME		CO'S. TIME		RAT HOLE TOP		COND.		REMARKS AND INJURIES:			

WORK RECORD		4 - 12 TOUR		FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.
<p>DRILLED</p> <p>REAMED</p> <p>CORED</p> <p>TALLY</p> <p>BIT RECORD</p> <p>No. LENGTH BIT No.</p> <p>STANDS</p> <p>SINGLE</p> <p>D.C.'s</p> <p>Sub</p> <p>REM.</p> <p>Sub</p> <p>KELLY IN</p> <p>TOTAL</p> <p>RAT HOLE TOP</p> <p>COND.</p>											
DRILLED									DRILLER		
REAMED									DERRICK		
CORED									MOTORMAN		
TALLY				BIT RECORD							
No.	LENGTH	BIT No.									
STANDS		SIZE									
SINGLE		MAKE									
D.C.'s		TYPE									
Sub		SERIAL									
REM.		JET SIZE									
Sub		FROM									
		TO									
	KELLY IN	FOOTAGE									
	TOTAL	HRS.									
CONTRACTOR'S TIME		CO'S. TIME		RAT HOLE TOP		COND.		REMARKS AND INJURIES:			

MIN. EQUIPMENT FAILURES _____ TIME LOST _____

TON MILE _____ TOOL PUSHER: Lawchuk APPROVED: _____ CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No: White Stone N-26 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.											12 ⁰⁰	12 ¹⁵	1 1/4	Rig SERVICES	
4 A.M.											12 ¹⁵	12 ⁴⁵	1 1/2	FINISH TRIP IN WITH JUNK BASKET	
6 A.M.											12 ⁴⁵	1 ³⁰	3/4	CLEAN OUT TO TOP OF FISH	
8 A.M.											1 ³⁰	1 ³⁰	2	CIRC + FISH WITH JUNK BASKET	
											1 ³⁰	1 ⁵³	3/4	HUIST JUNK BASKET	
											1 ⁵³	1 ⁴⁵	2 1/2	WORK THROUGH TIGHT SPOT 23 STROKES OFF BOTTOM	
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____															
BOP Tested _____ DRILLER: <u>W. Hable</u> CONTRACTOR'S TIME _____ CO'S. TIME _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	4.4				40	60	50	1100			12 ⁰⁰	12 ¹⁵	1 1/4	FINISH REPAIRING COMP. CHAIN	
NOON											12 ¹⁵	12 ¹⁵	1 1/2	SERVICE. BIG CHECK BLIND ARMS.	
2 P.M.											12 ³⁰	3 ⁰⁰	2 1/2	MAKE UP JUNK SUB & BIT. & RUN IN	
4 P.M.											3 ⁰⁰	3 ⁰⁰	2 1/2	CLEAN TO BOTTOM	
											3 ⁰⁰	10 ⁰⁰	5 1/2	DRILL	
											10 ⁰⁰	12 ⁰⁰	1 1/4	TRIP	
LINER SIZE: <u>6 1/2</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: _____ KIND _____ <u>WATER</u>															
BOP Tested _____ DRILLER: <u>E. Butler</u> CONTRACTOR'S TIME _____ CO'S. TIME _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. _____ ON HAND _____															
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S. TIME _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: W. Hable

BIL OIL OF CANADA, LTD.

DATE July 21 - 6

No. 113 DAILY TIME SHEET

LOGGING REPORT

CONTRACTOR *Socomec Mobil Oil*

RIG No. *14*

No. *113*

Well *Socomec mobil yukon white stone*

Approved _____ Date *July 21*

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 1 Midnite to 8 A.M. Hrs.

5' IN WITH JUNK BASKET TO TOP OF FISH WITH JUNK BASKET BASKET TIGHT SPOT 23 STANDS CUT HOLE TIGHT WITH JUNK BASKET 162 ft DRILL LINE IN COMPOUND

DRILLED *7878*
MED
CORED

DRILLER *F. GABLE 12*
DERRICK *F. PROSSER 12*
MOTORMAN *K. LANGSON 12*
FLOORMAN *E. KRUMHOLTZ 12*
FLOORMAN *N. BRUCKS 12*
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN *24:00* FOOTAGE
TOTAL *7878* HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 2 8 A.M. to 4 P.M. Hrs.

IRING COMP. CHAIN & CHECK BLIND RAMS. JUNK SUB & BIT. RUN IN BOTTOM

DRILLED *7878 7888 10 5' 19 3/4*
REAMED
CORED

DRILLER *E. BATHMAN 12*
DERRICK *R. LEWIS 12*
MOTORMAN *E. SCHACKER 12*
FLOORMAN *J. BACHER 12*
FLOORMAN *D. BARRIAK 12*
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN *37:00* FOOTAGE
TOTAL *7888* HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN
TOTAL
RAT HOLE TOP

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

EQUIPMENT FAILURES

TIME LOST

ON MILE

TOOL PUSHER: *BT Sawchik*

APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yuba I WELL NAME & No. White Stone N 26 CONTRACTOR Socony Mobil Oil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.											12:00	12:15	14	Rig Services & Hydril
4 A.M.											12:15	1:15	1	UNIT CASE 11211
6 A.M.											1:15	1:40	2 3/4	HOUSE WASH CLEAN SHOE
8 A.M.											1:40	4:15	11	Mud up to 100 ft + Sump
											4:15	6:30	2 1/4	TRIP IN WITH MAGNET
											6:30	8:00	1 1/2	CLEAN OUT TO TOP OF CORE BIT
											8:00	8:45	1 1/4	CIRC OULR. FISH
											8:45	7:15	1 1/2	FISH WITH MAGNET
											7:15	12:00	2 1/4	HOUSE MAGNET CLEAN OUT

12-8 TOUR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.											12:00	12:30	1 1/2	CLEAN UP MAGNET
NOON											12:30	2:00	1 1/4	SERVICE RIG
2 P.M.											12:00	3:00	2 1/4	CHANGE BRAKE PADS ON DRILLERS SIDE
4 P.M.											3:00	5:00	2 1/4	RUN IN HOLE W/ MAGNET
											5:00	8:00	2 1/4	CIRC. TO TOP OF FISH & CIRC HOLE
											8:00	11:00	3	CLEAN TRIP CUT W/ MAGNET CHAIN OUT
											11:00	11:30	1 1/2	CLEAN UP SAME & LIFT & CUT DOWN
											11:30	12:00	1 1/2	MAKE UP JUNK BASKET & RUN IN

8-4 TOUR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														
8 P.M.														
10 P.M.														
12 P.M.														

4-12 TOUR

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION _____ GAL. BOILER FUEL CONSUMPTION _____ GAL. WIRELINE TON MILE _____ TOOL PUSHER: _____

BIL OIL OF CANADA, LTD.

DATE July 20-64

No. 112 DAILY TIME SHEET

LOGGING REPORT

Well: White Horse T N 31

CONTRACTOR

Socony M. Ltd. Oil

RIG No. 44

Approved

Date July 21-64

WORK RECORD

12-8 TOUR

U. Hydril
FISH.
CLEAR SIDE.
W/ NET + SURE
W/ MAGNET.
TO TOP OF CORE BIT.
FISH.
MAGNET.
AT CHAIN OUT.

DRILLED	FROM	TO	FOOTAGE	HRS.	SIZE
7878					8 3/8
REAMED					
CORED					
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	SIZE	MAKE	TYPE
STANDS					
SINGLE					
D.C.'s					
					SERIAL
					JET SIZE
					FROM
					TO
KELLY IN					FOOTAGE
TOTAL					HRS.
					COND.

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	I. GABLE	12
DERRICK	F. PROSSER	12
MOTORMAN	K. LONGSON	12
FLOORMAN	H. THOMPSON	12
FLOORMAN	H. GIBBS	12
FIREMAN		

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

RAT HOLE TOP

COND.

MAGNET
G.
ARE PADS ON DRILLERS SIDE
W/ MAGNET.
TOP OF FISH. & CORE HOLE
W/ MAGNET CHAIN OUT.
W/ MAGNET DOWN
W/ BASKET & RUN IN

8-4 TOUR

DRILLED	FROM	TO	FOOTAGE	HRS.	SIZE
7878					
REAMED					
CORED					
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	SIZE	MAKE	TYPE
STANDS					
SINGLE					
D.C.'s					
					SERIAL
					JET SIZE
					FROM
					TO
KELLY IN					FOOTAGE
TOTAL					HRS.
					COND.

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	E. BRITTON	12
DERRICK	F. LEWIS	12
MOTORMAN	E. SCHAEFER	12
FLOORMAN	J. BUCHER	12
FLOORMAN	D. BAGGIER	12
FIREMAN		

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

RAT HOLE TOP

COND.

4-12 TOUR

DRILLED	FROM	TO	FOOTAGE	HRS.	SIZE
REAMED					
CORED					
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	SIZE	MAKE	TYPE
STANDS					
SINGLE					
D.C.'s					
					SERIAL
					JET SIZE
					FROM
					TO
KELLY IN					FOOTAGE
TOTAL					HRS.
					COND.

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

RAT HOLE TOP

COND.

EQUIPMENT FAILURES:

TIME LOST

CONTRACTOR'S MILE

TOOL PUSHER: J. J. saw chisel

APPROVED:

[Signature]

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon L. WELL NAME & No. White Stone #26 CONTRACTOR Socorex Ltd.

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	95	325					56	110			12 ⁰⁰	12 ¹⁵	1/2	Rig SERVICES CHECK PIPE RAMPS OK.	
4 A.M.	83	310									12 ¹⁵	12 ⁴⁵	3/2	CLEAN TO BOTTOM 8 FT. FILL	
6 A.M.	83	343									12 ⁴⁵	1 ¹⁵	3	CIRC. CON. HOLE.	
8 A.M.											1 ¹⁵	1 ³⁰	1/4	HUIST TO RUN MAGNET.	
											1 ³⁰	1 ³⁰	2	MAKE UP MAGNET.	
											1 ³⁰	1 ¹⁵	3/4	RUNNING IN WITH STRAIGHT.	
											1 ¹⁵	1 ²⁰	3/4	CLEAN AND BRIDGE 25 STAIRS + SINGLE OFF BOTTOM.	
											1 ¹⁵	1 ²⁰	3/4	RUNNING IN WITH MAGNET.	

LINER SIZE: 6 1/2 STROKE 15
 MUD & CHEMICALS
 LBS. Added: _____ KIND: _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.							31	1000			12 ³⁰	12 ³⁰	1/2	CLEAN 5' TO BOTTOM.	
NOON											12 ³⁰	12 ⁴⁵	2/4	CIRC. OVER FISH.	
2 P.M.											12 ⁴⁵	1 ⁰⁰	3/4	TRIP CUT W/ MAGNET.	
4 P.M.											1 ⁰⁰	1 ⁰⁵	3/4	CLEAN UP MAGNET, & MAKE UP WASH OVER SA	
											1 ⁰⁵	1 ⁰⁷	3/4	SLIP CUT 31 FT DRILL LINE.	
											1 ⁰⁷	1 ¹⁰	2/4	RUN IN HOLE.	
											1 ¹⁰	1 ¹⁰	1/2	CIRC. TO TOP OF FISH.	
											1 ¹⁰	1 ¹²	1/2	WASH OVER FISH.	

LINER SIZE: 6 1/2 STROKE 15
 MUD & CHEMICALS
 LBS. Added: _____ KIND: _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINER SIZE: _____ STROKE _____
 MUD & CHEMICALS
 LBS. Added: _____ KIND: _____ LBS. ON HAND: _____

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER D. T. Dave

DBIL OIL OF CANADA, LTD.

DATE July 19-67

No. 111 DAILY TIME SHEET

DRILLING REPORT

Well Log 111-101-1-1
White Stone 4 T 111-101-1-1
Approved _____ Date July 19

CONTRACTOR Secondary Mobil Oil RIG No. H

WORK RECORD 12-8 TOUR
ES CHECK PIPE RAMPS OK
BOTTOM 8 FT FILL
HOLE

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7076	-			6 3/4
REAMED					
CORED					

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	F. GABLE	12
DERRICK	F. KROSSER	12
MOTORMAN	K. LONGSON	12
FLOORMAN	E. KRAMP	12
FLOORMAN	D. BRUCKS	12
FIREMAN		

WITH MAGNET
WITH MAGNET
RIDGE 25 STANDS * 1 SINGLE off
WITH MAGNET

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
26	7123.04	77	8 5/8
	SINGLE		MAKE HRS
23	71930		TYPE WTC
	REMARKS 5.45		SERIAL 2430
	500		JET SIZE
	165		FROM
			TO
	KELLY IN 28.00		FOOTAGE
	TOTAL 7679		HRS.
			COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO's TIME

8-4 TOUR
TO BOTTOM
FISH
MAGNET

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7878	-			
REAMED					
CORED					

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	E. BRITAIN	12
DERRICK	K. LORWEN	12
MOTORMAN	E. SCHACK	12
FLOORMAN	J. BUSCHE	12
FLOORMAN	D. BABKIN	12
FIREMAN		

MAGNET, MAKE UP WASH OVER SMOKE
31 FT DRILL LINE
OF FISH
FISH

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
26	7123.04		
	SINGLE		MAKE
23	71930		TYPE
	6.30		SERIAL
	5.45		JET SIZE
	WASH 13.60		FROM
			TO
	KELLY IN 23.00		FOOTAGE
	TOTAL 7679		HRS.
			COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO's TIME

4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
	STANDS		
	SINGLE		MAKE
	D.C.'s		TYPE
			SERIAL
			JET SIZE
			FROM
			TO
	KELLY IN		FOOTAGE
	TOTAL		HRS.
			COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO's TIME

MIN. EQUIPMENT FAILURES TIME LOST
TON MILE TOOL PUSHER D. Dawchuk APPROVED: [Signature] CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I WELL NAME & No: White Star No. 26 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
2 A.M.			52 3/4				56	1100			11:50	12:15	1 3/4	Finish trip out with core barrel. Unable to screw into 1/2 bit down.		
4 A.M.	92	91									11:50	12:30	2 1/4	Trip in with new bit.		
6 A.M.	92	135									11:30	12:30	2 1/2	Clean 10 ft. to top of Diamond bit. Core cond. mud pump volume.		
8 A.M.											11:30	12:00	2 1/2	Hoist to run magnet.		
											11:00	11:15	2 1/4	Back up magnet.		
											11:50	12:00	3 1/4	Remaining in with magnet.		
Liner Size: <u>6 1/2</u> STROKE <u>15"</u>											BOP Tested: <u>YES</u>			DRILLER: <u>J.R. Gable</u>	CONTRACTOR'S TIME	CO'S TIME
MUD & CHEMICALS																
LBS. Added: <u>4300</u> KIND: <u>WATER GEL</u>																
built 1' volume.														NOTE: 21 ft. up on Kelly with magnet & X.O. Sigs caught fish with no cut.		

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
10 A.M.	92	145									12:00	12:15	3 1/4	Run in w/ magnet 12 1/2' 4540		
NOON											12:15	12:45	1 1/2	Run on bridge w/ magnet		
2 P.M.	92	175									12:45	1:00	3 1/4	Trip out & make 41 bit down in to 4540		
4 P.M.											12:00	12:00	2	ream cut bridges from 4540 to conn. mud mix gel		
Liner Size: <u>6 1/2</u> STROKE <u>15"</u>											BOP Tested			DRILLER: <u>J. Grette</u>	CONTRACTOR'S TIME	CO'S TIME
MUD & CHEMICALS																
LBS. Added: <u>4100</u> KIND: <u>GEL</u>																

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
6 P.M.																
8 P.M.																
10 P.M.																
12 P.M.																
Liner Size: STROKE											BOP Tested			DRILLER:	CONTRACTOR'S TIME	CO'S TIME
MUD & CHEMICALS																
LBS. Added: KIND: LBS. ON HAND																

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: J. Grette

PIL OIL OF CANADA, LTD.

DATE July 18-67

No. 110 DAILY TIME SHEET

LOGGING REPORT

CONTRACTOR Secondary Market Oil RIG No. 4

Well Logansville Yukon I. White Horse Mt. N-24 Approved Date July 18 67

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

out WITH CORE BARREL
REW INTO 7/8 BIT 1/4" wait
WITH ROSS BIT

DRILLED 7878
REAMED
CORED

DRILLER F. GABLE 12
DERRICK F. KRASSER 10
MOTORMAN K. LANGFORD 12
FLOORMAN E. KRAMP 12
FLOORMAN H. BRACKS 12
FIREMAN

TO TOP OF DIAMOND BIT.
MUD BUILD VOLUME.

TALLY BIT RECORD

1 HINGNET.
HINGNET.
WITH HINGNET.

No. LENGTH BIT No. 77
STANDS 7132.04 SIZE 8 7/8
SINGLE MAKE HIC
D.C.'s 71930 TYPE WTK
REP. 545 SERIAL 74630
JET SIZE 1/2"

REMARKS AND INJURIES:

UP ON KELLY WITH
O. SUB TOUGH FISH WITH

Sum 165
KELLY IN 23 0
TOTAL 7878 HRS.
RAT HOLE TOP COND.

CONTRACTOR'S TIME

CO'S TIME

12-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

HINGNET TO 4840.
MAGNET
MAKE AT BIT, RUN IN TO 4840
RIDGES FROM 4840 TO
MIL GAL

DRILLED 2878
REAMED
CORED

DRILLER E. BATTAIN 12
DERRICK K. LOEWEN 12
MOTORMAN E. SCHAACH 12
FLOORMAN J. BUCHER 12
FLOORMAN D. BARRAK 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 77
STANDS 7122.04 SIZE 8 7/8
SINGLE MAKE HIC
D.C.'s 71930 TYPE WTK
REP. 620 SERIAL 74630
SUM 1.65 JET SIZE 1/2"

REMARKS AND INJURIES:

UP ON KELLY WITH
O. SUB TOUGH FISH WITH

Sum 165
KELLY IN 23 0
TOTAL 2804 HRS.
RAT HOLE TOP COND.

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE
D.C.'s
TYPE
SERIAL
JET SIZE
FROM
TO
FOOTAGE
HRS.
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER: *[Signature]*

APPROVED: *[Signature]*

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I WELL NAME & No: Whitestoney-T-1226 CONTRACTOR: Socony

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	92	75	52		50	70	56	1100			12 ⁰⁰	12 ¹³	14	Rig SERVICES.	
4 A.M.	92	140									12 ¹⁵	12 ¹⁵	3	PULLING 8" HOLE	
6 A.M.	92	95									12 ¹⁵	12 ¹⁵	1/2	HOIST FOR NEW BIT	
8 A.M.											12 ¹⁵	12 ⁰⁰	2 1/4	SERVICE CORE BARREL	
														TRIP IN WITH CORE BARREL	
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: <u>2500</u> KIND: <u>Sell</u>															
BOP Tested: _____ DRILLER: <u>[Signature]</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.						1070	40	1000			12 ⁰⁰			CLEAN TO BOTTOM W/ CORE BARREL	
NOON											12 ³⁰	12 ³⁰	1 1/2	CIRC. SOME	
2 P.M.											12 ⁵⁰	12 ⁵⁰	2 1/2	CUTTING. CORE NO 10	
4 P.M.											12 ⁵⁰	12 ⁰⁰	3 1/2	TRIP OUT W/ SAME. LOST CORE BIT	
											12 ⁰⁰	12 ⁰⁰	1	TRIP IN TO TRY AND PICK UP BIT	
											12 ⁰⁰	12 ⁰⁰	2	CIRC. DOWN TO SAME	
											12 ⁰⁰	12 ⁰⁰	2	TRIP OUT W/ CHAIN TONIS.	
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____															
BOP Tested: _____ DRILLER: <u>[Signature]</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____															
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S TIME: _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQ. PMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: [Signature]

BIL OIL OF CANADA, LTD.

DATE July 17-64

No. 109 DAILY TIME SHEET 305

LOGGING REPORT

No. 109

Well name: *White Horse*
Approved: *[Signature]* Date: *July 17 1964*

CONTRACTOR *Socomec*
WORK RECORD 12-8 TOUR

RIG No. 4

ES: 140L
W BIT
BARREL
COKE CHAIRREL

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7467	7877	10	6	8 1/2
REAMED					
CORED	7877				
TALLY					
No.	STANDS	LENGTH	BIT No.	SIZE	
76	1	123.04	75	7 1/2	
	SINGLE			8 1/2	6 1/2
			MAKE	RECO	KOENIG
73	D.C.'s	71930	TYPE	E 54086	4
	RECO	545	SERIAL	54086	3332
			JET SIZE	1/2	0
SUC		165	FROM	7463	7877
			TO	7877	
KELLY IN	2700	FOOTAGE	1		
TOTAL	7877	HRS.	7 1/4		
RAT HOLE TOP		COND.	2-2-1		

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	F. GABLE	12
DERRICK	F. VRESSER	13
MOTORMAN	K. LANGSON	12
FLOORMAN	E. KRANYS	12
FLOORMAN	H. BRUCK	12
FIREMAN		

REMARKS AND INJURIES

CONTRACTOR'S TIME
CO's TIME
8-4 TOUR
OTTON W/COKE BARREL
NO 10
SAME LOST COKE BIT
TRY AND PICK UP BIT
SAME
CHAIN TONIS

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7877	7878	1	1 1/2	L
REAMED					
CORED					
TALLY					
No.	STANDS	LENGTH	BIT No.	SIZE	
76	1	123.04	76	6 1/2	
	SINGLE		MAKE	KIEBL	
73	D.C.'s	71930	TYPE	L	
	RECO	630	SERIAL	3932	
		540	JET SIZE		
SUC		165	FROM	7877	
			TO	7878	
KELLY IN	29.00	FOOTAGE	1		
TOTAL		HRS.	1 1/2		
RAT HOLE TOP		COND.			

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	E. BALTHAIN	12
DERRICK	K. LANGSON	12
MOTORMAN	E. SCHICKEL	12
FLOORMAN	J. BUCHER	12
FLOORMAN	D. BRINK	12
FIREMAN		

REMARKS AND INJURIES

CONTRACTOR'S TIME
CO's TIME
4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					
TALLY					
No.	STANDS	LENGTH	BIT No.	SIZE	
	SINGLE				
			MAKE		
	D.C.'s		TYPE		
			SERIAL		
			JET SIZE		
			FROM		
			TO		
KELLY IN		FOOTAGE			
TOTAL		HRS.			
RAT HOLE TOP		COND.			

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

REMARKS AND INJURIES

EQUIPMENT FAILURES
TOOL PUSHER
APPROVED: *[Signature]*

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No. White Stone #26 CONTRACTOR Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	911430		1450		70	56	1100	70	45	6°	12:00	12:15	14	Rig SERVICES	
4 A.M.	9385		285								12:15	11:00	21/2	Drilling 8 3/8" HOLE	
6 A.M.	9194										11:00	11:15	14	SHUT OFF TO 45' 6"	
8 A.M.	9385										11:15	3:30	2 1/4	HOLD FOR NEW BIT	
											3:30	6:00	2 1/2	TRIP IN WITH NEW BIT	
											6:00	6:00	2	Check 25' to 150' L.M.	
											6:00	12:00	4	Drilling 8 3/8" HOLE	

LINEAR SIZE: 6 1/2" STROKE 15"

MUD & CHEMICALS

LBS. Added: KIND WATER

BOP Tested: DRILLER: H. B. B. CONTRACTOR'S TIME: CO'S. TIME:

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	9225				30	70	58	1100			12:00	12:15	14	SERVICE AND CHECK HYDRA	
NOON											12:15	2:45	2 1/2	DRILL 8 3/8" HOLE	
2 P.M.											2:45	3:00	2 1/2	TRIP OUT FOR BIT	
4 P.M.											3:00	6:15	1 1/2	SLIP & CUT. 500 FT. DRILL LINE	
											6:15	6:30	1 1/2	CHECK BLIND HANS	
											6:30	9:30	3	Run in Hole.	
											9:30	10:15	1 1/4	CLEAN 30 FT. TO BOTTOM	
											10:15	10:50	1 1/4	DRILL 8 3/8" HOLE	

LINEAR SIZE: 6 1/2" STROKE 15"

MUD & CHEMICALS

LBS. Added: KIND

BOP Tested: DRILLER: B. B. B. CONTRACTOR'S TIME: CO'S. TIME:

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINEAR SIZE: STROKE

MUD & CHEMICALS

LBS. Added: KIND LBS. ON HAND

BOP Tested: DRILLER: CONTRACTOR'S TIME: CO'S. TIME:

CASING TESTED TO: PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES

RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER:

BIL OIL OF CANADA, LTD.

DATE July 16 - 67

No. 108 DAILY TIME SHEET

REPORT

Well Socony mobile system I
White Stone T. 1-26

CONTRACTOR Socony mobile Oil

RIG No. 4

Approved _____ Date July 16 67

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

8" HOLE
7'45" 6"
NEW BIT
TO BOTTOM
8" HOLE

DRILLED 7847 7959 12 11 1/2
REAMED
CORED

DRILLER F. GRABLE 11
DERRICK H. PROSSER 12
MOTORMAN K. LOYD 11
FLOORMAN E. KRAMPS 12
FLOORMAN H. BRACKS 12
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. 73 74
STANDS 1029 76 SIZE 8 3/4 9 3/4
SINGLE 62 19 MAKE Reed Reed
D.C.'s 71430 TYPE yhu yhu
SERIAL 54085 54251
JET SIZE 1/4 1/4
FROM 7847 7948
TO 7948 7959
KELLY IN 40.00 FOOTAGE 28 11
TOTAL 7859 HRS. 10 1/2
RATHOLE TOP COND. 3-2-1 Run

REMARKS AND INJURIES.

CONTRACTOR'S TIME

CO'S. TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

CHECK HYDRA
HOLE
NEW BIT
300 FT. DRILL LINE
TO BOTTOM

DRILLED 7829 7967 8 3 1/2
REAMED
CORED

DRILLER E BRITAIN 12
DERRICK H. GILMAN 12
MOTORMAN E SCHACHER 12
FLOORMAN J. GUCHER 12
FIREMAN D. BICKIRK 12

TALLY

BIT RECORD

No. LENGTH BIT No. 74 76
STANDS 7123 04 SIZE 8 3/4 8 3/4
SINGLE MAKE Reed Reed
D.C.'s 71430 TYPE yhu yhu
SERIAL 54231 54086
JET SIZE 1/4 1/4
FROM 7848 7963
TO 7963
KELLY IN 14.00 FOOTAGE 16
TOTAL 7867 HRS. 6 1/2
RATHOLE TOP COND. 3-2-1

REMARKS AND INJURIES.

CONTRACTOR'S TIME

CO'S. TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED


DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES.



EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER: J. H. ...

APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Nukon 1. WELL NAME & No: White Stone T-1126 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.	9096				5070		58	110			12:00	12:15	1/2	Rig SERVICE & HYDRA OK. DRILLING 8 3/4" HOLE. HOIST LOW NEW BIT. RUNNING IN WITH BIT.
4 A.M.	909352									12:15	1:30	24		
6 A.M.										1:30	12:00	1/2		
8 A.M.														

PH 95
LINER SIZE: 6 1/2" STROKE 15"
MUD & CHEMICALS
LBS. Added: 3000 KIND: GELL

BOP Tested 465
DRILLER: T. L. Latta CONTRACTOR'S TIME
CO'S TIME
12-8 TOUR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.	PH 9.5				5070		58	1100			12:30	12:30	1/2	RUN IN HOLE TO 6115. HEAM OUT BRIDGES FROM 6115 TO 6175 FINISH IN HOLE CLEAN SET TO BOTTOM DRILL 8 3/4" HOLE SERVICE RIG & CHECK HYDRA SWIF FL. DRILLING 8 3/4" HOLE.
NOON	4382									12:30	1:15	1/2		
2 P.M.	4377	52	1/32							1:15	2:00	1/4		
4 P.M.	4381									2:00	4:00	2		

LINER SIZE: 6 1/2" STROKE 15"
MUD & CHEMICALS
LBS. Added: 1600 GELL
500 DEXTRIN
200 GABOXIN
100 CAUSTIC

BOP Tested 465
DRILLER: B. Butler CONTRACTOR'S TIME
CO'S TIME
8-4 TOUR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														4-12 TOUR
8 P.M.														
10 P.M.														
12 P.M.														

LINER SIZE: STROKE
MUD & CHEMICALS
LBS. Added: KIND LBS. ON HAND

BOP Tested
DRILLER: CONTRACTOR'S TIME
CO'S TIME

CASING TESTED TO: PSI. MIN. FORMATION TESTED: PSI. MIN. EQUIPMENT FAILURES:
RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER

[Signature]

L OIL OF CANADA, LTD.

DATE July 15-64

No 107 DAILY TIME SHEET

ING REPORT

Well Looney Nickel Yukon 1
White Stone 4-5-14-26

CONTRACTOR Looney Nickel Oil RIG No. 4

Approved _____ Date July 15 64

ORK RECORD

12-8 TOUR

Hydril ok.
HOLE
WITH BIT.

DRILLED 7806 7820 14 5 3/8
REAMED 9
CORED

Tour 1 Midnite to 8 A.M. Hrs.
DRILLER F. GAGLE 12
DERRICK I. PROSSER 12
MOTORMAN K. LONGER 12
FLOORMAN E. KRUMER 12
FLOORMAN W. BRICKS 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 72
25 STANDS 7029.75 SIZE 8 3/8
SINGLE MAKE HRC
23 D.C.'s 71930 TYPE W7
REH 545 SERIAL 10838
JET SIZE 1/2
FROM 7806
TO 7820
KELLY IN 33.00 FOOTAGE 26
TOTAL 7820 HRS. 12
RAT HOLE TOP COND. 32-1

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO's TIME

8-4 TOUR

To 6115.
CHECKS FROM 6115 TO 6175
CHECK BOTTOM
CHECK HYDRILM SWIVEL.
HOLE

DRILLED 7820 7847 27 9 3/4 5/8
REAMED
CORED

Tour 2 8 A.M. to 4 P.M. Hrs.
DRILLER E. BRITAIN 12
DERRICK R. LUKWEN 12
MOTORMAN E. SCHACKER 12
FLOORMAN J. BUCHER 12
FLOORMAN D. BABKIK 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 73
25 STANDS 7029.75 SIZE 8 3/4
SINGLE MAKE HRC
23 D.C.'s 71930 TYPE yHRC
REH 636 SERIAL 104085
545 165 JET SIZE 1/2
FROM 7820
TO 7847
KELLY IN 29.00 FOOTAGE 27
TOTAL 7847 HRS. 9 3/4
RAT HOLE TOP COND. HRC

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

4-12 TOUR


DRILLED
REAMED
CORED

Tour 3 4 P.M. to Midnite Hrs.
DRILLER
DERRICK
MOTORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:



EQUIPMENT FAILURES

TIME LOST

MILE TOOL PUSHER APPROVED: [Signature]

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Afghanistan WELL NAME & No: White Stone N-26 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	92107		8250	70			50	1.00						11 ³⁰ + RIG SERVICES CHECK KELLY COCK. OK. 12 ¹⁵ DRILLING 8 3/8" 1-HOLE.	
4 A.M.	9311250														
6 A.M.	9398														
8 A.M.	9280														
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added KIND 3100 WATER 200 GELL 100 Q-BROXIN 100 CAUSTIC 100 DEXTRID															
BOP Tested <u>Yes</u> DRILLER: <u>H. Balle</u> CONTRACTOR'S TIME <u>7784</u> CO'S TIME															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	9384					50	70	56	1100					12 ⁰⁰ SERVICE RIG & CHECK HYDRIL 12 ¹⁵ DRILL 8 3/8" HOLE. 1 ⁰⁰ SURVEY @ 7794 MISS RUN 1 ¹⁵ TRIP OUT FOR BIT 1 ³⁰ CHECK BLIND RANS C.K. 1 ⁴⁵ SLIP 31 FT. DRILL LINE 2 ⁰⁰ RUN IN HOLE. 2 ¹⁵ CLEAN SCFT. TO BOTTOM. 2 ³⁰ DRILL 8 3/8" HOLE.	
NOON															
2 P.M.															
4 P.M.	9282														
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added KIND 310 DEXTRID 400 CARBONUM 200 CAUSTIC															
BOP Tested <u>Yes</u> DRILLER: <u>E. Balle</u> CONTRACTOR'S TIME <u>7784</u> CO'S TIME															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added KIND LBS. ON HAND															
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GAL. BOILER FUEL CONSUMPTION _____ GAL. WIRELINE TON MILE _____ TOOL PUSHER: D. Rawe

IL OIL OF CANADA, LTD.

DATE July 12-64

No. 106 DAILY TIME SHEET

WORKING REPORT

Well Loganville No. 2
Location Loganville No. 2
Aspirator 7-11 N-26
Date July 12-64

CONTRACTOR'S NAME Loganville No. 2 Oil Co.

RIG No. 44

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Midnite to 8 A.M. Hrs.

CHECK KELLY COCK. OK.
76" 1-HOLE

DRILLED 7767 7792 25 11 1/4 8 3/4
REAMED
CORED

DRILLER F. GALLE 12
DERRICK J. PROSSER 12
MOTORMAN K. LONGER 12
FLOORMAN E. KRAMP 12
FLOORMAN P. KRAMP 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 71
75 STANDS 702 715 SIZE 8 3/4
SINGLE MAKE K&B
83 D.C.'s 717 30 TYPE YM
REAM 5 45 SERIAL N94715
24 1 65 JET SIZE 1/16
FROM 7767
TO 7792
KELLY IN 36 00 FOOTAGE 28
TOTAL 7792 HRS. 12 1/2
RAT HOLE TOP COND. Run

REMARKS AND INJURIES:

CONTRACTOR'S TIME 7784

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

CHECK HYDRIL
HOLE.

DRILLED 7792 7806 14 4 1/2 8 3/4
REAMED
CORED

DRILLER E. BRITTAIN 12
DERRICK F. LEWEN 12
MOTORMAN E. SCHACHER 12
FLOORMAN J. BACHER 12
FLOORMAN U. BACHKIRK 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 71 72
75 STANDS 702 715 SIZE 8 3/4 8 3/4
SINGLE MAKE K&B H.T.B.
83 D.C.'s 717 30 TYPE YM W.T.
REAM 6 30 SERIAL N94715 65938
1 1 65 JET SIZE 1/16 1/16
FROM 7767 7794
TO 7792 7806
KELLY IN 17 00 FOOTAGE 30 12
TOTAL 7806 HRS. 14 3
RAT HOLE TOP COND. 3-2-1 RUN

REMARKS AND INJURIES:

SHOWN SINKER C.K.

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER

D. Pawchuk APPROVED: J. Graham

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No: White Stone #1 N26 CONTRACTOR: Socony Drilling

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	93	100	48	7	50	65	56	1100			12° 12' 15"	12:15	11" Rig SERVICES & Hydraul. OK.		
4 A.M.	93	84									12° 15'	13:00	6 1/2" CLEAN 7' BOTTOM + REPAIRS OF GAUGE HOLE.		
6 A.M.	93	68									13° 12'	14:00	DRILLING 8 1/2" HOLE.		
8 A.M.	93	73													
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: <u>800 O-BROXIN</u> <u>500 CAUSTIC</u> <u>100-DEXTRID</u> <u>3500 GELL</u>															
BOP Tested: <u>YES</u> DRILLER: <u>J.H. Hall</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	92	73			45	65	56	1100			12° 15'	10:15	SERVICE RIG.		
NOON	92	78									12° 15'	12:15	DRILL		
2 P.M.											12° 15'	14:00	TRIP OUT FOR BIT		
4 P.M.											12° 15'	15:00	RUN IN TO 5945		
LINER SIZE: <u>6 1/2"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____															
BOP Tested: _____ DRILLER: <u>B. Britto</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____															
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S TIME: _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION: _____ GALS. BOILER FUEL CONSUMPTION: _____ GALS. WIRELINE TON MILE: _____ TOOL PUSHER: _____

OBIL OIL OF CANADA, LTD.

DATE

July 13 - 64

No. 109 DAILY TIME SHEET

BILLING REPORT

Well Socomey 2112141 Yorkton White Stone 75 N. 26

CONTRACTOR

Socomey 2112141

RIG No. 11

NOIDS

Approved

Date July 13, 64

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

2 v Hydraulic OK.
BOTTLES + Return amt of
LE
8 3/4" HOLE

DRILLED 7741 7757 16 5 1/2 8 3/8
REAMED
CORED

DRILLER F. BRADLE 12
DERRICK F. GROSSER 12
MOTORMAN K. LEINSON 12
FLOORMAN E. KRUMPS 12
FLOORMAN H. BRISTOL 12
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. 70
STANDS 113612 SIZE 9 3/8
SINGLE 6203 MAKE HIC
DC'S 11131 TYPE WTR.
SERIAL 243 SER. A. 71131
JET SIZE 1 1/2
FROM 7741
TO 7757
KELLY IN 32.17 FOOTAGE 16
TOTAL 7757 HRS. 5 1/2
COND. Run

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

OR BIT
5945
BRIDGES FROM 5945 TO 6095
HOLE
TO BOTTOM
HOLE

DRILLED 7757 7771 16 4 1/2 8 3/8
REAMED
CORED

DRILLER E. BRITTAIN 12
DERRICK R. LEWIS 12
MOTORMAN E. SCHACK 12
FLOORMAN J. BURTON 12
FLOORMAN E. BRISTOL 12
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. 70 71
STANDS 1102712 SIZE 5 3/4 8 3/8
SINGLE 71230 MAKE HIC
DC'S 630 TYPE WTR. YM
SERIAL 146 SERIAL 44632 N 94915
JET SIZE 1 1/2 C/O
FROM 7741 7769
TO 7718 7771
KELLY IN 19.02 FOOTAGE 3
TOTAL 7771 HRS. 4 1/2
COND. 2-17 Run

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE
DC'S
TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
COND.

REMARKS AND INJURIES

MIN

EQUIPMENT FAILURES

TIME LOST

St. Lawrence

TON MILE

TOOL PUSHER

APPROVED

[Signature]

CALCULATION

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No: White Stone 14-26 CONTRACTOR: Socony

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.	93	163	52	32	50	70	60	11	0	12	130	13	130	Drilling 8 1/2" hole
4 A.M.														HOIST FOR NEW KIT USE KELLY ON TIGHT SPOTS
6 A.M.														SLIP 31' + CUT 62' DRILL LINE
8 A.M.														RIG SERVICES
	LINER SIZE: <u>6 1/2"</u>				STROKE <u>16"</u>									
MUD & CHEMICALS														
LBS. Added: _____ KIND: _____														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.	93	130			50	45	56	110		12	120	14	14	4 1/2" VICE, HIG
NOON														SLIP TO BOTTOM & REAM 3 FT TO BOTTOM
2 P.M.														DRILL 8 1/2" HOLE
4 P.M.														WORK PIPE, PIPE TIGHTENING UP
	LINER SIZE: <u>6 1/2"</u>				STROKE <u>15"</u>									
MUD & CHEMICALS														
LBS. Added: _____ KIND: _____														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														
8 P.M.														
10 P.M.														
12 P.M.														
MUD & CHEMICALS														
LBS. Added: _____ KIND: _____														

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GAL. BOILER FUEL CONSUMPTION _____ GAL. WIRELINE TON MILE _____ TOOL PUSHER: J. I. [unclear]

L OIL OF CANADA, LTD.

DATE July 12-64

No. 104 DAILY TIME SHEET

WORK REPORT

Well White Stone 4-5 No. 104

CONTRACTOR: J. J. McNeil Co. RIG No. 14

Approved: [Signature] Date July 12-64

WORK RECORD 12-8 TOUR

14011
USE KELLY ON TIGHT
OUT 62' DRILL LINE
NEW BIT & RUN OUT

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7733	7736	6	1 1/2	8 3/8
REAMED					
CORED					
TALLY			BIT RECORD		
No.	LENGTH	BIT No.	68	67	
STANDS	69.65	SIZE	8 3/8	8 3/8	
SINGLE	69.02	MAKE	KECK, PENN.		
D.C.'s	711.30	TYPE	4 1/2" x 4 1/2"		
RAM	5.45	SERIAL	24713	241011	
		JET SIZE	1 1/2	1 1/2	
	14.5	FROM	7731	7736	
		TO	7734		
KELLY IN	11.15	FOOTAGE	15		
TOTAL	113.6	HRS.	6		
RAT HOLE TOP		COND	1-2-0		

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	F. COLE	12
DERRICK	R. ROBERTS	12
MOTORMAN	R. LONGHEAD	12
FLOORMAN	E. KRANZ	12
FLOORMAN	H. KELLY	12
FIREMAN		

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S TIME 8-4 TOUR

FROM KEAM 3 FT TO BOTTOM
PIPE TIGHTENING UP
F HOLE. CHANGED REAMERS
RAMS
BEAM CUT BRIGGS
BOTTOM.

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7736	7741	5	1 1/2	8 3/8
REAMED					
CORED					
TALLY			BIT RECORD		
No.	LENGTH	BIT No.	69	70	
STANDS	69.65	SIZE	8 3/8	8 3/8	
SINGLE	62.02	MAKE	KECK HIC.		
D.C.'s	719.30	TYPE	4 1/2" x 4 1/2"		
RAM	6.30	SERIAL	24011	24632	
	1.50	JET SIZE	1 1/2	1 1/2	
		FROM	7736	7741	
		TO	7741		
KELLY IN	17.02	FOOTAGE	5		
TOTAL	174.1	HRS.	1 1/2		
RAT HOLE TOP		COND	1-2-0		

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	E. BRITTAIN	12
DERRICK	R. DE WORN	12
MOTORMAN	E. SCHACHER	12
FLOORMAN	J. BUCHER	12
FLOORMAN	D. BALKINK	12
FIREMAN		

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S TIME 4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					
TALLY			BIT RECORD		
No.	LENGTH	BIT No.			
STANDS		SIZE			
SINGLE		MAKE			
D.C.'s		TYPE			
		SERIAL			
		JET SIZE			
		FROM			
		TO			
KELLY IN		FOOTAGE			
TOTAL		HRS.			
RAT HOLE TOP		COND			

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

REMARKS AND INJURIES:

EQUIPMENT FAILURES: TIME LOST:
TOOL PUSHER: [Signature] APPROVED: [Signature]

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon L. WELL NAME & No: White Stone No 26 CONTRACTOR: Socony Mobil

MUD RECORD										WORK RECORD													
TIME	WT.	VISC.	W.L.	F.C.	BIT WT. M	TABLE RPM	PUMP SPM	PRESS	DEVIATION DEPTH	DEG.	START	STOP	HRS.										
2 A.M.	93	865	2		50	705	6	1100			12:00	12:15	14	BIG SERVICE: DRILLING 9" HOLE.									
4 A.M.	93	92									12:30	1:30	1	HOIST FOR NEW BIT STUCK 21 STAMPS OFF BOTTOM.									
6 A.M.	93	105.0									1:45	11:00	24	WORK PIPE LOOSE. CIRC DRILL UP THROUGH TIGHT SPOT.									
8 A.M.											11:00	11:00	1	HOISTING FOR NEW BIT.									
LINER SIZE: <u>6 1/2</u> STROKE: <u>15"</u>																							
MUD & CHEMICALS																							
LBS. Added: <u>2,000</u> KIND: <u>GELL</u>																							
BOP Tested										DRILLER: <u>W. White</u> CONTRACTOR'S TIME													
										CO'S TIME													

MUD RECORD										WORK RECORD													
TIME	WT.	VISC.	W.L.	F.C.	BIT WT. M	TABLE RPM	PUMP SPM	PRESS	DEVIATION DEPTH	DEG.	START	STOP	HRS.										
10 A.M.											12:30	1:15	2	1/2 FINISH OUT OF HOLE									
NOON											1:30	2:30	1	1/2 HOLE NEW BATH. PINS ON MUD TRAIL SIDE									
2 P.M.											2:30	3:15	1	1/2 HOLE & HEFT BATHS & REST.									
4 P.M.											3:15	4:00	1	1/2 HOLE BOTTOM.									
LINER SIZE: <u>6 1/2</u> STROKE: <u>15"</u>																							
MUD & CHEMICALS																							
LBS. Added: <u>2,000</u> KIND: <u>LOT</u>																							
BOP Tested										DRILLER: <u>W. White</u> CONTRACTOR'S TIME													
										CO'S TIME													

MUD RECORD										WORK RECORD													
TIME	WT.	VISC.	W.L.	F.C.	BIT WT. M	TABLE RPM	PUMP SPM	PRESS	DEVIATION DEPTH	DEG.	START	STOP	HRS.										
6 P.M.																							
8 P.M.																							
10 P.M.	4.3																						
12 P.M.	3.1																						
LINER SIZE: <u>6 1/2</u> STROKE: <u>15"</u>																							
MUD & CHEMICALS																							
LBS. Added: <u>ON HAND</u> KIND: <u>ON HAND</u>																							
BOP Tested										DRILLER: <u>W. White</u> CONTRACTOR'S TIME													
										CO'S TIME													

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____

RIG FUEL CONSUMPTION: _____ GALS. BOILER FUEL CONSUMPTION: _____ GALS. WIRELINE TON MILE: _____ TOOL PUSHER: F. ...

PETROBRAS OIL OF CANADA, LTD.

DATE July 11-6-

DAILY TIME SHEET

LOGGING REPORT

Well: *Secor, 21615*

CONTRACTOR *Secor, McNeil*

NO. 103

Approved

Date July 11-6-

WORK RECORD

2 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

8" HOLE.
NEW BIT STUCK 24 STANDS

DRILLED 7715 7721 6 4'4 3/4"
REAMED
CORED

DRILLER F. GALE 12
DERRICK F. J. ROSSER 12
MOTORMAN K. L. ... 12
FLOORMAN E. ... 12
FLOORMAN A. ... 12
FIREMAN

LOOSE.
UP THROUGH TIGHT SPOT
NEW BIT

TALLY BIT RECORD

No. LENGTH BIT No. 61
STANDS 61 61 5
SINGLE 30 98
DC's 11 30
SERIAL 542
JET SIZE
FROM 7689
TO 7721
FOOTAGE 32
TOTAL 7721 HRS. 1 1/4
RAT HOLE TOP COND 2 1/2

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

OF HOLE
BANK PADS ON MUD TRACK

DRILLED 7721 7733 12 4'2 3/4"
REAMED
CORED

DRILLER E. ... 12
DERRICK E. ... 12
MOTORMAN E. ... 12
FLOORMAN J. ... 12
FLOORMAN D. ... 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 61
STANDS 12 12 12
SINGLE 12 12
DC's 21 30
SERIAL 542
JET SIZE
FROM 7721
TO 7733
FOOTAGE 12
TOTAL 7733 HRS. 1 1/2
RAT HOLE TOP COND 2 1/2

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE
DC's
SERIAL
JET SIZE
FROM
TO
FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

IN.

EQUIPMENT FAILURES

TIME LOST

ON MILE

TOOL PUSHER

APPROVED

Signature

CALGARY

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No: White Stone N-26 CONTRACTOR: Leaving

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	92	13			50	70	56	1100			11	12:16	11	Rig Setup	
4 A.M.	92	13	60	32							5:00	6:00	3	Drilling 4 1/2" Hole	
6 A.M.											8:00	12:14	4	Finish for new bit	
8 A.M.														Trip in 16' string off bottom	
														Remaining Drills	
LINER SIZE: <u>6 1/2</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____															
BOP Tested: _____ DRILLER: <u>F. J. ...</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	92	13	50	50	70	60	1100				12:00	1:00	1	Finish in hole clean 5 ft. to	
NOON	92	13									1:00	1:30	4	Bottom	
2 P.M.	92	13									1:30	1:50	4	Service Rig	
4 P.M.	92	13									1:50	2:00	10	Drill 8 1/2" Hole	
LINER SIZE: <u>6 1/2</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____ <u>400# GALL</u> <u>300# WALLENAT.</u> <u>300# G. BROXIN</u> <u>100# CAUSTIC</u> <u>300# DEXTRID.</u>															
BOP Tested: _____ DRILLER: <u>E. B. ...</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____															
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S TIME: _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION: _____ GALS. BOILER FUEL CONSUMPTION: _____ GALS. WIRELINE TON MILE: _____ TOOL PUSHER: _____

BIL OIL OF CANADA, LTD.

DATE July 10-64

NB.02 DAILY TIME SHEET

LOGGING REPORT

WELL: W-115 Area of 11-11-64

CONTRACTOR: Beacon Logging Ltd

RIG No. 4

Approved

Date

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED 7600 7649 9 4 3/4 5 3/4
REAMED
CORED

DRILLER F. GRIFFIN 12
DERRICK H. LORSON 12
MOTORMAN K. LONGSON 12
FLOORMAN E. HARRIS 12
FLOORMAN H. LORSON 12
FIREMAN

2 1/2 HOLE
NEW BIT
to 51-11-64 off BOTTOM
DRILLED

TALLY BIT RECORD

No. LENGTH BIT No. 66
STANDS 413 15 SIZE 5 3/4
SINGLE MAKE KEEL
D.C. 111 30 TYPE 4 HED
SERIAL 5 43
JET SIZE 6/16
FROM 7600
TO 7649
KELLY IN 26 0 FOOTAGE 50
TOTAL 7649 HRS 17 1/2
RAT HOLE TOP COND 2-1

REMARKS AND INJURIES.

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED 7639 7715 26 10 3/4 5 3/4
REAMED
CORED

DRILLER E. BRITTAIN 12
DERRICK H. LORSON 12
MOTORMAN L. SCHUCHER 12
FLOORMAN J. BUCHER 12
FLOORMAN D. BUCHER 12
FIREMAN

HOLE CLEAN 5 FT. TO
HOLE

TALLY BIT RECORD

No. LENGTH BIT No. 67
STANDS 415 15 SIZE 5 3/4
SINGLE MAKE KEEL
D.C. 111 30 TYPE 4 HED
SERIAL 5 43
JET SIZE 6/16
FROM 7639
TO 7715
KELLY IN 26 0 FOOTAGE 50
TOTAL 7715 HRS 16 1/2
RAT HOLE TOP COND 2-1

REMARKS AND INJURIES.

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C. TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS
RAT HOLE TOP COND

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

MIN EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER: 11 hours APPROVED: [Signature]

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No: White Stone N-21 CONTRACTOR: Socony 7715/101

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	140										12:10	12:15	1	FINISH TRIP OUT	
4 A.M.	135	46	3/2		50	65	60	100			11:5	3:15	2	RIG SERVICES & pipe repairs ok. TRIP IN TO 5360	
6 A.M.	92	26									3:15	4:05	1	CLEAN OUT BRIDGE @ 5360	
8 A.M.											4:15	10:30	6	FINISH TRIP IN + CLEAN TO BOTTOM	
											11:0	12:00	1	RE-AM? ROTARY CLEAN. Drilling 8 1/2" hole.	
LINER SIZE: <u>5 1/4 - 6 1/2</u> STROKE <u>15</u>															
MUD & CHEMICALS															
LBS. Added: _____ KIND _____															
BOP Tested <u>YES</u> DRILLER: <u>T. J. L. G.</u> CONTRACTOR'S TIME _____ CO'S TIME _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	92	20			50	65	60	100			12:15	12:15	1	RIG SERVICES OK.	
NOON	91	97	11	3/2							12:15	12:15	1	DRILL 8 1/2" HOLE	
2 P.M.	91	90													
4 P.M.	92	95													
LINER SIZE: <u>6 1/2</u> STROKE <u>15"</u>															
MUD & CHEMICALS															
LBS. Added: _____ KIND _____															
5500 GALL															
1000 WPIKNOI															
500 CAPIBUNOX															
100 CAUSTIC															
WATER															
BOP Tested _____ DRILLER: <u>Barta</u> CONTRACTOR'S TIME _____ CO'S TIME _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____															
MUD & CHEMICALS															
LBS. Added: _____ KIND _____															
LBS. _____ ON HAND _____															
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: J. New

LOGGING REPORT

July 9 1954

Well No. 11501 Area 4
Unit Zone 7-T N-26

CONTRACTOR *Socony Mobil Seal*

RIG No. 4

Approved _____ Date *July 9 54*

WORK RECORD 12-8 TOUR

DRILLED 7637 7642 3 1 854
REAMED
CORED

Tour 1 Midnite to 8 A.M. Hrs.
DRILLER *F. GABLE 12*
DERRICK *F. PROSSER 12*
MOTORMAN *K. L. JOHNSON 12*
FLOORMAN *L. KRAMPIS 12*
FLOORMAN *H. BROOKS 12*
F REMAN

*2 out
8 1/2 pipe Ramis ok.
5560
BRIDGE @ 5560
2 IN + CLEAR TO BOTTOM
PARTY CHINA
8 1/2" HOLE*

TALLY BIT RECORD
No. LENGTH BIT No.
STANDS 40.48 SIZE 7 1/2"
SINGLE 63.17 MAKE *K.L.O.*
D.C. 71130 TYPE *411W*
SERIAL 892271
JET SIZE *70*
FROM 7637
TO 7642
KELLY IN 100.6 FOOTAGE 3
TOTAL 7642 HRS 1
RATHOLETOP COND *NEW*

REMARKS AND INJURIES

CONTRACTOR'S TIME CO'S TIME 8-4 TOUR

DRILLED 7642 7650 38 11 7 1/2
REAMED
CORED

Tour 2 8 A.M. to 4 P.M. Hrs.
DRILLER *E. BRITTON 12*
DERRICK *H. LOUGHNAN 12*
MOTORMAN *L. SCHACHLER 12*
FLOORMAN *J. BURMAN 12*
FLOORMAN *D. BROOKS 12*
F REMAN

Hold

TALLY BIT RECORD
No. LENGTH BIT No.
STANDS SIZE 6 1/2"
SINGLE MAKE *K.L.O.*
D.C. 71130 TYPE *411W*
SERIAL 892271
JET SIZE 70
FROM 7642
TO 7650
KELLY IN 15.02 FOOTAGE 11
TOTAL 7650 HRS 12
RATHOLETOP COND *NEW*

REMARKS AND INJURIES

CONTRACTOR'S TIME CO'S TIME 4-12 TOUR

DRILLED
REAMED
CORED

Tour 3 4 P.M. to Midnite Hrs.
DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
F REMAN

TALLY BIT RECORD
No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C. TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS
RATHOLETOP COND

REMARKS AND INJURIES

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER: *J. Sawchuk* APPROVED: _____

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No: White Stone N-22 CONTRACTOR: Socony 2000 Ltd

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.	84	84	60	3/50	50	70	56	11	0	12°	11°	14	Rig service	
4 A.M.	92	93								12°	11°	15	Drilling 8 7/8" hole	
6 A.M.	93	105	5 1/2							11°	10°	30	Clear 10 ft. 1" bottom.	
8 A.M.	93	86								10°	12°	14	Drilling 8 7/8" hole	
HOIST FOR NEW BIT USE KELLY LIGHT SPOTS SILENCE TO SILENCE OFF BOTTOM.														
LINER SIZE: 5 3/4 - 6" STROKE 15" MUD & CHEMICALS LBS. Added: 800 WATER 100 O-BROXIN 100 CAUSTIC-SODA 200 DEXTRID 2500 GELL														
BOP Tested: <u>500 AM</u> DRILLER: <u>W. E. G. G.</u> CONTRACTOR'S TIME: <u>7637</u> CO'S TIME:														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.	94	97								12°	11°	11	Went start pipe	
NOON										14°	11°	11	Clear section tank	
2 P.M.										16°	11°	11	Pump in 80 bbls diesel to mud tank	
4 P.M.													To start Hoist tank down shaft	
MORE 1000 LBS. FUEL IN H. 12 TANK HOIST WORK FINE 10° 42' 3 1/2 P.M. P.M. 11° 11' 2" WELL & CIG TO COM. TANK 11° 11' 2" TANK OFF														
LINER SIZE: STROKE MUD & CHEMICALS LBS. Added: 80 BBL'S DIESEL TO TANK														
BOP Tested: DRILLER: <u>Carte</u> CONTRACTOR'S TIME: CO'S TIME:														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														
8 P.M.														
10 P.M.														
12 P.M.														
LINER SIZE: STROKE MUD & CHEMICALS LBS. Added: KIND LBS. ON HAND														
BOP Tested: DRILLER: CONTRACTOR'S TIME: CO'S TIME:														

CASING TESTED TO: PSI. MIN. FORMATION TESTED: PSI. MIN. EQUIPMENT FAILURES: None

RIG FUEL CONSUMPTION: GALS. BOILER FUEL CONSUMPTION: GALS. WIRELINE TON MILE: TOOL PUSHER: None

OIL OF CANADA, LTD.

DATE July 8-64

DAILY TIME SHEET
Well Logan 22 bit of hole 1
White Stone 7-7-A-26
Approved _____ Date July 8-64

LOG REPORT

CONTRACTOR Logan 22 bit of hole 1 RIG No. 4

DRK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

1/2" HOLE
1" BOTTOM
2" HOLE
LOW BIT USE KELLY
SIDE 22 SIDE

DRILLED 76167639 21 948
REAMED
CORED

DRILLER F. GARLE 12
DERRICK F. PROSSER 12
MOTORMAN K. Lowy 12
FLOORMAN E. KRAMP 12
FLOORMAN A. Brooks 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS 133165 SIZE 4 3/8
SINGLE 1311 MAKE HTL
D.C.'s 71430 TYPE WT
Serial 11054
JET SIZE cut
FROM 7616
TO 7639
FOOTAGE 21
KELLY IN 2:0
TOTAL 7639 HRS. 9:44
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME 7637

CO'S. TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

WILE
TANK
LS DILGED TO MUD TANK
Hold Pump DOWN SPIN
LOW IN HOLE EVERY
PUR.
4:45 P.M.
To CON. MUD.

DRILLED 7631
REAMED
CORED

DRILLER E. GATTI 12
DERRICK A. LEE 12
MOTORMAN E. SCHACH 12
FLOORMAN F. BULLER 12
FLOORMAN E. BULLER 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS 13262 SIZE 4 3/8
SINGLE 1311 MAKE HTL
D.C.'s 71430 TYPE WT
Serial 11054
JET SIZE cut
FROM 7616
TO 7631
FOOTAGE 15
KELLY IN 5
TOTAL 9:02 HRS. 9:44
RAT HOLE TOP COND. 3-2-4

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.


DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE
D.C.'s
Serial
JET SIZE
FROM
TO
FOOTAGE
HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:



EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER: J. Marchuk APPROVED: E. Anderson

CALGARY, ALBERTA

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No: White Star N-26 CONTRACTOR: Socony Mobil Oil Co.

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	9280	56	50	70		110					12 ⁰⁰	12 ¹⁵	1174	Rig services 4 1/2 miles Drilling 10 1/2 miles	
4 A.M.	9390		50	70		600									
6 A.M.	9370														
8 A.M.	9376														
LINER SIZE: <u>6 1/2</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>5000</u> KIND <u>WATER</u> <u>200 G. BLOXIN</u> <u>100 CAUSTIC SODA</u>															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: <u>6 1/2</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>5000</u> KIND <u>WATER</u> BOP Tested: <u>Yes</u> DRILLER: <u>W. White</u> CONTRACTOR'S TIME: <u>7608</u>															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: <u>6 1/2</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>5000</u> KIND <u>WATER</u> LBS. <u>ON HAND</u>															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER _____

L OIL OF CANADA, LTD.

DATE July 7 - 64

No. DAILY TIME SHEET

NG REPORT

No. 99

Well *Soury metal Yukon 1 - White Star 45 N-26*

CONTRACTOR *Soury metal Oil*

RIG No. 4

Approved Date *July 7 64*

ORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED 7575 7612 17 11.34 8 3/8
REAMED
CORED

DRILLER *F. GARLE 12*
DERRICK *F. ROSSER 12*
MOTORMAN *K. LONGSON 12*
FLOORMAN *E. KRAMP 12*
FLOORMAN *W. BRIDGES 12*
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 6-1
73 STANDS 4937.85 SIZE 8 3/4
1 SINGLE 31.58 MAKE *Reed*
23 D.C.'s 719.30 TYPE *7m*
SERIAL *N14714*
JET SIZE *2 1/2"*
FROM 7511
TO 7612

REMARKS AND INJURIES:

KELLY IN 14.0 FOOTAGE 21
TOTAL 7612 HRS. 13 1/2
RAT HOLE TOP COND. *Red*

CONTRACTOR'S TIME

7608 CO's. TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED 7612 7619 6 2.45 8 3/8
REAMED
CORED

DRILLER *E. BATTAIN 12*
DERRICK *K. LEWIS 12*
MOTORMAN *K. SCHACH 12*
FLOORMAN *J. BUCHER 12*
FLOORMAN *W. BRIDGES 12*
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 6-1 6-2
73 STANDS 4937.85 SIZE 8 3/4 8 3/8
SINGLE 31.58 MAKE *Acme HTB*
23 D.C.'s 719.30 TYPE *7m 4.9*
SERIAL *N14714 12024*
JET SIZE *2 1/2"*
FROM 7511 7618
TO 7612

REMARKS AND INJURIES:

KELLY IN 20. FOOTAGE 24
TOTAL 7619 HRS. 14
RAT HOLE TOP COND. *2-1 NEW*

CONTRACTOR'S TIME

CO's. TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO

REMARKS AND INJURIES:

KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

CONTRACTOR'S TIME

CO's. TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER *Stump chock*

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Yukon*

WELL NAME & No. *White Stone No. 26*

CONTRACTOR *Socony Mobil*

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.			
2 A.M.	91	42			50	65	60	800			12 ⁰⁰	12 ¹⁵	1/4
4 A.M.	89	85	80	72							12 ¹⁵	12 ⁴⁵	3/4
6 A.M.	92	87	65								12 ⁴⁵	1 ⁰⁰	1
8 A.M.											1 ⁰⁰	12 ⁰⁰	1

WORK RECORD
12-8 TOUR

*Big SERVICES.
CIRC. STRIPPER.
DRILLING 8 3/4" HOLE.
WORK ON PUMPS.
DRILLING 8 3/4" HOLE.
HOIST FOR NEW BIT.*

LINER SIZE: *5 3/4* STROKE *15"*

MUD & CHEMICALS

LBS. Added	KIND
6000	GELL.
400	CAUSTIC
15 SLS	LEATRIO
30 SLS	Q BROWN
	WATER.

DRILLER: *Hebble* CONTRACTOR'S TIME *75:37* CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.			
10 A.M.					40	65	60	1000			12 ⁰⁰	1 ¹⁵	1 1/4
NOON											1 ¹⁵	1 ³⁰	1/4
2 P.M.											1 ³⁰	2 ³⁰	1
4 P.M.											2 ³⁰	4 ⁰⁰	1 1/2

WORK RECORD
8-4 TOUR

*FINISH OUT HOLE.
SERVICE BIG CHECK BLIND RAMS.
SNIP OUT 62 FT. DRILL LINE.
CHANGE HEADS & LINES IN CABO FROM 3" TO 2 1/2".
RUN IN HOLE TO 4805 & REAM BRIDLES TO BOTTOM.
CLEAN 50 FT. FILL
DRILL 8 3/4" HOLE*

LINER SIZE: *6 1/2* STROKE *15"*

MUD & CHEMICALS

LBS. Added	KIND
300	FIBETEX
800	GELL.

DRILLER: *E. Bitter* CONTRACTOR'S TIME CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.			
6 P.M.													
8 P.M.													
10 P.M.													
12 P.M.													

WORK RECORD
4-12 TOUR

LINER SIZE: STROKE

MUD & CHEMICALS

LBS. Added	KIND	LBS.	ON HAND

DRILLER: CONTRACTOR'S TIME CO'S. TIME

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: *J. J. J.*

BIL OIL OF CANADA, LTD.

DATE

No. 77 DAILY TIME SHEET

LOGGING REPORT

July 6-64

No. 98

Well Socomey mobile Jackson
White Stone #7-14-76

CONTRACTOR WORK RECORD

Socomey Mobile Oil

RIG No. 4

Approved Date July 6 64

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

67.
SAMPLES
8 7/8" HOLE
Pumps
8 7/8" HOLE
NEW 13.1

DRILLED 7566 7591 25 9 4 3/4
REAMED
CORED

DRILLER T. GABLE 12
DERRICK F. MOSS 12
MOTORMAN Long 12
FLOORMAN L. R. 12
FIREMAN A. Brooks 12

TALLY BIT RECORD
No. LENGTH BIT No. 63
STANDS 6237 85 SIZE 8 7/8
SINGLE MAKE HIL
D.C.'s 114 30 TYPE W7
KEM 5.45 SERIAL 35003
Sub. 1.65 JET SIZE cut
FROM 7578
TO 7511
KELLY IN 25:00 FOOTAGE 53
TOTAL 7574 HRS. 10 1/2
COND.

REMARKS AND INJURIES:

800 m 7587
CONTRACTOR'S TIME CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

HOLE
CHECK BLIND RAMS
FT. DRILL LINE
LINES IN C260 FROM 3 TO 26
TO 4505 REAM BRIDGES

DRILLED 7591 7595 4 3 4 3/4
REAMED
CORED

DRILLER E. BRITAIN 12
DERRICK R. LOEWEN 12
MOTORMAN E. SCHACHER 12
FLOORMAN J. BACHER 12
FIREMAN D. LABRIK 12

TALLY BIT RECORD
No. LENGTH BIT No. 64
STANDS 6838 85 SIZE 8 7/8
SINGLE MAKE HED
D.C.'s 714 30 TYPE YM
KEM 5.45 SERIAL N9471H
Sub. 1.66 JET SIZE cut-cut
FROM 7591
TO 7578
KELLY IN 29:00 FOOTAGE 4
TOTAL 7595 HRS. 3 1/4
COND. N24

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD
No. LENGTH BIT No.
STANDS
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER: J. J. [Signature]

APPROVED: [Signature]

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Zukon I. WELL NAME & No. White Stone N-26 CONTRACTOR Socony mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.											12 ⁰⁰	12 ⁰⁰	12	MIX LOST CIRC MATERIAL AND MUD TO FILL HOLE AND PUMP DOWN STAMIE.
4 A.M.														
6 A.M.														
8 A.M.														
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: <u>2750 WALL-NAT</u> <u>250 CELLEX-HIGH-VISC</u> <u>4300 FIBERTEX</u> <u>2250 CALLAPHANE-FLAKES</u> <u>14000 GELL</u>														
BOP Tested _____ DRILLER: <u>W. B. [unclear]</u> CONTRACTOR'S TIME _____ CO'S TIME _____ NOTE CHANGED VALVE INSERT RUBBERS IN NO 1 PUMP. DEPTH @ 9:00 AM. 7540														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.	9.1	22	44	7.5	45	70	10000			12 ¹⁰	12 ¹⁵	1/4	SERVICE RIG. MIX MUD & LOST CIRC. MAT. DISHA. HEAVY MUD TO SURF DRILL 8 1/2 HOLE. CIRC SAMPLE GEO. CORES.	
NOON	9.0	20								12 ²⁰	5 ¹⁰	4 3/4		
2 P.M.	7.2	66								5 ¹⁰	11 ³⁰	6 1/2		
4 P.M.										11 ³⁰	12 ⁰⁰	1/2		
LINER SIZE: <u>5 1/2</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: <u>7000 GELL</u> <u>25 lbs. WALL MUD</u> <u>50 lbs. FIBERTEX</u> <u>150 H.V. CELLEX</u> <u>10 lbs. PROB IT</u>														
BOP Tested _____ DRILLER: <u>E. B. [unclear]</u> CONTRACTOR'S TIME _____ CO'S TIME _____														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														4-12 TOUR
8 P.M.														
10 P.M.														
12 P.M.														
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. ON HAND _____														
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____														

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER J. T. Rowe

BIL OIL OF CANADA, LTD.

DATE July 5/64

No. 29 DAILY TIME SHEET

LOGGING REPORT

CONTRACTOR Socony mobil Oil

RIG No. 4

No. 97

Well Socony mobil Oil White Stone #1 N-26

Approved _____ Date July 5-64

WORK RECORD 12-8 TOUR

CIRC MATERIAL TO FILL HOLE AND RUN SAME.

DRILLED	FROM	TO	FOOTAGE	HRS.	SIZE
REAMED	7540	-	-	-	8 3/4
CORED					

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	F. GABLE	12
DERRICK	F. T. ROSSER	12
MOTORMAN	K. LONGSON	12
FLOORMAN	E. KRAMPIS	12
FLOORMAN	A. PROOKS	12
FIREMAN		

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
22	STANDS 7146.13	63	8 3/4
1	SINGLE 31.58		MAKE HTC
22	D.C.'s 7177.71		TYPE W7
	Rotm 545		SERIAL 35003
	SUB 165		JET SIZE cut
			FROM 7538
			TO 7540
	KELLY IN 38.00		FOOTAGE 2
	TOTAL 7540		HRS. 3 1/4
			COND. New

REMARKS AND INJURIES:

GED VALVE INSERT IN N° 1 PUMP.

9:00 AM - 7540

CONTRACTOR'S TIME _____ CO's TIME _____

8-4 TOUR

LAST. CIRC. MAT. DISPLACED TO SUMP HOLE. GED. CADETS.

DRILLED	FROM	TO	FOOTAGE	HRS.	SIZE
REAMED	7540	7566	26	1 1/2	8 3/4
CORED					

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	E. R. BRITTAIN	12
DERRICK	K. ROGWIN	12
MOTORMAN	E. SCHACHER	12
FLOORMAN	J. BUCHER	12
FLOORMAN	D. BARKMAN	12
FIREMAN		

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
22	STANDS 7146.13	63	8 3/4
2	SINGLE 65.67		MAKE HTC
23	D.C.'s 7173.80		TYPE W7
	ALL 8.75		SERIAL 35003
	SUB 1.68		JET SIZE cut
			FROM 7538
			TO 7566
	KELLY IN 28.00		FOOTAGE 28
	TOTAL 7566		HRS. 2 1/4
			COND. New

REMARKS AND INJURIES:

CONTRACTOR'S TIME _____ CO's TIME _____

4-12 TOUR

(Empty section for work record)

DRILLED	FROM	TO	FOOTAGE	HRS.	SIZE
REAMED					
CORED					

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
	STANDS		
	SINGLE		MAKE
	D.C.'s		TYPE
			SERIAL
			JET SIZE
			FROM
			TO
	KELLY IN		FOOTAGE
	TOTAL		HRS.
			COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME _____ CO's TIME _____

EQUIPMENT FAILURES _____ TIME LOST _____
TOOL PUSHER J. Pawchuk APPROVED: M. S. G. M.

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No: White Stone N-26 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
2 A.M.					50	70	60	100				12 ⁰⁰	12 ¹⁵	1 ^{1/2}	Rig screws. Check Hydril. OK.
4 A.M.												12 ¹⁵	1 ¹⁵	1 ^{1/2}	Finish Trip in Hole
6 A.M.												1 ¹⁵	2 ¹⁵	1	Clear 4 ft. 10 Bottom.
8 A.M.												2 ¹⁵	4 ¹⁵	2	Drilling 1/2" Hole
												4 ¹⁵	12 ⁰⁰	7 ^{1/4}	Lost Circulation: Mud Lost Circulation material + pump down same - no returns.
LINER SIZE: <u>5 7/8</u> STROKE: <u>15"</u> MUD & CHEMICALS LBS. Added: <u>1200 FIBERTEX</u> <u>800 CELLOPRANE-FLAKIS</u> <u>300 G.BROXIN</u> <u>7300 GELL</u>															

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
10 A.M.												12 ⁰⁰	1 ¹⁵	1 ^{1/2}	BOP Tested: <u>YES</u> DRILLER: <u>W. B. Birtles</u> CONTRACTOR'S TIME: <u>8:00 am. 7538</u> CO'S TIME: _____ 8-4 TOUR WORK PIPE & TRY TO BRACE CIRC. MUD HEAD. TAIL OUT & WOLF TIGHT HOLD.
NOON												1 ¹⁵	12 ⁰⁰	10 ^{1/2}	
2 P.M.															
4 P.M.															
LINER SIZE: _____ STROKE: _____ MUD & CHEMICALS LBS. Added: <u>3000 GELL</u> <u>50 LBS VIS CELLUX</u>															

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
6 P.M.															BOP Tested: _____ DRILLER: <u>Birtles</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____ 4-12 TOUR
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE: _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION: _____ GALS BOILER FUEL CONSUMPTION: _____ GALS WIRELINE TON MILE: _____ TOOL PUSHER: Stewart

L OIL OF CANADA, LTD.

DATE July 3-64 No. 95

No. DAILY TIME SHEET Well White Stone, T 14-26
Socomey Mobil Oil
Approved Date July 3-64

NG REPORT

CONTRACTOR Socomey Mobil Oil RIG No. 4

WORK RECORD 12-8 TOUR

CHECK HYDRIL OK.
14 Hole
10 Bottom.
Hole
MIX LOST
MATERIAL + PUMP DOWN
RETURNS.

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7532	7538	6	2.8	8 3/4
REAMED					
CORED					

	Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	F. GABLE		12
DERRICK	F. PROSSER		12
MOTORMAN	K. LANGSTON		12
FLOORMAN	E. KRAMP		12
FLOORMAN	A. BROOKS		12
FIREMAN			

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	
22	714.13	62	SIZE 8 3/4
			MAKE HTC
23	719.30		TYPE DUV
			SERIAL 45856
	5.45		JET SIZE 1.65
	1.65		FROM 7532
			TO 7538
			FOOTAGE 6
			HRS. 2
			COND. CIL

6:00 AM 7538
CONTRACTOR'S TIME CO'S TIME

REMARKS AND INJURIES:

8-4 TOUR

TRY TO BRAKE CIRC.
TIGHT HOLE.

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7538				
REAMED					
CORED					

	Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	E.A. BRITAIN		12
DERRICK	R. LEECH		12
MOTORMAN	E. SCHACHTER		12
FLOORMAN	J. BASKIN		12
FLOORMAN	D. BARKER		12
FIREMAN			

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	
22	714.13	62	SIZE 8 3/4
			MAKE HTC
23	719.30		TYPE DUV
			SERIAL 45856
	5.45		JET SIZE 1.65
	1.65		FROM 7538
			TO
			FOOTAGE
			HRS.
			COND.

CONTRACTOR'S TIME CO'S TIME

REMARKS AND INJURIES:

4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					

	Tour 3	4 P.M. to Midnite	Hrs.
DRILLER			
DERRICK			
MOTORMAN			
FLOORMAN			
FLOORMAN			
FIREMAN			

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	
			SIZE
			MAKE
			TYPE
			SERIAL
			JET SIZE
			FROM
			TO
			FOOTAGE
			HRS.
			COND.

CONTRACTOR'S TIME CO'S TIME

REMARKS AND INJURIES:

EQUIPMENT FAILURES TOOL PUSHER: *Stewart* TIME LOST APPROVED: *M. S. ...*

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon 2 WELL NAME & No. White Stone No. 26 CONTRACTOR Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
2 A.M.	1102	105.9			50	70	60	1000				12:00	12:15	1/4	Rig. Service & check of
4 A.M.	110	114										12:15	3:45	3 1/4	Drilling 8 1/2 Hole.
6 A.M.												3:45	6:00	2 1/4	Hoist for new bit.
8 A.M.												6:00	6:15	1/4	Slip 3' + cut 6' Drill Line.
												6:15	8:15	1 1/2	Trip in with new bit.
												8:15	9:00	3/4	Clear 4' to bottom.
												9:00	9:30	3/4	Drilling 8 1/2" Hole.

PH-9.5 LINER SIZE: 5 3/4 STROKE 15'

MUD & CHEMICALS

LBS. Added: _____ KIND: _____

BOP Tested: Yes DRILLER: W. Gable CONTRACTOR'S TIME: 7512 CO'S. TIME: _____

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
10 A.M.					50	70	60	1000				12:15	12:30	1/4	Service bit
NOON												12:30	11:00	2 1/2	Drill 8 1/2 Hole
2 P.M.												11:00	11:45	3/4	Trip out for bit.
4 P.M.												11:45	12:00	1/4	Repair stand motor chain

LINER SIZE: 5 3/4 STROKE 15'

MUD & CHEMICALS

LBS. Added: 300 Q.B. ROXIN
50 CRUSIE

BOP Tested: _____ DRILLER: Bitter CONTRACTOR'S TIME: _____ CO'S. TIME: _____

CHANGED OIL FILTERS IN 1 1/2 MOTOR.

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
6 P.M.	110	1070													
8 P.M.	111	148	53	1/2											
10 P.M.	111	146													
12 P.M.															

LINER SIZE: _____ STROKE _____

MUD & CHEMICALS

LBS. Added: _____ KIND: _____ LBS. _____ ON HAND _____

BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S. TIME: _____

CASING TESTED TO: _____ PSI. MIN. _____ FORMATION TESTED _____ PSI. MIN. _____ EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS. BOILER FUEL CONSUMPTION _____ GALS. WIRELINE TON MILE _____ TOOL PUSHER: Time

BIL OIL OF CANADA, LTD.

DATE July 2 '44

No. 71 DAILY TIME SHEET

LOGGING REPORT

No. 71

Well name: *Socomey mobile No. 4*

CONTRACTOR *Socomey mobile No. 4* RIG No. 4

Approved _____ Date *July 2 '44*

WORK RECORD

12 - 8 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7514	7516	10	6 1/2	8 3/4
REAMED					
CORED					

Tour 1 Midnite to 8 A.M. Hrs.

DRILLER	F. GABLE	12
DERRICK	H. RUSSELL	12
MOTORMAN	L. LEWIS	12
FLOORMAN	E. ROBERTS	12
FLOORMAN	H. COOKS	12
FIREMAN		

1 1/2" unit of hole.
NEW BIT.
CUT 6 1/2" DRILL LINE.
WITH NEW BIT.
0 Bottom.
5 1/2" Hole.

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	
22	STANDS	61	
1	SINGLE	31 5/8	SIZE
33	D.C.'s	HTC	MAKE
		4006 OWC	TYPE
		1111 29299	SERIAL
		10 1/2	JET SIZE
		7512	FROM
		7516	TO
		26	FOOTAGE
		12	HRS.
		3	
		3 1/2	COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME *5:00 AM 7512* CO'S TIME

8 - 4 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7516	7532	16	8 1/2	8 3/4
REAMED					
CORED					

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLER	E. BRITTON	12
DERRICK	H. LEWIS	12
MOTORMAN	E. SCHACHER	12
FLOORMAN	J. BUCKER	12
FLOORMAN	D. BARKER	12
FIREMAN		

1 1/2" unit of hole.
FOR BIT.
TOTAL CHAIN
old.

1 1/2" FILTERS IN 1 1/2" MOTOR.

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	
22	STANDS	11	
1	SINGLE	31 5/8	SIZE
33	D.C.'s	HTC	MAKE
		OWC	TYPE
		8 2 1/4	SERIAL
		20	JET SIZE
		7516	FROM
		7532	TO
		20	FOOTAGE
		12 1/4	HRS.
		3 1/2	COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME _____ CO'S TIME

4 - 12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					

Tour 3 4 P.M. to Midnite Hrs.

DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	
	STANDS		
	SINGLE		SIZE
	D.C.'s		MAKE
			TYPE
			SERIAL
			JET SIZE
			FROM
			TO
			FOOTAGE
			HRS.
			COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME _____ CO'S TIME

MIN. EQUIPMENT FAILURES _____ TIME LOST _____

TOOL PUSHER: *J. J. ...* APPROVED: *J. J. ...*

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon J. WELL NAME & No. White Stone T-226 CONTRACTOR Socony Mobil Oil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	100	27	5.6		10	65	60	1000			12 ⁰⁰	12 ¹⁵	114	RIG SERVICES. FINISH TRIP IN HOLE CLEAN 100 FT. TO BOTTOM. REAM RAT HOLE 6 1/8" TO 8 1/8" FROM 7477 TO 7483 TRIP FOR NEW BIT.	6 ft.
4 A.M.	109	28			30	70	60	1000			12 ¹⁵	12 ⁴⁵	141		
6 A.M.	109	28									3 ⁰⁰	5 ³⁰	5 1/2		
8 A.M.											12 ⁰⁰	12 ⁰⁰	3 1/2		
LINER SIZE: <u>5 3/4</u> STROKE <u>15'</u>															
MUD & CHEMICALS															
LBS. Added: <u>WATER.</u>															
BOP Tested													DRILLER: <u>J. Noble</u> CONTRACTOR'S TIME		

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	40	190			45	65	60	1000			3 ³⁰	3 ³⁰	3 1/2	CLEAN SFT. FILL & REAM 3 FT. RAT HOLE DRILL 8 1/8 HOLE	
NOON	40	160									3 ³⁰	12 ⁰⁰	8 1/2		
2 P.M.	40	162	1 1/2												
4 P.M.	40	173													
LINER SIZE: <u>5 3/4</u> STROKE <u>15"</u>															
MUD & CHEMICALS															
LBS. Added: <u>WT MPF.</u>															
<u>200</u>															
<u>200</u>															
<u>100</u>															
<u>WATER 12 lbs</u>															
BOP Tested													DRILLER: <u>E. Britton</u> CONTRACTOR'S TIME		

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____															
MUD & CHEMICALS															
LBS. Added: _____															
KIND: _____															
LBS. _____															
ON HAND _____															
BOP Tested													DRILLER: _____ CONTRACTOR'S TIME		

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GAL. BOILER FUEL CONSUMPTION _____ GAL. WIRELINE TON MILE _____ TOOL PUSHER _____

PETROBRIL OIL OF CANADA, LTD.

DATE July 1-64

No. 23 DAILY TIME SHEET

LOGGING REPORT

Well White Stone J.T. N-2-L
Stony Mts. 2/1/64

CONTRACTOR Exxon Mobil Oil

No. 93

RIG No. H

Approved _____ Date July 1 1964

WORK RECORD

12-8 TOUR

2 1/4 HOLE
TO BOTTOM
6 1/8" TO 8 1/4"
TO 7483
NEW BIT.

6 ft.

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED	7477	7483	6	5 1/2	8 3/8
CORED					

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
72	STANDS 6746.13	57	8 3/8
	SINGLE -		MAKE HTL
23	D.C.'s 719.30		TYPE RB-3
	REM 5.45		SERIAL 6522
	SUB 1.65		JET SIZE 604
			FROM 7477
			TO 7483
			FOOTAGE 6
			HRS. 5 1/2
			COND. 1-1-1

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	F. GABLE	12
DERRICK	F. KROSSER	12
MOTORMAN	K. LONGSON	12
FLOORMAN	E. KRISTOFF	12
FLOORMAN	H. BROOKS	12
FIREMAN		

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

T. FILL & REAM 3 FT.
HOLE.

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7486	7506	20	8 1/2	8 3/8
REAMED	7493	7486	3	2	8 3/8
CORED					

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
72	STANDS 6746.13	60	8 3/8
	SINGLE -		MAKE REEV
23	D.C.'s 719.30		TYPE HAUG
	REM 5.45		SERIAL 654287
	SUB 1.65		JET SIZE 604
			FROM 7486
			TO 7506
			FOOTAGE 20
			HRS. 8 1/2
			COND. R4N

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	E. BRITAIN	12
DERRICK	R. LOEWEN	12
MOTORMAN	E. SCHACHER	12
FLOORMAN	J. BUCHER	12
FLOORMAN	D. BABRIK	12
FIREMAN		

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
	STANDS		
	SINGLE		MAKE
	D.C.'s		TYPE
			SERIAL
			JET SIZE
			FROM
			TO
			FOOTAGE
			HRS.
			COND.

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

IN.

EQUIPMENT FAILURES

TIME LOST

ON MILE

TOOL PUSHER

J. Trauch APPROVED: W. S. ...

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon L. WELL NAME & No: White Stone N-26 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP			DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
2 A.M.	109	1805	6 1/2	50	H2	60	1000	7475	6		12:00	12:15	1/4	Drilling <u>By SERVICES</u>		
4 A.M.	107	184									6:15	6:30	1/4	<u>Drilling 9 1/2' HOLE</u>		
6 A.M.											6:30	9:00	2 1/2	<u>Surge @ 7475. 6'</u>		
8 A.M.											9:00	9:30	1/2	<u>HOIST FOR NEW BIT.</u>		
											9:30	11:30	2	<u>PICK UP CORE BARREL.</u>		
											11:30	12:00	1/2	<u>TRIP IN WITH CORE BARREL.</u>		
														<u>CIRC TO CLEAN HOLE</u>		

LINEAR SIZE: 5 3/4 STROKE 15"
MUD & CHEMICALS

LBS. Added: _____ KIND: _____

BOP Tested: _____ DRILLER: E. Britton CONTRACTOR'S TIME: _____ CO'S. TIME: _____

DEPTH @ 800 W.M. = 7477

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP			DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
10 A.M.											12:00	8:15	8 1/4	<u>CUTTING CORE #10</u>		
NOON											8:15	10:30	2 1/4	<u>TRIP OUT W/ SAME</u>		
2 P.M.											10:30	11:15	1/2	<u>RECOVER 9 FT. CORE, SERVICES, CORE BCL</u>		
4 P.M.											11:15	12:00	1	<u>TRIP IN W/ BIT.</u>		

LINEAR SIZE: 5 3/4 STROKE 15"
MUD & CHEMICALS

LBS. Added: _____ KIND: _____

BOP Tested: _____ DRILLER: E. Britton CONTRACTOR'S TIME: _____ CO'S. TIME: _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP			DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
6 P.M.																
8 P.M.																
10 P.M.																
12 P.M.																

LINEAR SIZE: _____ STROKE _____
MUD & CHEMICALS

LBS. Added: _____ KIND: _____ LBS. ON HAND: _____

BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S. TIME: _____

CASING TESTED TO: _____ PSI. MIN. _____ FORMATION TESTED: _____ PSI. MIN. _____ EQUIPMENT FAILURES: _____
RIG FUEL CONSUMPTION: _____ GALS _____ BOILER FUEL CONSUMPTION: _____ GALS _____ WIRELINE TON MILE: _____ TOOL PUSHER: A. J. [Signature]

BIL OIL OF CANADA, LTD.

DATE June 30-64

No. 92 DAILY TIME SHEET

LOGGING REPORT

Well Sonony Mobil Yukon
White Stone F-T, IN-24

CONTRACTOR Sonony Mobil Oil RIG No. 4

Approved _____ Date June 30 64

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

BY SERVICES
NEW HOLE
7475. 6"
NEW BIT
CORE BARREL
BIT CORE BARREL
NEW HOLE

DRILLED 7465 7477 12 6 8 3/4
REAMED
CORED

DRILLER F. GABLE 12
DERRICK F. KRUSER 12
MOTORMAN K. LANGSON 12
FLOORMAN E. KRUMPS 12
FLOORMAN H. BROOKS 12
FIREMAN

TALLY BIT RECORD
No. LENGTH BIT No. 57 58
71 STANDS 6 3/4 12 SIZE 8 3/4 6 3/4
SINGLE 6 3/4 12 MAKE SEC KOLLER 4
23 D.C.'s 71930 TYPE H 9 12
KELLY IN 5.45 SERIAL 705103 333-2
TOTAL 165 JET SIZE 3/16 1/4
FROM 7450
TO 7477
FOOTAGE 27
HRS. 11
COND. 23-0

REMARKS AND INJURIES:

800 W.M. = 7477
CONTRACTOR'S TIME CO'S. TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

CORE #10
W/ SAME
T. CORE, SERVICE, CORE HBL
BIT.

DRILLED 7477 7486 9 8 1/4 6 3/4
REAMED
CORED

DRILLER E. BRITAIN 12
DERRICK R. LOEWEN 12
MOTORMAN E. SCHACHER 12
FLOORMAN J. BUCHER 12
FLOORMAN D. BARKIRK 4
FIREMAN

TALLY BIT RECORD
No. LENGTH BIT No. 58 59
72 STANDS 7 1/4 12 SIZE 6 3/4 8 3/4
SINGLE MAKE KOBEL KC 3
D.C.'s 71930 TYPE 12
5.45 SERIAL 333-2
1 65 JET SIZE
FROM 7477
TO 7486
FOOTAGE 9
HRS. 8 1/4
COND. 23-0

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S. TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

CONTRACTOR'S TIME CO'S. TIME

DRILLED
REAMED
CORED
TALLY BIT RECORD
No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
FOOTAGE
HRS.
COND.

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

REMARKS AND INJURIES:

MIN. EQUIPMENT FAILURES TIME LOST
TOOL PUSHER: APPROVED: [Signature]

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Yukon L.* WELL NAME & No. *White Stone N-26* CONTRACTOR *Socony M/O*

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	110	150	52		50	40	1000				12 ⁰⁰	12 ¹⁵	1 ¹⁴	<i>Rig services & pipe runs ok. Drilling of hole. Hoist New NEW BIT.</i>	
4 A.M.	110	152									11 ⁰⁰	5 ⁰⁰	1		
6 A.M.	110	163													
8 A.M.															
LINER SIZE: <i>5 3/4</i> STROKE <i>15"</i> MUD & CHEMICALS LBS. Added: KIND:															
BOP Tested: <i>YES</i> DRILLER: <i>W. Balle</i> CONTRACTOR'S TIME: <i>800 AM. - 7445</i> CO'S. TIME:															

PH 95

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.					50	42	1000				12 ⁰⁰	12 ¹⁵	1 ¹⁴	<i>FINISH OUT HOLE SERVICE RIG & SLIP 31 FT. D. LINE RUN IN HOLE & HOIST 60 FT BRIDGES 19 STD. OFF BOTTOM. CLEAN OUT 8 FT. FILL & HOIST 2 FT UNDER GAGE HOLE DRILL 8 3/4 HOLE</i>	
NOON	110	153									1 ¹⁵	2 ¹⁵	1		
2 P.M.	110	170	2 3/32								2 ¹⁵	3 ⁴⁵	1 ^{1/2}		
4 P.M.											7 ⁰⁰	7 ³⁴	5		
LINER SIZE: <i>5 3/4</i> STROKE <i>15"</i> MUD & CHEMICALS LBS. Added: KIND: <i>GILL 1200 WATER 24 LBS.</i>															
BOP Tested: DRILLER: <i>Bitto</i> CONTRACTOR'S TIME: CO'S. TIME:															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.														<i>Travel time from White Stone to Dawson City.</i>	
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: STROKE MUD & CHEMICALS LBS. Added: KIND: LBS. ON HAND															
BOP Tested: DRILLER: CONTRACTOR'S TIME: CO'S. TIME:															

CASING TESTED TO: PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES
 RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER

[Handwritten signature]

BIL OIL OF CANADA, LTD.

DATE June 29-64

No. 11 DAILY TIME SHEET 135

LOGGING REPORT

Well White Stone, Yukon
Secondary Material # 26
Approved Date June 21/64

CONTRACTOR Socony Material

RIG No. 4

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

4 pipe Rains OK.
NEW BIT

DRILLED 7426 7450 22 10 1/4 8 5/8
REAMED
CORED

DRILLER F. GABLE 12
DERRICK T. PROSSER 12
MOTORMAN K. LONGSON 12
FLOORMAN E. KEMPSON 12
FLOORMAN A. BROOKS 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 56
21 STANDS 4652 35 SIZE 8 5/8
1 SINGLE 31 10 MAKE REEV.
23 D.C.'s 719 30 TYPE 4HWB
REAM 545 SERIAL 3799
SUB 165 JET SIZE RB.
FROM 7427
TO 7430
KELLY IN 1100 FOOTAGE 43
TOTAL 7450 HRS. 17 1/4
RAT HOLE TOP COND.

REMARKS AND INJURIES:

800 AM. - 7445
CONTRACTOR'S TIME CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

HOLE
SLIP 31 FT D. LINE
REAM 60 FT BRIDGES
E BOTTOM
5 FT. FILL & REAM 2 FT
HOLE
HOLE

DRILLED 7430 7465 13 5 5/8
REAMED
CORED

DRILLER E. BRITTAIN 12
DERRICK A. LOCKEN 12
MOTORMAN F. SCHAEFER 12
FLOORMAN J. BUCKER 12
FLOORMAN E. PRESSER 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 57
21 STANDS 4652 35 SIZE 8 5/8
1 SINGLE 31 10 MAKE SEC.
23 D.C.'s 719 30 TYPE HJ
REAM 545 SERIAL 205603
SUB 165 JET SIZE 2/24
FROM 7430
TO 7465
KELLY IN 4 FOOTAGE 13
TOTAL 7465 HRS. 6
RAT HOLE TOP COND. RUN

REMARKS AND INJURIES:

STANDS COVER TO
MUD TRIP

CONTRACTOR'S TIME CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

Time from Whitestone
Dawson City

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN D. HEWITT 8
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

EQUIPMENT FAILURES TIME LOST
TOOL PUSHER APPROVED: M. Graham

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Wabigoon WELL NAME & No. W-10-1 CONTRACTOR Wabigoon

MUD RECORD					BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
TIME	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	6.7	150	0												
4 A.M.	11.0	160													
6 A.M.	10.9	150													
8 A.M.															
LINER SIZE: <u>PH 15</u>					STROKE										
MUD & CHEMICALS															
LBS. Added: KIND															

MUD RECORD					BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	8-4 TOUR	
TIME	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: <u>PH 15</u>					STROKE										
MUD & CHEMICALS															
LBS. Added: KIND															

MUD RECORD					BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	4-12 TOUR	
TIME	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: <u>PH 15</u>					STROKE										
MUD & CHEMICALS															
LBS. Added: KIND LBS. ON HAND															

CASING TESTED TO: PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES

RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER:

PETROBRAS OIL OF CANADA, LTD.

DATE 12-8-77

No. 100 DAILY TIME SHEET

LOGGING REPORT

No. 100

Well 100-10-100-100

CONTRACTOR STAY

RIG No. 100

Approved [Signature]

Date 12-8-77

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH STANDS SINGLE D.C.'s

BIT No. SIZE MAKE TYPE SERIAL JET SIZE

FROM TO

KELLY IN TOTAL

FOOTAGE HRS.

RATHOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH STANDS SINGLE D.C.'s

BIT No. SIZE MAKE TYPE SERIAL JET SIZE

FROM TO

KELLY IN TOTAL

FOOTAGE HRS.

RATHOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH STANDS SINGLE D.C.'s

BIT No. SIZE MAKE TYPE SERIAL JET SIZE

FROM TO

KELLY IN TOTAL

FOOTAGE HRS.

RATHOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I WELL NAME & No.: 11-1-1 CONTRACTOR: ...

MUD RECORD										WORK RECORD			
TIME	WT.	VISC.	W.L.	F.C.	BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.
							SPM	PRESS	DEPTH	DEG.			
2 A.M.	110	10	50										
4 A.M.	110	11											
6 A.M.	110	13											
8 A.M.	110	15											
LINER SIZE: <u>11</u>					STROKE: <u>11</u>								
MUD & CHEMICALS													
LBS. Added: <u>1000</u> KIND: <u>GELL</u>													
LBS. Added: <u>150</u> KIND: <u>Q-BROKIN</u>													
LBS. Added: <u>25</u> KIND: <u>CAUSTIC-SODA</u>													
BOP Tested: <u>...</u> DRILLER: <u>...</u> CONTRACTOR'S TIME: <u>...</u> CO'S TIME: <u>...</u>													

12-8 TOUR

MUD RECORD										WORK RECORD			
TIME	WT.	VISC.	W.L.	F.C.	BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.
							SPM	PRESS	DEPTH	DEG.			
10 A.M.													
NOON													
2 P.M.													
4 P.M.													
LINER SIZE: <u>11</u>					STROKE: <u>11</u>								
MUD & CHEMICALS													
LBS. Added: <u>...</u> KIND: <u>...</u>													
LBS. Added: <u>...</u> KIND: <u>...</u>													
BOP Tested: <u>...</u> DRILLER: <u>...</u> CONTRACTOR'S TIME: <u>...</u> CO'S TIME: <u>...</u>													

8-4 TOUR

MUD RECORD										WORK RECORD			
TIME	WT.	VISC.	W.L.	F.C.	BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.
							SPM	PRESS	DEPTH	DEG.			
6 P.M.													
8 P.M.													
10 P.M.													
12 P.M.													
LINER SIZE: <u>11</u>					STROKE: <u>11</u>								
MUD & CHEMICALS													
LBS. Added: <u>...</u> KIND: <u>...</u> LBS. ON HAND: <u>...</u>													
BOP Tested: <u>...</u> DRILLER: <u>...</u> CONTRACTOR'S TIME: <u>...</u> CO'S TIME: <u>...</u>													

4-12 TOUR

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____

RIG FUEL CONSUMPTION: _____ GALS BOILER FUEL CONSUMPTION: _____ GALS WIRELINE TON MILE: _____ TOOL PUSHER: _____

LOGGING REPORT

No. 100

Well 100-10-1

CONTRACTOR ...

RIG No. ...

Approved ...

Date Nov 22 1977

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.
STANDS		SIZE
SINGLE		MAKE
D.C.'s		TYPE
		SERIAL
		JET SIZE
		FROM
		TO
KELLY IN		FOOTAGE
TOTAL		HRS.
RATHOLE TOP		COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.
STANDS		SIZE
SINGLE		MAKE
D.C.'s		TYPE
		SERIAL
		JET SIZE
		FROM
		TO
KELLY IN		FOOTAGE
TOTAL		HRS.
RATHOLE TOP		COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.
STANDS		SIZE
SINGLE		MAKE
D.C.'s		TYPE
		SERIAL
		JET SIZE
		FROM
		TO
KELLY IN		FOOTAGE
TOTAL		HRS.
RATHOLE TOP		COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

EQUIPMENT FAILURES

TIME LOST

PER MILE

TOOL PUSHER: ...

APPROVED: ...

CALGARY OFFICE

L OIL OF CANADA, LTD.

DATE _____

No. _____ DAILY TIME SHEET

NG REPORT

No. _____

CONTRACTOR _____

RIG No. _____

Approved _____

Date _____

WORK RECORD

12 - 8 TOUR

FROM _____ TO _____ FOOTAGE _____ HRS. _____ SIZE _____

Tour 1 Midnite to 8 A.M. Hrs. _____

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. _____

LENGTH _____

BIT No. _____

STANDS _____

SIZE _____

SINGLE _____

MAKE _____

D.C.'s _____

TYPE _____

SERIAL _____

JET SIZE _____

FROM _____

TO _____

FOOTAGE _____

HRS. _____

COND. _____

REMARKS AND INJURIES.

CONTRACTOR'S TIME _____

CO'S TIME _____

RATHOLE TOP _____

8 - 4 TOUR

FROM _____ TO _____ FOOTAGE _____ HRS. _____ SIZE _____

Tour 2 8 A.M. to 4 P.M. Hrs. _____

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. _____

LENGTH _____

BIT No. _____

STANDS _____

SIZE _____

SINGLE _____

MAKE _____

D.C.'s _____

TYPE _____

SERIAL _____

JET SIZE _____

FROM _____

TO _____

FOOTAGE _____

HRS. _____

COND. _____

REMARKS AND INJURIES.

CONTRACTOR'S TIME _____

CO'S TIME _____

RATHOLE TOP _____

4 - 12 TOUR

FROM _____ TO _____ FOOTAGE _____ HRS. _____ SIZE _____

Tour 3 4 P.M. to Midnite Hrs. _____

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. _____

LENGTH _____

BIT No. _____

STANDS _____

SIZE _____

SINGLE _____

MAKE _____

D.C.'s _____

TYPE _____

SERIAL _____

JET SIZE _____

FROM _____

TO _____

FOOTAGE _____

HRS. _____

COND. _____

REMARKS AND INJURIES.

CONTRACTOR'S TIME _____

CO'S TIME _____

RATHOLE TOP _____

EQUIPMENT FAILURES _____

TIME LOST _____

MILE _____

TOOL PUSHER: _____

APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Upper L. WELL NAME & No. 101 CONTRACTOR ...

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.															
4 A.M.															
6 A.M.															
8 A.M.															
LINER SIZE: <u>5 7/8</u> STROKE <u>10</u>															
MUD & CHEMICALS LBS. Added: <u>2000</u> KIND: <u>...</u> <u>...</u> <u>...</u> <u>...</u>															
BOP Tested													DRILLER: <u>...</u>	CONTRACTOR'S TIME	CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: <u>5 7/8</u> STROKE <u>12</u>															
MUD & CHEMICALS LBS. Added: <u>5500</u> KIND: <u>...</u> <u>...</u> <u>...</u> <u>...</u>															
BOP Tested													DRILLER: <u>...</u>	CONTRACTOR'S TIME	CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: <u>...</u> STROKE <u>...</u>															
MUD & CHEMICALS LBS. Added: <u>...</u> KIND: <u>...</u> LBS. ON HAND: <u>...</u>															
BOP Tested													DRILLER: <u>...</u>	CONTRACTOR'S TIME	CO'S. TIME

CASING TESTED TO: _____ PSI MIN FORMATION TESTED _____ PSI MIN EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____
 TOOL PUSHER: J. P. ...

L OIL OF CANADA, LTD.

DATE

No. DAILY TIME SHEET

NG REPORT

No.

Well

CONTRACTOR

RIG No.

Approved

Date

ORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C.s

TYPE

SERIAL

JET SIZE

FROM

TO

FOOTAGE

KELLY IN

TOTAL

HRS.

RATHOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C.s

TYPE

SERIAL

JET SIZE

FROM

TO

FOOTAGE

KELLY IN

TOTAL

HRS.

RATHOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C.s

TYPE

SERIAL

JET SIZE

FROM

TO

FOOTAGE

KELLY IN

TOTAL

HRS.

RATHOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I. WELL NAME & No: 1101058 CONTRACTOR: ...

MUD RECORD										WORK RECORD		
TIME	WT.	VISC.	W.L.	F.C.	BIT WT. M	TABLE RPM	PUMP SPM	PRESS	DEVIATION DEPTH DEG.	START	STOP	HRS.
2 A.M.												
4 A.M.	110	1805										
6 A.M.	112	205										
8 A.M.												
LINER SIZE: <u>5 1/2</u> STROKE <u>15</u>										12-8 TOUR		
MUD & CHEMICALS										DRILLER: <u>...</u> CONTRACTOR'S TIME: <u>...</u> CO'S TIME: <u>...</u>		
LBS. Added: <u>...</u> KIND: <u>...</u>												
BOP Tested: <u>...</u>												
MUD RECORD										WORK RECORD		
TIME	WT.	VISC.	W.L.	F.C.	BIT WT. M	TABLE RPM	PUMP SPM	PRESS	DEVIATION DEPTH DEG.	START	STOP	HRS.
10 A.M.												
NOON												
2 P.M.												
4 P.M.												
LINER SIZE: <u>5</u> STROKE <u>10</u>										8-4 TOUR		
MUD & CHEMICALS										DRILLER: <u>...</u> CONTRACTOR'S TIME: <u>...</u> CO'S TIME: <u>...</u>		
LBS. Added: <u>...</u> KIND: <u>...</u>												
BOP Tested: <u>...</u>												
MUD RECORD										WORK RECORD		
TIME	WT.	VISC.	W.L.	F.C.	BIT WT. M	TABLE RPM	PUMP SPM	PRESS	DEVIATION DEPTH DEG.	START	STOP	HRS.
6 P.M.												
8 P.M.												
10 P.M.												
12 P.M.												
LINER SIZE: <u>...</u> STROKE <u>...</u>										4-12 TOUR		
MUD & CHEMICALS										DRILLER: <u>...</u> CONTRACTOR'S TIME: <u>...</u> CO'S TIME: <u>...</u>		
LBS. Added: <u>...</u> KIND: <u>...</u> LBS. ON HAND: <u>...</u>												
BOP Tested: <u>...</u>												

CASING TESTED TO: ... PSI. MIN. FORMATION TESTED: ... PSI. MIN. EQUIPMENT FAILURES: ...
 RIG FUEL CONSUMPTION: ... GALS. BOILER FUEL CONSUMPTION: ... GALS. WIRELINE TON MILE: ... TOOL PUSHER: ...

L OIL OF CANADA, LTD.

DATE: _____

No. _____ DAILY TIME SHEET

NG REPORT

Well _____

No. 46

CONTRACTOR _____

RIG No. 11

Approved _____ Date _____

ORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED

REAMED

CORED

DRILLER

DERRICK

MOTORMAN

FLOORMAN

FLOORMAN

FIREMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C.'s

TYPE

SERIAL

JET SIZE

FROM

TO

FOOTAGE

KELLY IN

HRS.

TOTAL

COND.

RATHOLE TOP

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED

REAMED

CORED

DRILLER

DERRICK

MOTORMAN

FLOORMAN

FLOORMAN

FIREMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C.'s

TYPE

SERIAL

JET SIZE

FROM

TO

FOOTAGE

KELLY IN

HRS.

TOTAL

COND.

RATHOLE TOP

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED

REAMED

CORED

DRILLER

DERRICK

MOTORMAN

FLOORMAN

FLOORMAN

FIREMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C.'s

TYPE

SERIAL

JET SIZE

FROM

TO

FOOTAGE

KELLY IN

HRS.

TOTAL

COND.

RATHOLE TOP

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER: *L. J. ...*

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Yukon I* WELL NAME & No. *White Stone No 26* CONTRACTOR *Socony Mobil*

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	113	115	60	32	45	40	100	1000			12 ⁰⁰	12 ¹⁵	1 1/4	RIG SERVICES. FINISH TRIP IN HOLE. CLEAN UP TO BOTTOM. DRILLING 8 3/8" HOLE	
4 A.M.	112	132									12 ¹⁵	100	215		1 1/4
6 A.M.	112	132									215	1000	934		
8 A.M.	112	118													
LINER SIZE: <i>5 3/4</i> STROKE <i>15</i> MUD & CHEMICALS LBS. Added: <i>200# O-BROXIN</i> <i>200# CAUSTIC-SODA</i> <i>250# CARBONORX</i> BOP Tested: <i>DRILLER: [Signature]</i> CONTRACTOR'S TIME: <i>7261</i> CO'S TIME:															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.	112	171				50	45	1000			12 ⁰⁰	12 ³⁰	4 1/2	1 SERVICE RIG + CHECK H₂O DRILL DRILL 8 3/8" HOLE. TRIP FOR BIT. A HOLE TIGHT @ 4450'
NOON	112	175	2	32							12 ³⁰	12 ⁰⁰	2 1/4	
2 P.M.	112	160												
4 P.M.	LINER SIZE: <i>5 3/4</i> STROKE <i>15"</i> MUD & CHEMICALS LBS. Added: <i>200 O-BROXIN</i> <i>WATER</i> BOP Tested: <i>DRILLER: [Signature]</i> CONTRACTOR'S TIME: CO'S TIME:													

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														4 - 12 TOUR EQUIPMENT FAILURES TOOL PUSHER:
8 P.M.														
10 P.M.														
12 P.M.														
LINER SIZE: STROKE MUD & CHEMICALS LBS. Added: KIND LBS. ON HAND BOP Tested: DRILLER: CONTRACTOR'S TIME: CO'S TIME:														

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

BIL OIL OF CANADA, LTD.

DATE

Not 1 DAILY TIME SHEET 3.35

LOGGING REPORT

June 28 64

No. 45

Well Socomy mobil upland
White Blaney T 436

CONTRACTOR

Socomy Mobil Oil

RIG No. 4

Approved

Date June 28

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

LES.
7.14 Hole
4 TO Bottom
46 7/8" Hole

DRILLED 7254 7267 13 9 3/4
REAMED
CORED

DRILLER F GABLE 12
DERRICK F PROSSER 12
MOTORMAN K LOYSON 12
FLOORMAN E KRUMPS 12
FLOORMAN H BRACKS 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 51
69 STANDS 614.91 SIZE 8 3/8
2 SINGLE 62.56 MAKE HTL
23 D.C.'s 79.30 TYPE RB15
Return 545 SERIAL 689
SUB 165 JET SIZE 3/24
FROM 7254
TO 7267
KELLY IN 1300 FOOTAGE 13
TOTAL 7267 HRS. 9 3/4
RAT HOLE TOP COND. Run

REMARKS AND INJURIES:

Socomy 7261

CONTRACTOR'S TIME

CO's. TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

CHECK HYDRAULIC
HOLE.
FIT. A HOLE TIGHT @ 4450

DRILLED 7267 7279 11 9 1/2
REAMED
CORED

DRILLER E BRITTON 12
DERRICK A LOEWEN 12
MOTORMAN E SCHACHER 12
FLOORMAN D HEWITT 12
FLOORMAN J. BUCHER 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 51
67 STANDS 4104.11 SIZE 8 3/8
SINGLE 4104.11 MAKE KLI J.
23 D.C.'s 477.30 TYPE
1 A.P.L. 5 15 SERIAL 681
SUB 1.63 JET SIZE 3/24
FROM 7267
TO 7279
KELLY IN 44
TOTAL 7279 HRS. 11 1/2
RAT HOLE TOP COND. Run

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE
D.C.'s
SERIAL
JET SIZE
FROM
TO
KELLY IN
TOTAL
RAT HOLE TOP

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

MIN. EQUIPMENT FAILURES

TIME LOST

ON MILE TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD of AREA: Yukon I. WELL NAME & No: White Star T. 4-26 CONTRACTOR: Socony Mobil Oil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
2 A.M.	11.2	185	50		80	4	60	1000			11:15	11:45		Rig. SERVICES, CLOSE HYDRAULIC AR. Working 6th floor.		
4 A.M.	11.1	183														
6 A.M.	11.2	185	50													
8 A.M.	11.2	180														
LINER SIZE: <u>5 1/4"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: <u>WATER</u> KIND:																
BOP Tested: <u>YES</u> DRILLER: <u>T. Gable</u> CONTRACTOR'S TIME: <u>7:40</u> CO'S. TIME:																

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
10 A.M.					5	10	1000							LUBRICATING LUBRICANT. FIRE PANS		
NOON														LUBRICANT. FIRE PANS		
2 P.M.														LUBRICANT. FIRE PANS		
4 P.M.														LUBRICANT. FIRE PANS		
LINER SIZE: <u>5 1/4"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: KIND:																
BOP Tested: DRILLER: CONTRACTOR'S TIME: CO'S. TIME:																

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD		4-1R
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
6 P.M.																
8 P.M.																
10 P.M.																
12 P.M.																
LINER SIZE: STROKE MUD & CHEMICALS LBS. Added: KIND: LBS. ON HAND:																
BOP Tested: DRILLER: CONTRACTOR'S TIME: CO'S. TIME:																

CASING TESTED TO: PSI. MIN. FORMATION TESTED: PSI. MIN. EQUIPMENT FAILURES:
 RIG FUEL CONSUMPTION: GALS BOILER FUEL CONSUMPTION: GALS WIRELINE TON MILE TOOL PUSHER:

BIL OIL OF CANADA, LTD.

DATE June 27-64

No. 24 DAILY TIME SHEET

LOGGING REPORT

Well W. Stone 27-1-64

CONTRACTOR Scam Mobile Oil

RIG No. 4

Approved _____ Date June 28

WORK RECORD 12 - 8 TOUR

DRILLED 7237 7346 11 11 1/2
REAMED
CORED

Tour 1 Midnite to 8 A.M. Hrs.
DRILLER F. G. ...
DERRICK ...
MOTORMAN ...
FLOORMAN ...
FLOORMAN ...
FIREMAN

CLOSE HYDRAULIC OK.
5" HOLE

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
19 STANDS 46.71
2 SINGLE 20.2 MAKE
22 D.C.'s 710.30 TYPE
Kerron 5413 SERIAL
440 1.65 JET SIZE

KELLY IN 2310 FOOTAGE
TOTAL 70-6 HRS. 2 3/4
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME 7240 CO'S. TIME

WORK RECORD 8 - 4 TOUR

DRILLED 7246 7254 8 1 1/2
REAMED
CORED

Tour 2 8 A.M. to 4 P.M. Hrs.
DRILLER ...
DERRICK ...
MOTORMAN ...
FLOORMAN ...
FLOORMAN ...
FIREMAN

CHECK PIPE LANS.
PSK LIT
6 KEHM BRIDGES FROM

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
14 STANDS 46.4
1 SINGLE 21.54 MAKE
23 D.C.'s 710.30 TYPE
3-12 SERIAL
1.65 JET SIZE

KELLY IN 22 FOOTAGE
TOTAL 22-4 HRS. 2 3/4
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME 4 CO'S. TIME

WORK RECORD 4 - 12 TOUR

DRILLED
REAMED
CORED

Tour 3 4 P.M. to Midnite Hrs.
DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS
SINGLE
D.C.'s
TYPE
SERIAL
JET SIZE
FROM
TO

KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S. TIME

EQUIPMENT FAILURES TIME LOST

TOOL PUSHER: APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Yukon I.* WELL NAME & No: *White Stone No. 26* CONTRACTOR: *Socony Mobil Oil Co.*

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	10.9	150	102		50	60	950			12:15	12:30	1/2	<i>BIT SERVICES LUBRICANT 2 1/2" HOLE 1500 LBS NEW BSI CLEAN 4 1/2" BOTTOM DRILLING 6 1/2" HOLE</i>		
4 A.M.	10.4	150	102		50	60	950			12:30	1:00	1/2			
6 A.M.	11.2	150	102		50	60	950			1:00	1:30	1/2			
8 A.M.	11.1	150	102		50	60	950			1:30	2:00	1/2			
LINER SIZE: <i>5 1/4"</i> STROKE <i>15"</i> MUD & CHEMICALS LBS. Added: KIND:															
BOP Tested														DRILLER: <i>10000</i> CONTRACTOR'S TIME: <i>5:00 AM.</i> CO'S TIME: <i>7:19</i>	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	11.1	150	102		50	60	950			12:15	12:30	1/2	<i>BIT SERVICES LUBRICANT 2 1/2" HOLE</i>		
NOON	11.1	150	102		50	60	950			12:30	1:00	1/2			
2 P.M.	11.1	150	102		50	60	950			1:00	1:30	1/2			
4 P.M.	11.1	150	102		50	60	950			1:30	2:00	1/2			
LINER SIZE: <i>5 1/4"</i> STROKE <i>15"</i> MUD & CHEMICALS LBS. Added: KIND: <i>WATER</i>															
BOP Tested														DRILLER: <i>10000</i> CONTRACTOR'S TIME: CO'S TIME:	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: STROKE MUD & CHEMICALS LBS. Added: KIND: LBS. ON HAND															
BOP Tested														DRILLER: CONTRACTOR'S TIME: CO'S TIME:	

CASING TESTED TO: PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES: *J. V. [Signature]*
 RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER

PETROBRAS OIL OF CANADA, LTD.

DATE: June 21-64

No. 27 DAILY TIME SHEET

LOGGING REPORT

CONTRACTOR: Serrano Molebit 210

RIG No. 4

Well: Serrano Molebit 210
Approved: _____ Date: _____

WORK RECORD 12-8 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7:13	7:20	10	7:48	
REAMED					
CORED					

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	F. Fournier 12	
DERRICK	H. Fournier 12	
MOTORMAN	L. Laine 12	
FLOORMAN	L. Laine 12	
FLOORMAN	H. Fournier 12	
FIREMAN		

3 INCH.
W. BIT
10 BOTTOM.
6' HOLE

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
19	STANDS 444.4	11	50
	SINGLE		8 1/2
	D.C.'s	MAKE	REEM
		TYPE	YCB
		SERIAL	3770
		JET SIZE	10.7
		FROM	7:20
		TO	7:21.3
	KELLY IN	FOOTAGE	1.3
	TOTAL	HRS.	8:15
	RAT HOLE TOP	COND.	1-1 Ream

REMARKS AND INJURIES:

6:00 AM. 7196
CONTRACTOR'S TIME CO'S TIME

WORK RECORD 8-4 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	7:25	7:27	11	7:48 1/2	
REAMED					
CORED					

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	F. Fournier 12	
DERRICK	H. Fournier 12	
MOTORMAN	L. Laine 12	
FLOORMAN	L. Laine 12	
FLOORMAN	H. Fournier 12	
FIREMAN		

6' HOLE
FILTER IN SAND & PLANT

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
19	STANDS 444.4	11	50
	SINGLE		8 1/2
	D.C.'s	MAKE	REEM
		TYPE	YCB
		SERIAL	3770
		JET SIZE	10.7
		FROM	7:27
		TO	7:28
	KELLY IN	FOOTAGE	1.3
	TOTAL	HRS.	8:15
	RAT HOLE TOP	COND.	1-1 Ream

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S TIME

WORK RECORD 4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN		
FLOORMAN		
FIREMAN		

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
	STANDS		
	SINGLE		
	D.C.'s		
		MAKE	
		TYPE	
		SERIAL	
		JET SIZE	
		FROM	
		TO	
	KELLY IN	FOOTAGE	
	TOTAL	HRS.	
	RAT HOLE TOP	COND.	

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S TIME

EQUIPMENT FAILURES TIME LOST
TOOL PUSHER J. Fournier APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon L. WELL NAME & No: White Stone N-11 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
2 A.M.	11.2	24	50		45	45	60	100				1:30	1:30	1 1/2	Finish Trip out.
4 A.M.	11.2	17	10									2:15	2:30	1 1/2	Stop 30 ft + run 62 ft drill line
6 A.M.	11.1	17	0									2:30	4:15	1 3/4	Run 300 ft. Trip, in with new bit.
8 A.M.												4:15	4:30	1 1/2	Churn 5 ft in bottom.
												4:30	4:40	1 1/2	Drilling 1 1/2" hole.
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>200 = O-BROXIN</u> <u>200# CAUSTIC-SODA</u>															
BOP Tested: _____ DRILLER: <u>T. J. G. & Co.</u> CONTRACTOR'S TIME: _____ CO'S. TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.	11.2														
4 P.M.	11.2	17	0												
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____															
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S. TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____															
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S. TIME: _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION: _____ GALS BOILER FUEL CONSUMPTION: _____ GALS WIRELINE TON MILE: _____ TOOL PUSHER: 1/2 inch

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon L. WELL NAME & No: White Stone N-26 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	1.2	1.25	1.2	1.2	15	65	60	1000	7120	6 1/2	12:00	1:00	1	Drilling 8 3/4" Hole	
4 A.M.	1.1	1.1	1.1	1.1							1:15	2:30	2 1/2	SURVEY @ 7:20 & 7:40	
6 A.M.	1.1	1.1	1.1	1.1							2:30	3:30	1	Inst. Job NEW BIT + CLOSE 134 IN RAN	
8 A.M.	1.1	1.1	1.1	1.1							3:30	6:15	2 1/4	TRIP 14 WITH NEW BIT	
											6:15	12:00	5 3/4	Close 9/1 to Collum.	
														Drilling 8 3/4" Hole	
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>150 # OBROXIN</u> <u>50 # CAUSTIC</u>															
BOP Tested <u>YES</u> DRILLER: <u>J. J. G. G.</u> CONTRACTOR'S TIME <u>8:00 AM</u> CO's. TIME <u>7:131</u>															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	1.3	1.3	1.3	1.3	15	65	10	1000			10:00	11:00	1	SERVICE LOG	
NOON	1.3	1.3	1.3	1.3							11:00	12:00	1	Drilling 8 3/4" Hole	
2 P.M.															
4 P.M.															
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>GELK 1500</u> <u>WATER</u>															
BOP Tested <u>YES</u> DRILLER: <u>J. J. G. G.</u> CONTRACTOR'S TIME <u>11:00 AM</u> CO's. TIME <u>10:00</u>															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. ON HAND _____															
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO's. TIME _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon L. WELL NAME & No: White Stone N-26 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	1.2	1.25	1.2	1.2	15	65	60	1000	7120	6 1/2	12:00	1:00	1	Drilling 8 7/8" Hole	
4 A.M.	1.1	1.1	1.1	1.1							1:15	1:30	15	SURVEY @ 7:20 & 7:40	
6 A.M.	1.1	1.1	1.1	1.1							1:30	1:30	15	Inst. Job NEW BIT + CLOSE 134 IN RAN	
8 A.M.	1.1	1.1	1.1	1.1							1:50	2:15	25	TRIP 14 WITH NEW BIT	
											2:15	2:30	15	Close 9/11 to Collum.	
											2:30	2:45	15	Drilling 8 7/8" Hole	
LINER SIZE: <u>5 7/8</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>150 # OBROXIN</u> <u>50 # CAUSTIC</u>															
BOP Tested <u>YES</u> DRILLER: <u>J. J. J.</u> CONTRACTOR'S TIME <u>8:00 AM</u> CO's. TIME <u>7:31</u>															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	1.3	1.3	1.3	1.3	15	65	60	1000			12:00	12:00	15	SERVICE LOG	
NOON	1.3	1.3	1.3	1.3							12:00	12:00	15	Drilling 8 7/8" Hole	
2 P.M.															
4 P.M.															
LINER SIZE: <u>5 7/8</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>GELK 1500</u> <u>WATER</u>															
BOP Tested <u>YES</u> DRILLER: <u>J. J. J.</u> CONTRACTOR'S TIME <u>8:00 AM</u> CO's. TIME <u>7:31</u>															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. ON HAND _____															
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO's. TIME _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon L. WELL NAME & No: White Star No. 1 CONTRACTOR: Socony Mobil

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
2 A.M.	12	150	2	10	75	75	1300					12:00	12:15	1/4	Run services
4 A.M.				40	65	60	1000					12:15	12:30	1/4	Settling hole clean
6 A.M.												12:30	12:45	3/4	Run 1st core 11" 8'
8 A.M.												12:45	1:00	3/4	House core barrel jammed
												1:00	1:15	3/4	Last mark core + service barrel
												1:15	1:30	2	Trip in with new bit
												1:30	1:45	4	Clean 3 ft to bottom
												1:45	2:00	3	Run 3 ft of R.H. hole
												2:00	2:15	4	Drilling 8 3/4" hole

LINER SIZE: 5 1/4 STROKE 15
MUD & CHEMICALS
LBS. Added: 200 Caustic
200 PERMAN.

DRILLER: W. H. H. CONTRACTOR'S TIME: 5:00 AM 7:23 CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
10 A.M.	14	185		45	55	60	1000					10:00	10:15	1/4	Run 3 ft of core from 70' 90'
NOON	14	170		50	32							10:15	10:30	1/4	Core barrel jammed
2 P.M.	14	150										10:30	10:45	1/4	Run 1st core 11" 8'
4 P.M.	14	130										10:45	11:00	1/4	Drill 8 3/4" hole

LINER SIZE: 5 1/4 STROKE 15
MUD & CHEMICALS
LBS. Added: 200 Caustic
100 PERMAN.
200 Caustic
50

DRILLER: W. H. H. CONTRACTOR'S TIME: 5:00 AM 7:23 CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINER SIZE: 5 1/4 STROKE 15
MUD & CHEMICALS
LBS. Added: 200 Caustic
100 PERMAN.
200 Caustic
50

DRILLER: W. H. H. CONTRACTOR'S TIME: 5:00 AM 7:23 CO'S. TIME

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____
RIG FUEL CONSUMPTION: _____ GALS BOILER FUEL CONSUMPTION: _____ GALS WIRELINE TON MILE: _____ TOOL PUSHER: _____

OBIL OIL OF CANADA, LTD.

DATE

June 18-64

No. 2 DAILY TIME SHEET

DRILLING REPORT

CONTRACTOR

Socomey Marine

RIG No. 11

Approved

Date June 18

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

CELS
CLEAN
2" 11" 8"
BARREL JAMMED
CORE + SERVICE BARREL
WITH NEW BIT
4' TO KELLIE
TOP OF RAT HOLE
8 3/4" HOLE

DRILLED 7073 7095 2 21 3 3/4
REAMED 7090 7093 3 3 1/4 8 3/4
CORED 7070 7073 3 5 4 6 4

DRILLER F. G. GILL
DERRICK F. G. GILL
MOTORMAN K. L. LANGE
FLOORMAN L. K. ROBERTS
FLOORMAN H. L. ROBERTS
FIREMAN

TALLY BIT RECORD
No. LENGTH BIT No. 45 46
STANDS SIZE 4 3/4 8 3/4
SINGLE MAKE L. H. L.
D.C.'s TYPE O. O. W.
SERIAL 7-241637
JET SIZE 4 1/2
FROM 7070 7073
TO 7073 7095
FOOTAGE 3 2
KELLY IN 7070 HRS. 5 1/4 1 1/4
TOTAL 10 1/2 COND. New

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

3 ft of CORE FROM 7070
CORE BARREL JAMMED

DRILLED 7075 7125 3 1/2 17 5/8
REAMED 11 1/2
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD
No. LENGTH BIT No. 12
STANDS SIZE 4 3/4
SINGLE MAKE L. H. L.
D.C.'s TYPE O. O. W.
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS. 1 1/2
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

SHALE TANK

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD
No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

MIN.

EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER: [Signature]

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD of AREA: Yukon L. WELL NAME & No: ... CONTRACTOR: ...

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.															
4 A.M.	11/12			5.0											
6 A.M.															
8 A.M.															
LINER SIZE: <u>3 7/8</u> STROKE: <u>13</u> MUD & CHEMICALS LBS. Added: KIND:															
BOP Tested: <u>Yes</u> DRILLER: <u>...</u> CONTRACTOR'S TIME: <u>...</u> CO'S. TIME: <u>...</u>															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: <u>3 7/8</u> STROKE: <u>13</u> MUD & CHEMICALS LBS. Added: KIND:															
BOP Tested: DRILLER: <u>...</u> CONTRACTOR'S TIME: <u>...</u> CO'S. TIME: <u>...</u>															

Pipe Measurement
 Measured 709066
 Board 709017
 No Correction

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: STROKE MUD & CHEMICALS LBS. Added: KIND: LBS. ON HAND															
BOP Tested: DRILLER: CONTRACTOR'S TIME: CO'S. TIME:															

CASING TESTED TO: PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES
 RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER: ...

BIL OIL OF CANADA, LTD.

DATE

No. DAILY TIME SHEET

LOGGING REPORT

CONTRACTOR

RIG No.

Approved

Date

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C.'s TOTAL RAT HOLE TOP

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C.'s TOTAL RAT HOLE TOP

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C.'s TOTAL RAT HOLE TOP

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER: APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon WELL NAME & No: White Horse 1 N-26 CONTRACTOR: ...

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	11.1	150	5.2		50	65	60	450							
4 A.M.	11.1	149													
6 A.M.	11.1	140													
8 A.M.															

LINEAR SIZE: 3 1/4 STROKE: 15
MUD & CHEMICALS
LBS. Added: 1500 KIND: Water
Self

BOP Tested: ✓ DRILLER: ... CONTRACTOR'S TIME: ... CO'S TIME: ...

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	11.1	150	5.2		50	65	60	450							
NOON															
2 P.M.															
4 P.M.															

LINEAR SIZE: 3 1/4 STROKE: 15
MUD & CHEMICALS
LBS. Added: 22 KIND: Water
Self
11.1
11.1

BOP Tested: ✓ DRILLER: ... CONTRACTOR'S TIME: ... CO'S TIME: ...

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINEAR SIZE: 3 1/4 STROKE: 15
MUD & CHEMICALS
LBS. Added: ON HAND KIND: ON HAND

BOP Tested: ✓ DRILLER: ... CONTRACTOR'S TIME: ... CO'S TIME: ...

CASING TESTED TO: ... PSI. MIN. FORMATION TESTED: ... PSI. MIN. EQUIPMENT FAILURES: ...

RIG FUEL CONSUMPTION: ... GALS. BOILER FUEL CONSUMPTION: ... GALS. WIRELINE TON MILE: ... TOOL PUSHER: ...

OBIL OIL OF CANADA, LTD.

DATE

Jan-16-4*

No. 1 DAILY TIME SHEET

BILLING REPORT

No. 2

CONTRACTOR

many oil field

RIG No. 4

Approved

Date Jan 16

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

Close Pipe Rods at 8:40 P.M.

DRILLED 1039 1043 4 1 3/4"
REAMED
CORED

DRILLER F. GIBBLE 12
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. 45
STANDS SINGLE D.C.s TYPE SERIAL JET SIZE FROM TO FOOTAGE HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

RAT HOLE TOP

COND.

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

Close Hole with 3 1/2" bit with 1 1/2" hole at 11:00 A.M. No. 1039 to 1043. Mid. 1 1/2" hole cut behind 5250 FT TO BOTTOM.

DRILLED 1039 1043 4 1 3/4"
REAMED
CORED

DRILLER E. BRITAIN 12
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. 46
STANDS SINGLE D.C.s TYPE SERIAL JET SIZE FROM TO FOOTAGE HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

RAT HOLE TOP

COND.

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No.
STANDS SINGLE D.C.s TYPE SERIAL JET SIZE FROM TO FOOTAGE HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

RAT HOLE TOP

COND.


MIN EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER: *[Signature]* APPROVED:

CALGARY OFFICE



SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Upton J.* WELL NAME & No: *Upton No. 1* CONTRACTOR: *...*

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	11072				5065	60	70							<i>...</i>	
4 A.M.	11072	52	32		65	60	850							<i>...</i>	
6 A.M.					5072	60	850							<i>...</i>	
8 A.M.														<i>...</i>	

LINER SIZE: *5 3/4* STROKE *15"*
MUD & CHEMICALS
LBS. Added: *750* KIND: *WATER*
25# CRUSTIC

...

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	11119				5065	60	700							<i>...</i>	
NOON														<i>...</i>	
2 P.M.	11119	52	32											<i>...</i>	
4 P.M.	11137													<i>...</i>	

LINER SIZE: *5 3/4* STROKE *15"*
MUD & CHEMICALS
LBS. Added: *...* KIND: *...*

...

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.														<i>...</i>	
8 P.M.														<i>...</i>	
10 P.M.														<i>...</i>	
12 P.M.														<i>...</i>	

LINER SIZE: *...* STROKE *...*
MUD & CHEMICALS
LBS. Added: *...* KIND: *...*

...

CASING TESTED TO: *...* PSI. MIN. FORMATION TESTED *...* PSI. MIN. EQUIPMENT FAILURES *...*

RIG FUEL CONSUMPTION *...* GALS BOILER FUEL CONSUMPTION *...* GALS WIRELINE TON MILE *...* TOOL PUSHER: *...*

PETROBRAS OIL OF CANADA, LTD.

DATE

June 15 - 64

No. 100 DAILY TIME SHEET

LOGGING REPORT

Well name: ...

CONTRACTOR

...

RIG No. 4

Approved

Date

WORK RECORD

12 - 8 TOUR

DRILLED 6713 11 6710.7 8 1/2
REAMED
CORED

Tour 1 Midnite to 8 A.M. Hrs.
DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
14 STANDS 11235
1 SINGLE 11240 MAKE 111
23 D.C.'s 11122 TYPE 000
JET SIZE
FROM
TO
KELLY IN 140 FOOTAGE
TOTAL 1120 HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

DRILLED 6740 6776 14 5 1/2
REAMED
CORED

Tour 2 8 A.M. to 4 P.M. Hrs.
DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
14 STANDS 11235
1 SINGLE 6740 MAKE HTE
23 D.C.'s TYPE 000 CUV
SERIAL
JET SIZE
FROM 6740
TO 6776
KELLY IN 140 FOOTAGE
TOTAL 6776 HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR


DRILLED
REAMED
CORED

Tour 3 4 P.M. to Midnite Hrs.
DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS
SINGLE
D.C.'s
TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN
TOTAL
RAT HOLE TOP
COND.

REMARKS AND INJURIES:



EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Section 1 WELL NAME & No: White Stone #1 CONTRACTOR: Conroy Drilling

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.	112	20	60	33	50	65	60	1000			1:15	1:45	1:14	1-155 Trip out Slip 31 ft. + cut 63 ft. Poly Line. Trip 1-16 with 116 ft. 1-1 Clean 6 ft. to bottom Drilling 8 1/2" hole.
4 A.M.	109	15	54		50	65	60	850			1:13	1:20	1:12	
6 A.M.											1:00	1:30	1:14	
8 A.M.											1:30	1:20	1:12	
LINER SIZE: <u>5 3/4</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: <u>WATER</u>														
BOP Tested _____ DRILLER: <u>W. Miller</u> CONTRACTOR'S TIME _____ CO'S TIME _____														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.					50	65	60	1000			1:15	1:15	1:14	SERVICE RIG DRILL 8 1/2" HOLE TRIP FOR BIT. CLEAN TO BOTTOM DRILLING TRIP.
NOON	111	10									1:15	1:15	1:12	
2 P.M.	107	15	54								1:30	1:15	1:14	
4 P.M.											1:45	1:20	1:14	
LINER SIZE: <u>5 3/4</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____														
BOP Tested _____ DRILLER: <u>E. Dutton</u> CONTRACTOR'S TIME _____ CO'S TIME _____														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														
8 P.M.														
10 P.M.														
12 P.M.														
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____														
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____														

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: J. Timm

PETROBRAS OIL OF CANADA, LTD.

DATE June 14 1974

No. 11 DAILY TIME SHEET

LOGGING REPORT

Well No. 11

CONTRACTOR Energy World Oil RIG No. H

Approved _____ Date _____

WORK RECORD

12 - 8 TOUR

cut 62 ft Dalg Line
to 110 ft
to Bottom
6" Hole

DRILLED 67586763 10 12 1/2"
REAMED
CORED

Tour 1 Midnite to 8 A.M. Hrs.

DRILLER E. BRITAIN 12
DERRICK A. LAMON 12
MOTORMAN E. SCHMIDT 12
FLOORMAN D. HEWITT 12
FLOORMAN J. BUCHER 12
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. SIZE
13 STANDS 11735 11 4 1/8"
1 SINGLE 3140 MAKE ATC HEAD
23 D.C.'s 71130 TYPE W9 YOGKRP
81201 542 SERIAL 11331 RBEN 3714
842 165 JET SIZE 20
FROM 67586761
TO 67586763
KELLY IN 12 FOOTAGE 10
TOTAL HRS. 10 2
RATHOLETOP COND. 2-2-1 NEW

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

6" Hole
to
Bottom

DRILLED 67586763 5 4 1/8"
REAMED
CORED

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLER E. BRITAIN 12
DERRICK A. LAMON 12
MOTORMAN E. SCHMIDT 12
FLOORMAN D. HEWITT 12
FLOORMAN J. BUCHER 12
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. SIZE
STANDS 11730 11 4 1/8"
SINGLE 3140 MAKE ATC HEAD
23 D.C.'s 71130 TYPE W9 YOGKRP
81201 542 SERIAL 11331 RBEN 3714
842 165 JET SIZE 20
FROM 67586761
TO 67586763
KELLY IN 12 FOOTAGE 5
TOTAL HRS. 10 2
RATHOLETOP COND. 2-2-1 NEW

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

DRILLED
REAMED
CORED

Tour 3 4 P.M. to Midnite Hrs.

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. SIZE
STANDS
SINGLE
D.C.'s
KELLY IN
TOTAL
RATHOLETOP

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER

J. Trawick APPROVED

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon I WELL NAME & No: White Stone T.N-26 CONTRACTOR: Socony

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	1100	20	6.0	2			650	450						12-8 TOUR Rig Services Drilling 8 1/2" hole	
4 A.M.															
6 A.M.															
8 A.M.															
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u>															
MUD & CHEMICALS															
LBS. Added: <u>1100</u> KIND: <u>Gell</u>															
BOP Tested													DRILLER: <u>...</u>	CONTRACTOR'S TIME	CO.'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	1100	20	6.0	2			650	450					8-4 TOUR Rig Services Drilling 8 1/2" hole		
NOON	1100	20	6.0	2			650	450							
2 P.M.	1100	20	6.0	2			650	450							
4 P.M.	1100	20	6.0	2			650	450							
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u>															
MUD & CHEMICALS															
LBS. Added: <u>1000</u> KIND: <u>GEL</u> <u>250</u> <u>GIBRAN</u> <u>200</u> <u>PHUSTIC</u>															
BOP Tested													DRILLER: <u>...</u>	CONTRACTOR'S TIME	CO.'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.													4-12 TOUR		
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____															
MUD & CHEMICALS															
LBS. Added: _____ KIND: _____ LBS. ON HAND _____															
BOP Tested													DRILLER: _____	CONTRACTOR'S TIME	CO.'S TIME

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

BIL OIL OF CANADA, LTD.

DATE

No. 12 DAILY TIME SHEET

LOGGING REPORT

Well W. 14-16

CONTRACTOR

Seconey Global Cal

RIG No. 4

Approved

Date

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED

REAMED

CORED

DRILLER

DERRICK

MOTORMAN

FLOORMAN

FLOORMAN

FIREMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C. s

TYPE

Serial

SERIAL

Jet Size

JET SIZE

FROM

FROM

TO

TO

KELLY IN

FOOTAGE

TOTAL

HRS.

RAT HOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED

REAMED

CORED

DRILLER

DERRICK

MOTORMAN

FLOORMAN

FLOORMAN

FIREMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C. s

TYPE

Serial

SERIAL

Jet Size

JET SIZE

FROM

FROM

TO

TO

KELLY IN

FOOTAGE

TOTAL

HRS.

RAT HOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED

REAMED

CORED

DRILLER

DERRICK

MOTORMAN

FLOORMAN

FLOORMAN

FIREMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C. s

TYPE

Serial

SERIAL

Jet Size

JET SIZE

FROM

FROM

TO

TO

KELLY IN

FOOTAGE

TOTAL

HRS.

RAT HOLE TOP

COND.

REMARKS AND INJURIES:

N.

EQUIPMENT FAILURES

TIME LOST

N MILE

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon J. WELL NAME & No: White Stone 21 N-26 CONTRACTOR: Secony

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
2 A.M.	10.8	100	4 1/2	3/32	50	65	60	850			12:00	12:15	114	RIG SERVICES CHG'd KELLY CO. IN. 1st string 9 5/8" hole. 1st string for NEW BIT USE KELLY CO 4500		
4 A.M.																
6 A.M.																
8 A.M.																
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>20</u> KIND: <u>CAUSTIC</u> <u>20</u> <u>FLUOR</u> <u>WATER.</u>																
BOP Tested: <u>YES</u> DRILLER: <u>W. J. H. 5' 10" 6' 30" 8' 0"</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____																

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.													FINISH CUT HOLE. SERVICED HOLE. SERVICED BOUND HOLE. A MA- IN NEW BIT. HOLE IN HOLE. STAIN CUT BEINGS FROM 300 TO 400 FT. DRILL 5 3/8 HOLE		
NOON	10.9	105													
2 P.M.	10.9	104	5.8	3/32											
4 P.M.	10.9	105													
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u> MUD & CHEMICALS LBS. Added: <u>1500</u> KIND: <u>GEL</u>															
BOP Tested: _____ DRILLER: <u>W. J. H.</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____															
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S TIME: _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____
 TOOL PUSHER: _____

BIL OIL OF CANADA, LTD.

DATE June 10 1954

No. 4 DAILY TIME SHEET

LOGGING REPORT

No. 24

CONTRACTOR Secorby

RIG No. 4

Well ... Approved Date

WORK RECORD 12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

CHES. Kelly cont. on. 3 7/8" hole. NEW BIT USE KELLY

DRILLED 6672 6870 19 10 8 8

DRILLER F. GARLE DERRICK F. ... MOTORMAN R. ... FLOORMAN F. ... FLOORMAN H. ... FIREMAN

TALLY BIT RECORD No. LENGTH BIT No. 37 STANDS 11885 SIZE 8 7/8 SINGLE 6412 MAKE D.C.'s 11730 TYPE Y.H. SERIAL 24355 JET SIZE 1 1/2 FROM 6672 TO 6870 KELLY IN 12 00 FOOTAGE 30 TOTAL 6870 HRS. 14 1/2 COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S TIME

WORK RECORD 8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

HOLE ... STEAM CUT BRIDGES TO BOTTOM.

DRILLED 6710 6714 24 11 4 3 7/8

DRILLER F. ... DERRICK ... MOTORMAN R. ... FLOORMAN D. ... FLOORMAN J. ... FIREMAN

TALLY BIT RECORD No. LENGTH BIT No. 38 STANDS 11885 SIZE 8 7/8 SINGLE 6412 MAKE D.C.'s 11730 TYPE Y.H. SERIAL 24355 JET SIZE 1 1/2 FROM 6710 TO 6714 KELLY IN 37 FOOTAGE 21 TOTAL 6714 HRS. 6 1/2 COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S TIME

WORK RECORD 4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD No. LENGTH BIT No. STANDS SINGLE D.C.'s SERIAL JET SIZE FROM TO KELLY IN FOOTAGE TOTAL HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO'S TIME

EQUIPMENT FAILURES TIME LOST TOOL PUSHER: APPROVED: CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Yukon J.* WELL NAME & No: *White Horse 1-N-26* CONTRACTOR: *Conroy 27/1/70*

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.					50	65	60	350			12:15	12:15	14	<i>R. SERVICE HI Drilling "6 1/2" 1172</i>
4 A.M.					50	65	60	350						
6 A.M.														
8 A.M.														
LINER SIZE: <i>5 7/8</i> STROKE <i>15"</i>														
MUD & CHEMICALS														
LBS. Added: <i>Water</i> KIND														
BOP Tested: <i>YES</i> DRILLER: <i>W. H. O'Neil</i> CONTRACTOR'S TIME: <i>68:00</i> CO'S TIME														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.					50	65	60	350			10:15	10:15	14	<i>R. SERVICE HI DAILY 5 3/4 Head 1172</i>
NOON														
2 P.M.														
4 P.M.														
LINER SIZE: <i>5 7/8</i> STROKE <i>15"</i>														
MUD & CHEMICALS														
LBS. Added: <i>200 BENTON 200 CARRONAX 100 CHUSTIC</i> KIND														
BOP Tested: DRILLER: <i>W. H. O'Neil</i> CONTRACTOR'S TIME: CO'S TIME														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														<i>4-12 TOUR</i>
8 P.M.														
10 P.M.														
12 P.M.														
LINER SIZE: STROKE														
MUD & CHEMICALS														
LBS. Added: KIND LBS. ON HAND														
BOP Tested: DRILLER: CONTRACTOR'S TIME CO'S TIME														

CASING TESTED TO: PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES
 RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER: *1172*

BPIL OIL OF CANADA, LTD.

DATE June 11-64

No. 13 DAILY TIME SHEET

WORKING REPORT

Well: *W-12*

CONTRACTOR: *W-12* RIG No. 4

Approved: *[Signature]* Date: *June 11-64*

WORK RECORD

12-8 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	12:31	12:55	24	11:47	1 1/2
REAMED					
CORED					

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
1	12:35	1	1 1/2
	SINGLE		MAKE
	D.C.'s		TYPE
			SERIAL
	1:15		JET SIZE
			FROM
			TO
	4:00		FOOTAGE
	TOTAL 1:35		HRS. 1:41
	RAT HOLE TOP		COND. <i>dry</i>

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	<i>F. GIBBLE</i>	12
DERRICK	<i>L. BOSTON</i>	12
MOTORMAN	<i>K. WASSER</i>	12
FLOORMAN	<i>K. LANGER</i>	12
FLOORMAN	<i>A. K. [unclear]</i>	12
FIREMAN		

REMARKS AND INJURIES:

CONTRACTOR'S TIME: *8:00* CO'S TIME: *6:00*

8-4 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	1:55	2:2	7	11:58	1 1/2
REAMED					
CORED					

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
1	1:55	1	1 1/2
	SINGLE		MAKE
	D.C.'s		TYPE
			SERIAL
	2:15		JET SIZE
			FROM
			TO
	1:35		FOOTAGE
	TOTAL 1:35		HRS. 1:41
	RAT HOLE TOP		COND. <i>dry</i>

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	<i>F. GIBBLE</i>	12
DERRICK	<i>L. BOSTON</i>	12
MOTORMAN	<i>K. WASSER</i>	12
FLOORMAN	<i>D. HEWITT</i>	12
FLOORMAN	<i>J. WILKINSON</i>	12
FIREMAN		

REMARKS AND INJURIES:

CONTRACTOR'S TIME: *8:00* CO'S TIME: *4:00*

4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					

TALLY		BIT RECORD	
No.	LENGTH	BIT No.	SIZE
	SINGLE		MAKE
	D.C.'s		TYPE
			SERIAL
			JET SIZE
			FROM
			TO
			FOOTAGE
	TOTAL		HRS.
	RAT HOLE TOP		COND.

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK		
MOTORMAN		
FLOORMAN	<i>Andy Brooks</i>	8
FLOORMAN		
FIREMAN		

REMARKS AND INJURIES:

Drill bit changed from 1 1/2 to 1 3/4

EQUIPMENT FAILURES: _____ TIME LOST: _____

TOOL PUSHER: *W. [unclear]* APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Yukon I*

WELL NAME & No. *White Star 7-11-66*

CONTRACTOR *Socony Mobil*

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.							
2 A.M.					1-60	600								<i>12-8 TOUR</i> 12:00 12:15 12:15 12:30 12:30 12:45 12:45 1:00 <i>DRILL 8 7/8 HOLE</i>			
4 A.M.					50-65	600											
6 A.M.																	
8 A.M.																	
LINER SIZE: <i>5 7/8</i> STROKE <i>15'</i>																	
MUD & CHEMICALS																	
LBS. Added, KIND																	
<i>DEPTH @ 6:00 PM 6803.</i>																	
BOP Tested												DRILLER: <i>T. J. ...</i>		CONTRACTOR'S TIME		CO'S. TIME	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.							
10 A.M.	10-485				48-65	10800				12:00	12:15	1/4	<i>8-4 TOUR</i> <i>SERVERE RIGBY CHECK HYDRIL.</i> <i>DRILL 8 7/8 HOLE.</i> <i>TRIP FOR BIT. HOLE VERY TIGHT.</i> <i>IS 4800 WORK THROW SHML</i> <i>CLEAN 10 FT. TO BOTTOM.</i> <i>DRILL 8 7/8 HOLE.</i>				
NOON										12:15	12:30	1/2					
2 P.M.										12:30	12:45	1/2					
4 P.M.	10-8180									10:00	10:12	2					
LINER SIZE: <i>5 7/8</i> STROKE <i>15'</i>																	
MUD & CHEMICALS																	
LBS. Added, KIND																	
<i>3000 SPARTON WT</i>																	
<i>50 Q3ROXIN</i>																	
<i>22 CAUSTIC</i>																	
BOP Tested												DRILLER: <i>E. Britta</i>		CONTRACTOR'S TIME		CO'S. TIME	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.							
6 P.M.													<i>4-12 TOUR</i>				
8 P.M.																	
10 P.M.																	
12 P.M.																	
LINER SIZE:												STROKE					
MUD & CHEMICALS																	
LBS. Added, KIND																	
LBS. ON HAND																	
BOP Tested												DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	

CASING TESTED TO:

PSI. MIN.

FORMATION TESTED

PSI. MIN.

EQUIPMENT FAILURES

R/G FUEL CONSUMPTION

GALS

BOILER FUEL CONSUMPTION

GALS

WIRELINE *10* MILE

COOL PUSHER

[Signature]

L OIL OF CANADA, LTD.

DATE _____

No. 72 DAILY TIME SHEET

NG REPORT

Well W-10-26

CONTRACTOR Conroy M. M. M.

RIG No. 4

Approved _____ Date June 10

ORK RECORD

2-8 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	6792	6812	30	9 3/4	9 3/4
REAMED					
CORED					

	Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	E. CRABIE		12
DERRICK	L. LORIAN		12
MOTORMAN	V. ROSSER		12
FLOORMAN	H. GUNDEL		12
FLOORMAN	H. GUNDEL		12
FIREMAN			

TALLY BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE
1	51.73	35	8 3/4	REDD	YM	24346	CO
2	43.20						
3	71.30						
	345						
	165						

REMARKS AND INJURIES:

600 6803

KELLY IN	2900	FOOTAGE	30
TOTAL	6812	HRS.	9 3/4
RAT HOLE TOP		COND.	Run

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	6812	6827	15	6 1/2	8 3/4
REAMED					
CORED					

	Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	E. BRITTON		12
DERRICK	R. LORIAN		12
MOTORMAN	E. SCARPER		12
FLOORMAN	D. GELMUT		12
FLOORMAN	J. BACHER		12
FIREMAN			

TALLY BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE
1	40.138	35	8 3/4	REDD	YM	24330	CO
2		36	8 3/4		YM		CO
3	71.30						
	545						
	165						

REMARKS AND INJURIES:

CHECK HYDRIL. HOLE VERY TIGHT. TAKE SAME TO BOTTOM.

KELLY IN	13.03	FOOTAGE	45.6
TOTAL	6827	HRS.	14 1/2
RAT HOLE TOP		COND.	2-4 IN

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					

	Tour 3	4 P.M. to Midnite	Hrs.
DRILLER			
DERRICK			
MOTORMAN			
FLOORMAN	A. G. BUCKS		5
FLOORMAN			
FIREMAN			

TALLY BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE
STANDS							
SINGLE							
D.C.S.							

REMARKS AND INJURIES:

Travel time from Calgary to Edmonton.

CONTRACTOR'S TIME

CO'S TIME

EQUIPMENT FAILURES

TIME LOST

COOL PUSHER

APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON T. WELL NAME & NUMBER: YUKON T. 1 CONTRACTOR: 2000

TIME	MUD RECORD										DEVIATION			START STOP HRS.		WORK RECORD
	WT.	VISC.	W.L.	F.C.	BIT M	TABLE RPM	PUMP SPM	PRESS	DEPTH	DEG.	START	STOP	HRS.			
2 A.M.	13	100	50	50	2A	40	850									1st Trip for Rigs Service & Riggs. 2nd Trip for Drilling 6" Hole. 3rd Trip for New Bit. 4th Trip for Clean 7' to Bottom. 5th Trip for Drilling 6" Hole.
4 A.M.	TR	100	60	60	900											
6 A.M.																
9 A.M.	100	25	50	50												
LINER SIZE: <u>5 7/8</u> STROKE <u>15'</u> MUD & CHEMICALS LBS. Added: <u>200</u> KIND: <u>Q-BEADAIN</u> <u>100</u> <u>CAUSTIC</u> <u>500</u> <u>WT. MAT.</u> <u>WATER</u>																

TIME	MUD RECORD										DEVIATION			START STOP HRS.		WORK RECORD
	WT.	VISC.	W.L.	F.C.	BIT M	TABLE RPM	PUMP SPM	PRESS	DEPTH	DEG.	START	STOP	HRS.			
10 A.M.	13	100	50	50	2A	40	850									1st SERVICE TRIP 2nd DRILL 8" HOLE 3rd TRIP OUT FOR BIT
NOON																
2 P.M.																
4 P.M.																
LINER SIZE: <u>5 7/8</u> STROKE <u>15'</u> MUD & CHEMICALS LBS. Added: <u>KIND</u>																

TIME	MUD RECORD										DEVIATION			START STOP HRS.		WORK RECORD
	WT.	VISC.	W.L.	F.C.	BIT M	TABLE RPM	PUMP SPM	PRESS	DEPTH	DEG.	START	STOP	HRS.			
6 P.M.																4-12 TOUR
8 P.M.																
10 P.M.																
12 P.M.																
LINER SIZE: <u>STROKE</u> MUD & CHEMICALS LBS. Added: <u>KIND</u> LBS. <u>ON HAND</u>																

CASING TESTED TO _____ PSI MIN. FORMATION TESTED _____ PSI MET. EQUIPMENT USED _____
 RIG FUEL CONSUMPTION _____ GAL. BOILER FUEL CONSUMPTION _____ GAL. WIRELINE TON MILE _____ L. PUSHER _____

DRIILLING REPORT

No 71

WORK RECORD

CONTRACTOR Socomec RIG No 44
TOUR 12-8 TOUR

370' HOLE
NEW BIT
TO BOTTOM
8'6" HOLE

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	6137	6140	23	7	8 3/4
REAMED					
CORED					
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	33	34	
STANDS	31 B 73	SIZE	8 3/8	8 3/4	
SINGLE		MAKE	KELLY REED		
D.C.S.	71130	TYPE	Y.M. Y.M.		
FROM	5 1/2	SERIAL	40210521349		
TO	16 1/2	JET SIZE	CON. CON.		
KELLY IN	44	FROM	6010	6040	
TOTAL	6160	TO	LEHOLE 100		
RAT HOLE TOP		FOOTAGE	50	30	
		HRS.	15 1/2	6	
		COND.	3-2-1	CON.	

Approved _____ Date June 10 1964

DRILLER L. WATSON 12
 DERRICK L. WATSON 12
 MOTORMAN L. WATSON 12
 FLOORMAN L. WATSON 12
 FLOORMAN L. WATSON 12
 FIREMAN L. WATSON 12

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

110' HOLE
FOR BIT

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	6160	6182	22	4 1/2	8 3/4
REAMED					
CORED					
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	34		
STANDS	59 B 73	SIZE	8 3/8		
SINGLE	31 B 73	MAKE	KELLY		
D.C.S.	71130	TYPE	Y.M.		
FROM	5 1/2	SERIAL	21244		
TO	16 1/2	JET SIZE			
KELLY IN	31	FROM	6180		
TOTAL	6182	TO	1 1/2		
RAT HOLE TOP		STAGE	4		
		HRS.	15 1/2		
		COND.	3-2-1		

DRILLER L. WATSON 12
 DERRICK L. WATSON 12
 MOTORMAN L. WATSON 12
 FLOORMAN L. WATSON 12
 FLOORMAN L. WATSON 12
 FIREMAN L. WATSON 12

REMARKS AND INJURIES

CONTRACTOR'S TIME


CO'S TIME

4-12 TOUR

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					
TALLY		BIT RECORD			
No.	LENGTH	BIT No.			
STANDS		SIZE			
SINGLE		MAKE			
D.C.S.		TYPE			
		SERIAL			
		JET SIZE			
		FROM			
		TO			
KELLY IN		FOOTAGE			
TOTAL		HRS.			
RAT HOLE TOP		COND.			

DRILLER _____
 DERRICK _____
 MOTORMAN _____
 FLOORMAN _____
 FLOORMAN _____
 FIREMAN _____

REMARKS AND INJURIES



MIN

EQUIPMENT FAILURES

TIME LOST

NET TON MILE

ROLL PUSHER: _____

APPROVED _____

DATE: _____

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon J. WELL NAME & No: 10001001 CONTRACTOR: ...

TIME	MUD RECORD				BIT TABLE	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		WT. M	RPM	SPM	PRESS				
2 A.M.	10.0	12	50	10	60	800				12:00	12:15		12:00 - 12:15 - Run services. 12:15 - 12:30 - 3/4" L. pipe at 6" hole. 12:30 - 1:00 - 3/4" L. pipe for new bit. 1:00 - 1:30 - 2 1/2" L. pipe 15' to 120' depth. 1:30 - 2:00 - Drilling 9" hole.
4 A.M.													
6 A.M.													
8 A.M.													

LINER SIZE: 5 3/4" STROKE 15"
 MUD & CHEMICALS
 LBS. Added: 1200 KIND: GEL
500 SPARKTON

DRILLER: ... CONTRACTOR'S TIME: ... CO. TIME: ...

TIME	MUD RECORD				BIT TABLE	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		WT. M	RPM	SPM	PRESS				
10 A.M.	10.5	9.5	45	10	60	850				12:00	12:15		12:00 - 12:15 - Run services. 12:15 - 12:30 - 3/4" L. pipe 5' hole.
NOON	10.7	10.5	60	10									
2 P.M.	10.8	11.5											
4 P.M.													

LINER SIZE: 5 3/4" STROKE 15"
 MUD & CHEMICALS
 LBS. Added: 200 KIND: CAUSTIC
1000 GEL
250 G.BROXIN

DRILLER: ... CONTRACTOR'S TIME: ... CO. TIME: ...

TIME	MUD RECORD				BIT TABLE	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		WT. M	RPM	SPM	PRESS				
6 P.M.													
8 P.M.													
10 P.M.													
12 P.M.													

LINER SIZE: ... STROKE ...
 MUD & CHEMICALS
 LBS. Added: ... KIND: ...
... ...

DRILLER: ... CONTRACTOR'S TIME: ... CO. TIME: ...

CASING TESTED TO: ... PSI. MIN. FORMATION TESTED: ... PSI. MIN. EQUIPMENT FAILURES: ...
 RIG FUEL CONSUMPTION: ... GALS. BOILER FUEL CONSUMPTION: ... GALS. WIRELINE TON MILE: ... TOOL PUSHER: ...

DRIILLING REPORT

No. 12

CONTRACTOR W. J. ...

RIG No. 12

Well W. J. ...
 Location ...

WORK RECORD 12-8 TOUR

25' ...
 14' HOLE ...
 NEW BIT ...
 8' TO ...
 9' HOLE ...

DRILLED	REAMED	CORED	TALLY	BIT RECORD	DRILLER	DERRICK	MOTORMAN	FLOORMAN	FLOORMAN	PREMAN
6663	6663	6663	STANDS: 32 SINGLE: 31-01 DC: 9-01 JET SIZE: 40-700	BIT No: 32 33 SIZE: 6" 9 7/8 MAKE: ... TYPE: ... SERIAL: ... JET SIZE: ... FROM: 6649-170 TO: 6670-10	F.
KELLY IN: 4-15			TOTAL: 68-14	FOOTAGE: 27	REMARKS AND INJURIES					
CONTRACTOR'S TIME			CO'S TIME	RATHOLE TOP	CONTRACTOR'S TIME					

5' ...
 6' ...

WORK RECORD 8-4 TOUR

Hole ...

DRILLED	REAMED	CORED	TALLY	BIT RECORD	DRILLER	DERRICK	MOTORMAN	FLOORMAN	FLOORMAN	PREMAN
6671	6671	6671	STANDS: 37 SINGLE: 36-01 DC: 9-01 JET SIZE: 40-700	BIT No: 33 SIZE: 6" 9 7/8 MAKE: ... TYPE: ... SERIAL: ... JET SIZE: ... FROM: 6674 TO: 6691	L.
KELLY IN: 17			TOTAL: 67-7	FOOTAGE: 17	REMARKS AND INJURIES					
CONTRACTOR'S TIME			CO'S TIME	RATHOLE TOP	CONTRACTOR'S TIME					

WORK RECORD 4-12 TOUR

...

DRILLED	REAMED	CORED	TALLY	BIT RECORD	DRILLER	DERRICK	MOTORMAN	FLOORMAN	FLOORMAN	PREMAN
KELLY IN:			TOTAL:	FOOTAGE:	REMARKS AND INJURIES					
CONTRACTOR'S TIME			CO'S TIME	RATHOLE TOP	CONTRACTOR'S TIME					

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: WILKIN T WELL NAME & No: WILKIN 2016 N-26 CONTRACTOR: 2011, 11/21/11

TIME	MUD RECORD				BIT TABLE	PUMP	DEVIATION		START	STOP	HRS	WORK RECORD
	WT.	VISC.	W.L.	F.C.			DEPTH	DEG.				
2 A.M.	8.8	153	50	60	10900							12-8 TOUR 11:30 12:00 HOIST FOR NEW BIT.
4 A.M.												
6 A.M.	8.8	153	50	60	10900							
8 A.M.												

LINER SIZE: 5 3/4 STROKE 15"
MUD & CHEMICALS

LBS. Added: KIND
 300 CARBONOX
 250 DEXTRIO
 200 CAUSTIC

DRILLER: W. J. ... CONTRACTOR'S TIME
 COY. TIME
 FINISH TRIP OUT.

TIME	MUD RECORD				BIT TABLE	PUMP	DEVIATION		START	STOP	HRS	WORK RECORD
	WT.	VISC.	W.L.	F.C.			DEPTH	DEG.				
10 A.M.			50	70	60	950						8-4 TOUR SERVICE HOLE CHECK BLIND RAMS. HOLE IN HOLD. CLEAN OUT 15 FT TO BOTTOM. DRILL 8 3/4 HOLE
NOON												
2 P.M.	10.8	150										
4 P.M.	10.7	120	50	60	950							

LINER SIZE: 5 3/4 STROKE 15"
MUD & CHEMICALS

LBS. Added: KIND
 750 DEXTRIO
 300 GARDOLIN
 150 CAUSTIC

DRILLER: W. J. ... CONTRACTOR'S TIME
 COY. TIME
 CHANGE OUT DIMENSION CAMP NIGHT LAMP

TIME	MUD RECORD				BIT TABLE	PUMP	DEVIATION		START	STOP	HRS	WORK RECORD
	WT.	VISC.	W.L.	F.C.			DEPTH	DEG.				
6 P.M.												4-12 TOUR
8 P.M.												
10 P.M.												
12 P.M.												

LINER SIZE: STROKE
 MUD & CHEMICALS

LBS. Added: KIND LBS. ON HAND

DRILLER: CONTRACTOR'S TIME
 COY. TIME

CASING TESTED TO PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES
 R/G FUEL CONSUMPTION GALS. BOILER FUEL CONSUMPTION GALS. WIRELINE TON MILE TOOL PUSHER

LOGGING REPORT

CONTRACTOR *W. H. ...* RIG No. *4*
WORK RECORD 12-8 TOUR

*Bottom.
10 1/2" hole
NEW BIT.*

DRILLED *6607 6609 21' 1 1/2"*
REAMED
CORED

Well *...*
Approved *...*

Tour 1 Midnite to 8 A.M.
DRILLER *...*
DERRICK *...*
MOTORMAN *...*
FLOORMAN *...*
FLOORMAN *...*
FIREMAN

TALLY BIT RECORD

No. *42* LENGTH *11' 30"* BIT No. *31*
STANDS *11' 30"* SIZE *8 3/8"*
SINGLE MAKE *WED*
D.C. *11/30* TYPE *WHL*
RAM *5.45* SER. No. *...*
SUG *1.65* JET SIZE *10*
FROM *6607*
TO *6609*
KELLY IN *11* FOOTAGE *21*
TOTAL *11 1/2* HRS. *1 1/2*
RATHOLE TOP COND

REMARKS AND INJURIES

*500 ft. 6605.
11 1/2" Rig ...
1 1/2" Torque. 102 314*

CONTRACTOR'S TIME CO.'S TIME

8-4 TOUR

DRILLED *6607 6608 14' 6 1/2" 3 1/2"*
REAMED
CORED

Tour 2 8 A.M. to 4 P.M. Hrs.
DRILLER *E. BRITAIN 19*
DERRICK *...*
MOTORMAN *...*
FLOORMAN *...*
FLOORMAN *...*
FIREMAN

TALLY BIT RECORD

No. *43* LENGTH *8' 4 1/2"* BIT No. *32*
STANDS *8' 4 1/2"* SIZE *8 3/8"*
SINGLE MAKE *WED*
D.C. *11/30* TYPE *WHL*
RAM *5.45* SERIAL *...*
SUG *1.65* JET SIZE *10*
FROM *6607*
TO *6608*
KELLY IN *26* FOOTAGE *14 1/2*
TOTAL *6 1/2* HRS. *6 1/2*
RATHOLE TOP COND *1 N*

REMARKS AND INJURIES

*CHECK BLIND RAMS.
BIT 15 FT TO BOTTOM.
HOLE.*

FIXERS IN CAMP LIGHT PLANT

CONTRACTOR'S TIME CO.'S TIME

4-12 TOUR

DRILLED
REAMED
CORED

Tour 3 4 P.M. to Midnite Hrs.
DRILLER *E. BRITAIN*
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C. TYPE
SER. No.
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RATHOLE TOP COND

REMARKS AND INJURIES

CONTRACTOR'S TIME CO.'S TIME

EQUIPMENT FAILURES TIME LOST
FOOL PUSHER *...* APPROVED

A. S. K...

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON T. WELL NAME & No: 11-26 CONTRACTOR: 11-26

TIME	MUD RECORD				TABLE	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH				
2 A.M.													11. RIG SHOWN & 12.5' DRILLING 13.30' HOLE SURVEY @ 6630' UH 14. SURVEY FOR NEW BIT. 15. 12' STROKES WITH NEW BIT
4 A.M.	50	70	60	85			6630						
6 A.M.													
8 A.M.													

LINER SIZE: 5 3/4" STROKE: 15"

MUD & CHEMICALS

LBS. Added: _____ KIND: _____

400 CHASTIC

200 Spent TML WT

BOP Tested: _____

DRILLER: 11-26 CONTRACTOR'S TIME: _____ COST TIME: _____

12-8 TOUR

TIME	MUD RECORD				TABLE	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH				
10 A.M.													1. LADDER 15' TO BOTTOM 2. SERVICE HIGH 3. DRINK @ 11:45 4. TRIP FOR BIT 5. CLEAN TUB FROM 1011
NOON	45	70	60	85									
2 P.M.													
4 P.M.													

LINER SIZE: 5 3/4" STROKE: 15"

MUD & CHEMICALS

LBS. Added: _____ KIND: _____

BOP Tested: _____

DRILLER: 11-26 CONTRACTOR'S TIME: _____ COST TIME: _____

8-4 TOUR

TIME	MUD RECORD				TABLE	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH				
6 P.M.													
8 P.M.													
10 P.M.													
12 P.M.													

LINER SIZE: _____ STROKE: _____

MUD & CHEMICALS

LBS. Added: _____ KIND: _____

LBS. ON HAND: _____

BOP Tested: _____

DRILLER: 11-26 CONTRACTOR'S TIME: _____ COST TIME: _____

4-12 TOUR

CASING TESTED TO _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT VALUES _____

RIG FUEL CONSUMPTION _____ GAL. BOILER FUEL CONSUMPTION _____ GAL. WIRELINE TON MILE _____ TOOL PUSHER: 11-26

DRILLING REPORT

No. 160

Well 11011 248-1

Location 11-11-260

CONTRACTOR 11011 248-1

RIG No. 4

As started

Date 16-11-60

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

23. v Bgs. 400 RANS.
3 3/4" HOLE
6630 6'H
NEW BIT.
10 NEW BIT

DRILLED 6612 6635 23 7 1/2
REAMED
CORED

DRILLER F. BAIN 12
DERRICK L. KRAVITS 12
MOTORMAN M. ROSS 12
FLOORMAN K. LONGSON 12
FLOORMAN L. KRAPP 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 27
STANDS 2 1/2 SIZE 8 3/4
SINGLE 2 1/4 MAKE 9011
D.C.'s 11.50 TYPE Y
SERIAL 2134
JET SIZE 60
FROM 6577
TO 6635
FOOTAGE 58
KELLY IN 3 1/2 HRS. 15 1/2
TOTAL 1435
RAT HOLE TOP CONC 4.2

REMARKS AND INJURIES.

1000 No 2+8 MOTOR.
800 No. 6635
CONTRACTOR'S TIME COY. TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

10 BOTTOM
1 G.
HOLE 31
8 TO 11 10 11

DRILLED 6635 6647 14 5 1/2
REAMED
CORED

DRILLER E. BATTAN 12
DERRICK K. ROSS 12
MOTORMAN L. KRAVITS 12
FLOORMAN E. BATTAN 12
FLOORMAN L. KRAPP 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 31
STANDS 2 1/2 SIZE 8 3/4
SINGLE MAKE 1000
D.C.'s 7 1/2 TYPE Y-111100
SERIAL 254081
JET SIZE 200
FROM 6647
TO 6647
FOOTAGE 14
KELLY IN 2 1/2 HRS. 5
TOTAL 6647
RAT HOLE TOP COND 4.1 NEW

REMARKS AND INJURIES.

CONTRACTOR'S TIME COY. TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

CONTRACTOR'S TIME COY. TIME

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND

REMARKS AND INJURIES.

EQUIPMENT FAILURES TIME LOST
APPROVED: 11-11-60

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: WELL T. WELL NAME & No. WELL 1234 CONTRACTOR CONTRACTOR 5678

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	11.0	100			50	10	60	825			11:00	11:15	11	Rig Services + 1	
4 A.M.	11.0	97									11:00	11:15	11	8 1/2" Drilling 2 1/2" hole	
6 A.M.														11" 10" 4 1/2" string only	
8 A.M.															
LINER SIZE: <u>5 3/4</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: <u>2000</u> KIND: <u>Ben.</u>															
BOP Tested <u>y</u> DRILLER: <u>J. J. Collier</u> CONTRACTOR'S TIME <u>6:57</u> CO'S TIME															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	10.9	112	8.0		40	70	60	860			12:30	12:50	12	1/2 FINISH STRING DRILL LINE.	
NOON											12:30	12:50	12	1/4 SERVICE RIG.	
2 P.M.											1:15	1:25	1	RUN IN HOLE.	
4 P.M.											1:45	2:15	1	REPAIR MAKE UP CHAIN ON CAT HEAD.	
											2:15	3:15	1	FINISH IN HOLE.	
											3:15	4:15	1	CLEAN 16' TO BOTTOM	
											4:15	4:30	1	DRILL 5 3/4 HOLE.	
LINER SIZE: STROKE MUD & CHEMICALS LBS. Added: <u>500</u> KIND: <u>WATER</u> <u>500</u> <u>PERBONOX</u> <u>200</u> <u>CAUSTIC</u>															
BOP Tested DRILLER: <u>J. J. Collier</u> CONTRACTOR'S TIME CO'S TIME															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: STROKE MUD & CHEMICALS LBS. Added: KIND: LBS. ON HAND															
BOP Tested DRILLER: CONTRACTOR'S TIME CO'S TIME															

CASING TESTED TO PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES
 RIG FUEL CONSUMPTION GALS. BOILER FUEL CONSUMPTION GALS. WIRELINE TON MILE TOOL PUSHER

IL OIL OF CANADA, LTD.

DATE _____

No. _____ DAILY TIME SHEET

ING REPORT

No. 4

CONTRACTOR _____ RIG No. 4
WORK RECORD 12-8 TOUR

FROM 6573 TO 6579 FOOTAGE 16 HRS. 8 1/2

Well _____ Approved _____ Date _____

Tour 1 Midnite to 8 A.M. Hrs. 12
DRILLER _____
DERRICK _____
MOTORMAN _____
FLOORMAN _____
FLOORMAN _____
F REMAN _____

TALLY BIT RECORD

No. _____ LENGTH _____ BIT No. _____
STANDS _____ SIZE _____
SINGLE _____ MAKE _____
D.C.V. _____ TYPE _____
SERIAL _____
JET SIZE _____
FROM 6573 TO 6579
FOOTAGE 16 HRS. 8 1/2
KELLY IN 17
TOTAL 6579 HRS. 8 1/2
RATHOLE TOP COND. _____

REMARKS AND INJURIES

New Drilling line of
size 1 1/2" of
See # 1334 -

CONTRACTOR'S TIME 6:00 AM. 6577
COV. TIME _____

8-4 TOUR

NEW DRILL LINE.

FROM 6579 TO 6612 FOOTAGE 33 HRS. 7 3/4

Tour 2 8 A.M. to 4 P.M. Hrs. 12
DRILLER E. BATTAN 12
DERRICK A. S. FLOREN 12
MOTORMAN S. H. H. H. 12
FLOORMAN H. H. H. 12
FLOORMAN H. H. H. 12
F REMAN _____

TALLY BIT RECORD

No. _____ LENGTH _____ BIT No. _____
STANDS 59 6 1/2" SIZE 2 1/2"
SINGLE _____ MAKE _____
D.C.V. 5 1/2" 30 TYPE _____
SERIAL _____
JET SIZE _____
FROM 6579 TO 6612
FOOTAGE 33 HRS. 7 3/4
KELLY IN 17
TOTAL 6612 HRS. 7 3/4
RATHOLE TOP COND. IN

REMARKS AND INJURIES

UP CHAIN ON CAT-HEAD
L. BOTTOM
HOLE

CONTRACTOR'S TIME _____ COV. TIME _____

4-12 TOUR


FROM _____ TO _____ FOOTAGE _____ HRS. _____

Tour 3 4 P.M. to Midnite Hrs. _____
DRILLER _____
DERRICK _____
MOTORMAN _____
FLOORMAN _____
FLOORMAN _____
F REMAN _____

TALLY BIT RECORD

No. _____ LENGTH _____ BIT No. _____
STANDS _____ SIZE _____
SINGLE _____ MAKE _____
D.C.V. _____ TYPE _____
SERIAL _____
JET SIZE _____
FROM _____ TO _____
FOOTAGE _____ HRS. _____
KELLY IN _____
TOTAL _____ HRS. _____
RATHOLE TOP COND. _____

REMARKS AND INJURIES



CONTRACTOR'S TIME _____ COV. TIME _____

EQUIPMENT VALUES

TIME COST

TOOL PUSHER _____ APPROVED _____

CAL. GARY _____

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON T. WELL NAME & NO: 1116 S-11-11-26 CONTRACTOR: SOCONY 172211

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.					15	65	60	150			12:00	1:00	1	STARTED DRILLING IN 1-HOLE	
4 A.M.					40	65	60	900			1:00	1:45	2	REACHED BOTTOM & CIRC.	
6 A.M.											1:45	2:45	3	CASTING LOG 15' 1" INTERVALS	
8 A.M.											2:45	3:45	4	HAD TO STOP DRILLING	
LINER SIZE: <u>5 3/4"</u> STROKE: <u>15"</u> MUD & CHEMICALS: LBS. Added: _____ KIND: _____ BOP Tested: <u>Yes</u> DRILLER: <u>W. B. B.</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____ Notes: <u>REACHED BOTTOM WITH NEW BIT</u> <u>REACHED BOTTOM TO BOTTOM</u> <u>REACHING BOTTOM HOLE TO 8 3/4" LOG</u> <u>DRILLING 8 3/4" HOLE</u> <u>DRILLER: W. B. B. 6-525</u>															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	11.270				60	70	60	100			10:15	11:15	1	SERVICE HOLE ATTACH HYDRA	
NOON	10.9125										11:15	12:15	2	DRILL 8 3/4" HOLE	
2 P.M.															
4 P.M.	10.736	5.7	0.32												
LINER SIZE: <u>5 3/4"</u> STROKE: <u>15"</u> MUD & CHEMICALS: LBS. Added: <u>12.000</u> KIND: <u>WATER</u> <u>750 NEUTRAL</u> <u>500 LBR CIV</u> <u>200 CRUSTIC</u> <u>ADAPTER</u> BOP Tested: _____ DRILLER: <u>W. B. B.</u> CONTRACTOR'S TIME: _____ CO'S TIME: _____ Notes: <u>CHANGED OIL IN 3 1/4 FEET HOLE</u>															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE: _____ MUD & CHEMICALS: LBS. Added: _____ KIND: _____ LBS. ON HAND: _____ BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S TIME: _____ Notes: <u>Troubling time of</u> <u>drilling</u>															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION: _____ GALS. BOILER FUEL CONSUMPTION: _____ GALS. WIRELINE TON MILE: _____ TOOL PUSHER: _____

WORKING REPORT

No. 4

CONTRACTOR Socoma Inc.

RIG No. 4

Well 10-1-68
 Approved [Signature] Date 10-1-68

WORK RECORD 12-8 TOUR
 IN 1-HOLE
 BOTTOM + CIRC.
 145' 7" JAMMED
 IN CASE 15122L
 out
 V. Bluey
 75 VALV LINE
 7 COPE
 WITH NEW BIT
 TO BOTTOM
 6 3/4" RAI HOLE TO 8 3/4" 146L
 3/4" HOLE
 7 @ AM 6525
 CONTRACTOR'S TIME CO'S TIME

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	6525	6526	1	1/2	8 3/4"
REAMED	6523	6525	2		
CORED	6523	6525	2	2.60	
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	SIZE	TYPE	MAKE
61	STANDS 5713.52	27	2 1/2		
2	SINGLE 62.13		2 1/2		
23	D.C.V. 711.30		2 1/2		
	1203		2 1/2		
	145		2 1/2		
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	SIZE	TYPE	MAKE
61	STANDS 5713.52	27	2 1/2		
2	SINGLE 62.13		2 1/2		
23	D.C.V. 711.30		2 1/2		
	1203		2 1/2		
	145		2 1/2		
KELLY IN	25.00	FOOTAGE	2	1	
TOTAL	4.26	HRS.	2	1/2	
RAT HOLE TOP		COND.	AM	NEAR	

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	E. GILL	12
DERRICK	L. [Name]	12
MOTORMAN	[Name]	12
FLOORMAN	E. [Name]	12
FLOORMAN	[Name]	12
FIREMAN	[Name]	12

REMARKS AND INJURIES:

8-4 TOUR
 1/2" CRACK HYDRA
 HOLE
 OIL IN 3/4 FLOCK MOTOR
 CONTRACTOR'S TIME CO'S TIME

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED					
REAMED					
CORED					
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	SIZE	TYPE	MAKE
43	STANDS 4806.73	28	3 1/2		
	SINGLE		3 1/2		
23	D.C.V. 711.50		3 1/2		
	1203		3 1/2		
	145		3 1/2		
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	SIZE	TYPE	MAKE
43	STANDS 4806.73	28	3 1/2		
	SINGLE		3 1/2		
23	D.C.V. 711.50		3 1/2		
	1203		3 1/2		
	145		3 1/2		
KELLY IN	31.23	FOOTAGE	5	7	
TOTAL	65.23	HRS.	11	3/4	
RAT HOLE TOP		COND.	IN		

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	E. [Name]	12
DERRICK	[Name]	12
MOTORMAN	E. SCHACHER	12
FLOORMAN	D. [Name]	12
FLOORMAN	J. [Name]	12
FIREMAN	[Name]	12


REMARKS AND INJURIES:

4-12 TOUR
 LINE I
 LEASE
 CONTRACTOR'S TIME CO'S TIME

	FROM	TO	FOOTAGE	HRS.	SIZE
DRILLED	6545	6543	38	12 1/4	5 1/2"
REAMED					
CORED					
TALLY		BIT RECORD			
No.	LENGTH	BIT No.	SIZE	TYPE	MAKE
	STANDS				
	SINGLE				
	D.C.V.				
KELLY IN		FOOTAGE			
TOTAL		HRS.			
RAT HOLE TOP		COND.			

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER	[Name]	
DERRICK	[Name]	
MOTORMAN	[Name]	
FLOORMAN	[Name]	
FLOORMAN	[Name]	
FIREMAN	[Name]	

REMARKS AND INJURIES:



SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON T. WELL NAME & NO: Stn 41-N-26 CONTRACTOR: Socony Mobil Oil Co.

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	10.3	10.5	8	3	2 1/2	10	60	925	6-15	6 1/2	12:30	1:00	5 1/2	6 1/2	500' Killling 8 1/2" hole
4 A.M.					50	70	60	915							
6 A.M.	10.8	12.5	8	50	70	60	915								
8 A.M.	10.8	10.5	8	50	70										
LINER SIZE: <u>5 3/4</u> STROKE: <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____ 1000# WT. MAT. 200. SAS. 500# Q-BROXIN 10. SAS. 500# DEXTRIO 10. SAS.													Depth = 800' Am 64 72'		

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	DRILLER	CONTRACTOR'S TIME	COV. TIME
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
10 A.M.	10.8															
NOON	10.8	10.5	8	50												
2 P.M.																
4 P.M.																
LINER SIZE: <u>5 3/4</u> STROKE: <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____													BOP Tested _____ DRILLER: <u>E. Brite</u> CONTRACTOR'S TIME _____ COV. TIME _____			

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	DRILLER	CONTRACTOR'S TIME	COV. TIME
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
6 P.M.																
8 P.M.																
10 P.M.																
12 P.M.																
LINER SIZE: _____ STROKE: _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____													BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ COV. TIME _____			

CASING TESTED TO: _____ PSI. MIN. FORMATION TEST: _____ PSI. MIN. EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION: _____ GAL. BOILER FUEL CONSUMPTION: _____ GAL. WIRELINE TON MILE: _____ TOOL PUSHER: _____

OIL OF CANADA, LTD.

DATE _____

No. _____ DAILY TIME SHEET

REPORT

CONTRACTOR *Sweeney* RIG No. *4*
DRK RECORD 12-8 TOUR

No. *65*

Well *W. H. H. 41-N-26*
Sweeney APPROVED _____ DATE *JUNE 3-6*

800 AM 6472

DRILLED	REAMED	CORED	TALLY	BIT RECORD																												
4	1	0	<table border="1"> <tr><th>No.</th><th>LENGTH</th><th>BT No.</th></tr> <tr><td>41 STANDS</td><td>117.4</td><td>2</td></tr> <tr><td>1 SINGLE</td><td>31.07</td><td></td></tr> <tr><td>23 DC's</td><td>717.30</td><td></td></tr> <tr><td>Ham</td><td>403</td><td></td></tr> <tr><td>Size</td><td>165</td><td></td></tr> </table>	No.	LENGTH	BT No.	41 STANDS	117.4	2	1 SINGLE	31.07		23 DC's	717.30		Ham	403		Size	165		<table border="1"> <tr><th>SIZE</th><th>MAKE</th><th>TYPE</th><th>SERIAL</th><th>JET SIZE</th></tr> <tr><td>10 5/8</td><td>WALD</td><td>YHUB</td><td>24539</td><td>1 1/2</td></tr> </table>	SIZE	MAKE	TYPE	SERIAL	JET SIZE	10 5/8	WALD	YHUB	24539	1 1/2
No.	LENGTH	BT No.																														
41 STANDS	117.4	2																														
1 SINGLE	31.07																															
23 DC's	717.30																															
Ham	403																															
Size	165																															
SIZE	MAKE	TYPE	SERIAL	JET SIZE																												
10 5/8	WALD	YHUB	24539	1 1/2																												
KELLY IN _____			FOOTAGE <i>21</i>																													
TOTAL <i>4:55</i>			HRS. <i>6 1/2</i>																													
RATHOLE TOP _____			COND. <i>Run</i>																													

Tour 1	Midnite to 8 A.M.	Hrs.
DRILLER	<i>F. GARLE</i>	<i>12</i>
DERRICK	<i>L. BRITTON</i>	<i>12</i>
MOTORMAN	<i>L. CLEGG</i>	<i>12</i>
FLOORMAN	<i>G. NEWMAN</i>	<i>12</i>
FLOORMAN	<i>W. RYKS</i>	<i>12</i>
FIREMAN	<i>T. HOLTON</i>	<i>12</i>

REMARKS AND INJURIES

CONTRACTOR'S TIME _____ CO'S TIME _____ 8-4 TOUR

LE @ 1/2

BBL & SERVICE SAME GIVEN ON BBL

DRILLED	REAMED	CORED	TALLY	BIT RECORD																												
4	1	0	<table border="1"> <tr><th>No.</th><th>LENGTH</th><th>BT No.</th></tr> <tr><td>41 STANDS</td><td>573.34</td><td>24 47</td></tr> <tr><td>1 SINGLE</td><td>62.13</td><td></td></tr> <tr><td>23 DC's</td><td>717.30</td><td></td></tr> <tr><td>Ham</td><td>403</td><td></td></tr> <tr><td>Size</td><td>100</td><td></td></tr> </table>	No.	LENGTH	BT No.	41 STANDS	573.34	24 47	1 SINGLE	62.13		23 DC's	717.30		Ham	403		Size	100		<table border="1"> <tr><th>SIZE</th><th>MAKE</th><th>TYPE</th><th>SERIAL</th><th>JET SIZE</th></tr> <tr><td>8 7/8</td><td>WALD</td><td>YHUB</td><td>24539</td><td>1 1/2</td></tr> </table>	SIZE	MAKE	TYPE	SERIAL	JET SIZE	8 7/8	WALD	YHUB	24539	1 1/2
No.	LENGTH	BT No.																														
41 STANDS	573.34	24 47																														
1 SINGLE	62.13																															
23 DC's	717.30																															
Ham	403																															
Size	100																															
SIZE	MAKE	TYPE	SERIAL	JET SIZE																												
8 7/8	WALD	YHUB	24539	1 1/2																												
KELLY IN _____			FOOTAGE <i>21</i>																													
TOTAL <i>6:50</i>			HRS. <i>10 1/2</i>																													
RATHOLE TOP _____			COND. <i>Run</i>																													

Tour 2	8 A.M. to 4 P.M.	Hrs.
DRILLER	<i>E. BRITTON</i>	<i>12</i>
DERRICK	<i>H. L. CLIVEN</i>	<i>12</i>
MOTORMAN	<i>E. SCHUCHER</i>	<i>12</i>
FLOORMAN	<i>D. HEWITT</i>	<i>12</i>
FLOORMAN	<i>J. BUCHER</i>	<i>12</i>
FIREMAN		

REMARKS AND INJURIES

CONTRACTOR'S TIME _____ CO'S TIME _____ 4-12 TOUR

Time from Ground

DRILLED	REAMED	CORED	TALLY	BIT RECORD																												
4	1	0	<table border="1"> <tr><th>No.</th><th>LENGTH</th><th>BT No.</th></tr> <tr><td>STANDS</td><td></td><td></td></tr> <tr><td>SINGLE</td><td></td><td></td></tr> <tr><td>DC's</td><td></td><td></td></tr> <tr><td>Ham</td><td></td><td></td></tr> <tr><td>Size</td><td></td><td></td></tr> </table>	No.	LENGTH	BT No.	STANDS			SINGLE			DC's			Ham			Size			<table border="1"> <tr><th>SIZE</th><th>MAKE</th><th>TYPE</th><th>SERIAL</th><th>JET SIZE</th></tr> <tr><td></td><td></td><td></td><td></td><td></td></tr> </table>	SIZE	MAKE	TYPE	SERIAL	JET SIZE					
No.	LENGTH	BT No.																														
STANDS																																
SINGLE																																
DC's																																
Ham																																
Size																																
SIZE	MAKE	TYPE	SERIAL	JET SIZE																												
KELLY IN _____			FOOTAGE _____																													
TOTAL _____			HRS. _____																													
RATHOLE TOP _____			COND. _____																													

Tour 3	4 P.M. to Midnite	Hrs.
DRILLER		
DERRICK	<i>F. W. BELL</i>	<i>8</i>
MOTORMAN	<i>K. LONG</i>	<i>8</i>
FLOORMAN	<i>L. K. ...</i>	<i>8</i>
FLOORMAN		
FIREMAN		

REMARKS AND INJURIES

CONTRACTOR'S TIME _____ CO'S TIME _____

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER *Not used* APPROVED _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON T. WELL NAME & No: WHITE STONE N-20 CONTRACTOR: CONY DRILL

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.	103	78	61	32	70	60%	6475	63	12° 10'	10:30	10:44	11	Rig 2000 lbs & Ross. Drilling 2 1/2" hole. SURVEY @ 6475 HOIS FOR NEW BIT. HOLE TIGHT 17 STANDS. + DOUBLE OFF KOLTON. USE KELLY	
4 A.M.														
6 A.M.	103	78	61	32						10:45	12:00	14		
8 A.M.														
LINER SIZE: <u>5 1/4"</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____ BOP Tested: _____ DRILLER: <u>W. H. ...</u> CONTRACTOR'S TIME: _____ CO'S. TIME: _____														
10 A.M.										12° 4'	4	4	CIRC. 4 SINGLES OUT OF HOLE. HOLE VERY TIGHT. FINISH OUT OF HOLE SHAKER BLIND HEADS + MAKE UP NEW BIT. SERVICE HIG. RUN IN HOLE BRIDGING IN LAST 12 STANDS.	
NOON														
2 P.M.														
4 P.M.														
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ CLEANED SHAKER TANK. BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S. TIME: _____														
6 P.M.														
8 P.M.														
10 P.M.														
12 P.M.														
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____ BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S. TIME: _____														

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

BIL OIL OF CANADA, LTD.

DATE _____

No. _____ DAILY TIME SHEET

LOGGING REPORT

No. 647

Well W.D. 11-26

CONTRACTOR: Energy Drill Co.

RIG No. 41

Approved _____

Date JUNE 2

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

4.5 4 Rops.
2 1/2 Hole
6475
NEW BIT. HOLE TIGHT
+ DOUBLE OFF BOTTOM.

DRILLED 6116, 6404 97 10 1/4 8 3/8
REAMED
CORED

DRILLER F. GIBSON
DERRICK L. KRISTIAN 12
MOTORMAN L. CLEGG 12
FLOORMAN G. NEWMAN 12
FLOORMAN W. H. H. S. 12
FIREMAN J. McLEOD 12

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS 700 ft SIZE 8 3/8
SINGLE 3107 MAKE HT
D.C.'s 71930 TYPE Y.H.W.C.
SERIAL E34531
JET SIZE
FROM 6121
TO 6184
FOOTAGE 63
KELLY IN 14 0 HRS. 20 3/4
TOTAL 6184 HRS. 20 3/4
COND. 2 1/4

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

RATHOLE TOP

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

VALVES OUT OF HOLE.
TIGHT.
OF HOLE SHARK BLIND
UP NEW BIT.
BLE BENDING IN LAST 12

DRILLED
REAMED
CORED

DRILLER E. BRITAIN 12
DERRICK B. LORWEN 12
MOTORMAN E. SCHACHER 12
FLOORMAN D. HEWITT 12
FLOORMAN J. BUCHER 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 26
STANDS SIZE 8 3/8
SINGLE MAKE HT
D.C.'s TYPE Y.H.W.C.
SERIAL E34531
JET SIZE
FROM
TO
KELLY IN
FOOTAGE
TOTAL HRS.
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

RATHOLE TOP

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

1 1/2 Rops.
2 1/2 Hole

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN
FOOTAGE
TOTAL HRS.
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO's. TIME

RATHOLE TOP

MIN. EQUIPMENT FAILURES

TIME LOST

ON MILE TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON T. WELL NAME & No: WINE ST-12 Y.T. N-26 CONTRACTOR: SOCONY

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.					2085		60	700			12 ⁰⁰	12 ¹⁵	14	Rg SERVICES & Sops. 12 ⁰⁰ AM. 6' TO 8' HOLE FROM 6402 TO 6409 Drilling 8' HOLE. HOIST FOR NEW BIT HOLE TIGHT USE KELLY ON TIGHT LOGS. Run log 14 600' NEW BIT.	
4 A.M.	10330	66	32								12 ³⁰	12 ³⁰	3		
6 A.M.											12 ³⁰	10 ³⁰	2		
8 A.M.											10 ³⁰	12 ⁰⁰	1 1/2		
LINER SIZE: <u>5 3/4</u> STROKE <u>15'</u> MUD & CHEMICALS LBS. Added: <u>Water.</u> KIND:												BOP Tested: <u>Yes</u>	DRILLER: <u>77226</u>	CONTRACTOR'S TIME	CO'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.					570		60	400			12 ⁰⁰	12 ¹⁵	2	Run in hole w/o CLEAN 10' TIGHT SERVICE RIG DRY 8' HOLE	
NOON											12 ¹⁵	12 ³⁰	3		
2 P.M.											12 ³⁰	12 ⁴⁵	4		
4 P.M.											12 ⁴⁵	1 ⁰⁰	5		
LINER SIZE: <u>5 3/4</u> STROKE <u>12'</u> MUD & CHEMICALS LBS. Added: <u>Q-BROWN 1000</u> <u>CARBONOX 600</u> <u>CHAUSTIC 400</u> <u>WATER</u> KIND:												BOP Tested	DRILLER: <u>77226</u>	CONTRACTOR'S TIME	CO'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____												BOP Tested	DRILLER:	CONTRACTOR'S TIME	CO'S TIME

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

MOBIL OIL OF CANADA, LTD.

DATE JUNE 1 - 64

No. 63 DAILY TIME SHEET

DRILLING REPORT

No. 63

CONTRACTOR Socomy Alberta Oil RIG No. 4

Well WINDY MOUNT 01
WHITE STONE PT. No. 2
Approved _____ Date JUNE

WORK RECORD	12 - 8 TOUR	FROM		TO	FOOTAGE	HRS.	SIZE	Tour 1		
		Midnite to 8 A.M.						Hrs.		
2 <u>v Bops.</u> <u>TO 8 1/2" HOLE From 6402</u> <u>7 1/2" HOLE.</u> <u>NEW BIT HOLE TIGHT USE</u> <u>TIGHT SPOTS.</u> <u>WITH NEW BIT.</u>		DRILLED	<u>6409</u>	<u>6421</u>	<u>12</u>	<u>5</u>	<u>8 3/8</u>	DRILLER	<u>F. GABLE</u>	<u>12</u>
		REAMED	<u>6402</u>	<u>6409</u>	<u>7</u>	<u>3 1/2</u>	<u>8 3/8</u>	DERRICK	<u>L. BRITTON</u>	<u>12</u>
		CORED						MOTORMAN	<u>L. GLEGG</u>	<u>12</u>
								FLOORMAN	<u>D. BYRNE</u>	<u>12</u>
								FLOORMAN	<u>B. HELLMAN</u>	<u>12</u>
								FIREMAN	<u>J. HOLLAND</u>	<u>12</u>
TALLY								BIT RECORD		
No.	LENGTH	BIT No.								
<u>60</u>	<u>6410.00</u>	<u>2</u>								
	<u>43.21</u>	<u>6 3/8</u>								
		<u>REED</u>								
<u>23</u>	<u>719.00</u>	<u>4H46</u>								
	<u>403</u>	<u>54082</u>								
	<u>165</u>	<u>101</u>								
		<u>FROM 6409</u>								
		<u>TO 6421</u>								
		<u>FOOTAGE 12</u>								
		<u>HRS. 5</u>								
		<u>COND. 2.10</u>								
CONTRACTOR'S TIME	CO'S. TIME	RAT HOLE TOP								

REMARKS AND INJURIES:

WORK RECORD	8 - 4 TOUR	FROM		TO	FOOTAGE	HRS.	SIZE	Tour 2		
		8 A.M. to 4 P.M.						Hrs.		
<u>6 w/10"</u> <u>BIT. 8 1/2"</u>		DRILLED	<u>6421</u>	<u>6457</u>	<u>36</u>	<u>10 3/8</u>		DRILLER	<u>L. SHAW</u>	<u>12</u>
		REAMED						DERRICK	<u>R. L. ...</u>	<u>12</u>
		CORED						MOTORMAN	<u>L. SCHWARTZ</u>	<u>12</u>
								FLOORMAN	<u>D. H. ...</u>	<u>12</u>
								FLOORMAN	<u>L. ...</u>	<u>12</u>
								FIREMAN		<u>12</u>
TALLY								BIT RECORD		
No.	LENGTH	BIT No.								
<u>61</u>	<u>6715.71</u>	<u>8 3/8</u>								
		<u>REED</u>								
<u>25</u>	<u>2405</u>	<u>HWC</u>								
	<u>12.58</u>	<u>3500</u>								
		<u>FROM 6421</u>								
		<u>TO 6457</u>								
		<u>FOOTAGE 36</u>								
		<u>HRS. 10 1/2</u>								
		<u>COND. 1.10</u>								
CONTRACTOR'S TIME	CO'S. TIME	RAT HOLE TOP								

REMARKS AND INJURIES:

WORK RECORD	4 - 12 TOUR	FROM		TO	FOOTAGE	HRS.	SIZE	Tour 3		
		4 P.M. to Midnite						Hrs.		
		DRILLED						DRILLER	<u>E. B. BRITTON</u>	<u>6</u>
		REAMED						DERRICK		
		CORED						MOTORMAN		
								FLOORMAN		
								FLOORMAN		
								FIREMAN		
TALLY								BIT RECORD		
No.	LENGTH	BIT No.								
CONTRACTOR'S TIME	CO'S. TIME	RAT HOLE TOP								

REMARKS AND INJURIES:

MIN. EQUIPMENT FAILURES TIME LOST

___ TON MILE TOOL PUSHER: APPROVED: CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON T. WELL NAME & No: WHITE STONE, Y.T. N-26 CONTRACTOR: SOCONY MOBIL

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-3 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.					50		60	70			12:00	1:15	1 1/4	Drilling 8 5/8" HOLE	
4 A.M.					5	50	50	150			1:15	2:30	1 1/4	Rig SERVICES.	
6 A.M.	1031076		3	10	60	50	150				2:30	3:45	2 1/4	HOIST TO CORE @ 6400	
8 A.M.	13976		1	15	80	50	150				3:45	4:00	2	DISK UP CORE BARREL.	
											4:00	6:00	2	TRIP IN WITH CORE BARREL.	
											6:00	6:15	1 1/4	CLEAN 7' TO BOTTOM.	
											6:15	12:00	5 1/4	CORING CORE N° 6 FROM 6400 TO 6404	
														4 FT. 5 3/4 HAS.	
LBS. Added: <u>400</u> KIND: <u>CESTRIN</u>															
MUD & CHEMICALS															
BOP Tested: <u>yes</u> DRILLER: <u>W. Hable</u> CONTRACTOR'S TIME: CO'S TIME:															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.					15	26	50	100			12:00	1:30	2	SUTTONS LINE BL	
NOON					2	5	50	100			1:30	2:43	1	PULLED OUT LINE	
2 P.M.											2:43	4:10	1 1/2	ALL WORK C.S.E	
4 P.M.											4:10	4:55	1/2	WORK IN LINE	
											4:55	5:11	1/4	WORK IN LINE	
											5:11	5:22	1/2	READING & WORK IN S.S.	
LBS. Added: <u>5</u> KIND: <u>3/4</u> STROKE: <u>1</u>															
MUD & CHEMICALS															
BOP Tested: DRILLER: <u>W. Hable</u> CONTRACTOR'S TIME: CO'S TIME:															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LBS. Added: KIND: LBS. ON HAND:															
MUD & CHEMICALS															
BOP Tested: DRILLER: CONTRACTOR'S TIME: CO'S TIME:															

CASING TESTED TO: PSI. MIN. FORMATION TESTED: PSI. MIN. EQUIPMENT FAILURES:
 RIG FUEL CONSUMPTION: ALS BOILER FUEL CONSUMPTION: GALS WIRELINE TON MILE TOOL PUSHER:

MOBIL OIL OF CANADA, LTD.

DATE May 31 - 62

No. 62 DAILY TIME SHEET

DRILLING REPORT

No. 62

Well WHITE SIDNE ST. No. 1
MOBIL YUKON

CONTRACTOR SECONY MOBIL OIL

RIG No. 4

Approved _____ Date May

WORK RECORD 12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

8 5/8" HOLE
CORE @ 6400
CORE BARREL
WITH CORE BARREL
TO BOTTOM
N° 6 FROM 6400 TO 6404
has.

DRILLED 6377 6410 1 1 1/4 5 3/4
REAMED
CORED 6400 6404 4 5 3/4 6 1/2
TALLY BIT RECORD
No. LENGTH BIT No. 23 CORE
STANDS 5 1/2 83 SIZE 8 5/8 6 1/4
1 SINGLE 3 1/2 60 MAKE KODAK 100 1/4
23 D.C.'s 7 1/2 130 TYPE 117 4
REM. 4 83 SERIAL 346773332
SERS. 165 JET SIZE 3-3/4 R.R.
FROM 6377 6400
TO 6400 6404
FOOTAGE 29 4
KELLY IN 2500 HRS. 2 1/4 5 1/4
TOTAL 6410 COND. 1 1/4 Rust

DRILLER F. GABLE 12
DERRICK L. BRITTON 12
MOTORMAN L. CLEGG 12
FLOORMAN G. NEWBORN 12
FLOORMAN W. RYKS 12
FIREMAN J. HOLTOM 12

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO's. TIME

RAT HOLE TOP

Tour 2 8 A.M. to 4 P.M. Hrs.

8 - 4 TOUR

DRILLED
REAMED
CORED
TALLY BIT RECORD
No. LENGTH BIT No. 1 24
STANDS 5 1/2 83 SIZE 6 5/8 5 3/4
1 SINGLE 1 1/2 MAKE KODAK 100 1/4
23 D.C.'s 1 1/2 130 TYPE 117 4
SERIAL 346773332
JET SIZE 2 R
FROM 6400 6404
TO 6404 6404
FOOTAGE 4
KELLY IN HRS. 1 1/2
TOTAL 6402 COND. 1 1/2

DRILLER W. SAWHUT 12
DERRICK R. SEWELL 12
MOTORMAN I. SCHWARTZ 12
FLOORMAN L. HEWITT 12
FLOORMAN I. BURGER 12
FIREMAN

REMARKS AND INJURIES:

CONTRACTOR'S TIME CO's. TIME


RAT HOLE TOP

Tour 3 4 P.M. to Midnite Hrs.

4 - 12 TOUR

DRILLED
REAMED
CORED
TALLY BIT RECORD
No. LENGTH BIT No.
STANDS
SINGLE
D.C.'s
KELLY IN
TOTAL
RAT HOLE TOP

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN



MIN. EQUIPMENT FAILURES TIME LOST
TWO TON MILE TOOL PUSHER: _____ APPROVED: _____ CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON T. WELL NAME & NUMBER: SINCE Y.T.N-26 CONTRACTOR: SOCONY MOBIL

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.															
4 A.M.	104	625	20	35										Clear cut 15 FEET	
6 A.M.	170	675	25	40	60	900								Drilling 8 1/2" hole	
8 A.M.	103	56													
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u>															
MUD & CHEMICALS															
LBS. Added															
2000# GEL															
500# BROXIN															
350# DEXTRID															
50# DRISCOSE															
200# CAUSTIC															
WATER.															
BOP Tested												DRILLER: <u>W. G. G. G.</u>		CONTRACTOR'S TIME	CO'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	103	56													
NOON	103	54			50	60	900							DRILL 8 1/2" hole	
2 P.M.	103	55												DRILL 8 1/2" hole	
4 P.M.															
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u>															
MUD & CHEMICALS															
LBS. Added															
250# BROXIN															
100# DEXTRID															
BOP Tested												DRILLER: <u>W. G. G. G.</u>		CONTRACTOR'S TIME	CO'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE:												STROKE			
MUD & CHEMICALS															
LBS. Added												KIND		LBS.	ON HAND
BOP Tested												DRILLER:		CONTRACTOR'S TIME	CO'S TIME

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

BIL OIL OF CANADA, LTD.

DATE May 30 - 64

WELL WELLS DAILY TIME SHEET 376

LOGGING REPORT

CONTRACTOR SOCONY MOBIL OIL

RIG No. 44

WELL WELLS

WELL WELLS STAGE Y.T. 14-2
SOCONY MOBIL OIL

Approved _____ Date May 3

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

11.70 15 FEET
11.06

DRILLED 6371 6383 12.84 8 7/8
REAMED
CORED

DRILLER F. GABLE 12
DERRICK L. BRATTIN 12
MOTORMAN L. GLEGG 12
FLOORMAN G. NEWMAN 12
FLOORMAN W. RYKS 10
FIREMAN J. HOLLAND 12

TALLY BIT RECORD

No. LENGTH BIT No. 23
STANDS 11132 SIZE 8 7/8
SINGLE MAKE HTC
D.C.'s 71930 TYPE R.61A5
9271 1183 SERIAL 24877
Sus 165 JET SIZE 3-3/4
FROM 6371
TO 6383
KELLY IN 370 FOOTAGE
TOTAL 4363 HRS. 11
RAT HOLE TOP COND. fair

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED 6383 63 2.85
REAMED
CORED

DRILLER A. SANDER 12
DERRICK A. HOLLAND 12
MOTORMAN L. SCHNEIDER 12
FLOORMAN A. NEWMAN 12
FLOORMAN T. BRATTIN 12
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 23
STANDS 11183 SIZE 8 7/8
SINGLE MAKE HTC
D.C.'s 11183 TYPE R.61A5
SERIAL 24877
JET SIZE 3-3/4
FROM 6383
TO
KELLY IN FOOTAGE
TOTAL HRS. 7
RAT HOLE TOP COND. 7

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

11.10 11.05 EDMUND

DRILLED
REAMED
CORED

DRILLER Wm. HOLLAND 8
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

MIN. EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER: Edmund

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon WELL NAME & No. WHITE STAR 41026 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	T										1220	1430	1/2	WORK ON #1 BIT	
4 A.M.	R										1230	1430	3.	TRIP OUT RUNNING - 23570' END	
6 A.M.											1230	1430	3/4	CHINA TAIL 11 370' - 8 3/4" NO. 402 IN BTM.	
8 A.M.	P										1240	1430	1/4	CIRC. IN TEST	
											1240	1430	1/4	TRIP OUT W/ 10' BIT & 2 1/2" DIA	
											1240	1430	1/4	PUMP UP - FILLER MAKE UP SIMILAR	
											1240	1430	1/4	TRIP IN BY PUMP	
											1240	1430	1/4	TESTING	
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: <u>W. Jigger</u>	CONTRACTOR'S TIME	CO'S. TIME
MUD & CHEMICALS											BOP Tested		DRILLER: _____	CONTRACTOR'S TIME	CO'S. TIME
LBS. Added: _____ KIND _____											BOP Tested		DRILLER: _____	CONTRACTOR'S TIME	CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: <u>W. Jigger</u>	CONTRACTOR'S TIME	CO'S. TIME
MUD & CHEMICALS											BOP Tested		DRILLER: _____	CONTRACTOR'S TIME	CO'S. TIME
LBS. Added: _____ KIND _____											BOP Tested		DRILLER: _____	CONTRACTOR'S TIME	CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____											BOP Tested		DRILLER: <u>W. Jigger</u>	CONTRACTOR'S TIME	CO'S. TIME
MUD & CHEMICALS											BOP Tested		DRILLER: _____	CONTRACTOR'S TIME	CO'S. TIME
LBS. Added: _____ KIND _____											BOP Tested		DRILLER: _____	CONTRACTOR'S TIME	CO'S. TIME
											BOP Tested		DRILLER: _____	CONTRACTOR'S TIME	CO'S. TIME

TEST #2 - 6350' - 1211
 1 - 1211
 10 - 1200
 1 - 6000
 Show 2nd hole - Good on 100' in
 Pro. 225' slightly modified mud
 SIP - 2032 - 1636
 FP - 192 - 270 Rec 225' mud.
 Hy Hd. 5550 3416
 DRILLER: _____ CONTRACTOR'S TIME _____ CO'S. TIME _____

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: W. Jigger

LOGGING REPORT

No. 66

CONTRACTOR

RIG No. 3-17-4

Approved _____

Date _____

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

*BMD
BY 2 1/2 HRS. KENT ON 23 STD. OUT
3 TO 4 1/2 BTM. NO FILL IN BTM.*

DRILLED
REAMED
CORED

DRILLER *Wm. F. G. 12*
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

*ALL WITH
KELLY MAKE UP
PACERS*

No. LENGTH STANDS SINGLE D.C.'s

BIT No. 21
SIZE 7 1/2
MAKE ROD
TYPE YHWC
SERIAL 82418
JET SIZE
FROM
TO FLYING BIT
FOOTAGE
HRS.
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

RAT HOLE TOP

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

...

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

...

No. LENGTH STANDS SINGLE D.C.'s

BIT No.
SIZE
MAKE
TYPE
SERIAL
JET SIZE
FROM
TO
FOOTAGE
HRS.
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

RAT HOLE TOP

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

...

DRILLED
REAMED
CORED

DRILLER *F. G. 8*
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

...

No. LENGTH STANDS SINGLE D.C.'s

BIT No.
SIZE
MAKE
TYPE
SERIAL
JET SIZE
FROM
TO
FOOTAGE
HRS.
COND.

REMARKS AND INJURIES:

...

CONTRACTOR'S TIME

CO'S TIME

RAT HOLE TOP

MIN.

EQUIPMENT FAILURES

TIME LOST


ON MILE

TOOL PUSHER: *S. Borden*

APPROVED:

CALGARY OFFICE

WELL SHWM WHITE TOWER #1 TEST No. Two



Laid Down	
Down on Kelly	<u>27.30</u>
	<u>101.07</u>
	<u>128.07</u>
Total Picked Up Test Tool	<u>18.10</u>
128.07	<u>62.50</u>
	<u>30.46</u>
	<u>10.25</u>
Total	
Picked Up	<u>151.11</u>
Laid Down	<u>128.07</u>
Feet up on bottom	<u>23.11</u>

Type Test Tool WIRELINE

Type and Size of Packers 3 Conv

Jars 2000 LB

WELL SHWM
TESTING COMPANY
HOLE DATA:

1 7/8 " casing to
5 7/8 " hole to
" hole from

MUD: Viscosity
TEST DATA:

Started in 2
On bottom 11
Tool open 2
Gas to surface
Mud level dropped?
PIPE RECOVERY:
Mud 25
Oil

SAMPLE DATA:

Gas Sampled _____ at _____ psi. container pressure
Oil sample taken _____ ft. and _____ ft. above packer
Water sample taken _____ ft. above packer
Disposal of samples _____

REMARKS:

NOISE CAUSE - 13' gas in bottom
DRIPPED - 20' and caused to bottom

Flow Test
VSI - 450 psi - 120' - 145'
VO - 120' - 250' - 270'
FSI - 25' - 50' - 100'

Start Air Blow - Need after 10 min

GAS FLOW:
Time _____ Ri
PRESSURES:
FBHP from 112
SIBHP from 3013
Hydrostatic head 500

SOCONY MOBIL OIL OF CANADA, LTD.
 DRILL STEM TEST REPORT

3-37

Two

No. Two
~~One~~

27.00
 01.07
 18.07
 18.10
 62.50
 10.96
 10.35

WELL SMU 11 DNRIF-Tool # 1 DATE May 29/60
 TESTING COMPANY Mobil Tools OPERATOR W. Lindquist

HOLE DATA:

1 7/8 " casing to 1018 ft. Interval tested 6250 ft. to 6371 ft.
8 5/8 " hole to 6371 ft. Formation tested Shale
 " hole from _____ ft. to _____ ft. Formation top _____ ft.

MUD: Viscosity 100 secs. Weight _____ lbs./gal. W/L 5 cc/30 min.

TEST DATA:

151.71
 18.07
 23.71

Started in 8:00 (A.M.) Oil to surface _____
 On bottom 11:50 (P.M.) Shut in 4:30
 Tool open 11:50 Pulled Loose 1:00 2nd
 Gas to surface _____ Out of hole _____
 Mud level dropped? 3 FT.

PIPE RECOVERY:


Mud 295 Water 1100 p.p.m. NaCl
 Oil _____ Gravity _____ °API at 60°F Shake out _____

GAS FLOW:

Time	Riser O.D. (ins.)	Side Pressure (psi.)	Pilot Differential (Inches Hg/H2O)	Flow Rate (MCF/day)

PRESSURES:

FBHP from 102 psi. to 270 psi.
 SIBHP from 2013 psi. to 1636 psi.
 Hydrostatic head 250 psi. Choke size 3/16 ins.



Engineer

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Yukon*

WELL NAME & No. *WILKES 1st 11-224* CONTRACTOR?

12-8 TOUR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.	<i>10.4</i>	<i>300</i>												<i>11:00</i>
4 A.M.														<i>11:00</i>
6 A.M.	<i>10.4</i>	<i>300</i>												<i>11:00</i>
8 A.M.														<i>11:00</i>
LINER SIZE: <i>5 3/4</i> STROKE <i>17</i>														
MUD & CHEMICALS														
LBS. Added: _____ KIND _____														
BOP Tested _____ DRILLER: <i>Tom</i> CONTRACTOR'S TIME _____ CO'S. TIME _____														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.						<i>10</i>	<i>1400</i>			<i>10:00</i>	<i>10:00</i>	<i>23</i>	<i>10:00</i>	<i>10:00</i>
NOON										<i>10:00</i>	<i>10:00</i>	<i>23</i>	<i>10:00</i>	<i>10:00</i>
2 P.M.										<i>10:00</i>	<i>10:00</i>	<i>23</i>	<i>10:00</i>	<i>10:00</i>
4 P.M.										<i>10:00</i>	<i>10:00</i>	<i>23</i>	<i>10:00</i>	<i>10:00</i>
LINER SIZE: <i>5 3/4</i> STROKE <i>15</i>														
MUD & CHEMICALS														
LBS. Added: _____ KIND _____														
BOP Tested _____ DRILLER: <i>Tom</i> CONTRACTOR'S TIME _____ CO'S. TIME _____														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														<i>10:00</i>
8 P.M.														<i>10:00</i>
10 P.M.														<i>10:00</i>
12 P.M.														<i>10:00</i>
LINER SIZE: _____ STROKE _____														
MUD & CHEMICALS														
LBS. Added: _____ KIND _____ LBS. ON HAND _____														
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S. TIME _____														

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

BILLING REPORT

No. 59

CONTRACTOR

RIG No. S.P.M. 4.

Approved _____

Date _____

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED

DRILLER Wm. PRIGER 12

REAMED

DERRICK A. DRITMAN 12

CORED

MOTORMAN 2147 12

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C.'s

TYPE

SERIAL

JET SIZE

FROM

TO

KELLY IN

FOOTAGE

TOTAL

HRS.

RAT HOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED

DRILLER W. S. HALL 12

REAMED

DERRICK A. DRITMAN 12

CORED

MOTORMAN 2147 12

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C.'s

TYPE

SERIAL

JET SIZE

FROM

TO

KELLY IN

FOOTAGE

TOTAL

HRS.

RAT HOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED

DRILLER

REAMED

DERRICK

CORED

MOTORMAN

TALLY

BIT RECORD

No.

LENGTH

BIT No.

STANDS

SIZE

SINGLE

MAKE

D.C.'s

TYPE

SERIAL

JET SIZE

FROM

TO

KELLY IN

FOOTAGE

TOTAL

HRS.

RAT HOLE TOP

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

MIN. EQUIPMENT FAILURES TIME LOST

TON MILE TOOL PUSHER: 1200 APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON WELL NAME & No: WHITELI SILENT YI 26 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	16.5	115	1 3/4	4	70					1210	100	1	PICK UP & MAKE UP OF UDR. SER. RIG TRIP IN OF CORE BIT BREAK CORE SO IN CELLIN HALL HELI HALL IN. PUMPED SMALL CORE CORE 1' 1/2' UDR. CUT CORE 5'.		
4 A.M.										1115	330	2 1/2			
6 A.M.										1100	400	1/2			
8 A.M.										1100	1/2	1/4			
LINER SIZE: <u>5 3/4</u> STROKE <u>15</u>															
MUD & CHEMICALS LBS. Added: KIND															
BOP Tested												DRILLER: <u>[Signature]</u>	CONTRACTOR'S TIME	CO'S TIME	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.					70										
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: <u>5 3/8</u> STROKE <u>15</u>															
MUD & CHEMICALS LBS. Added: KIND															
BOP Tested												DRILLER: <u>[Signature]</u>	CONTRACTOR'S TIME	CO'S TIME	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: STROKE															
MUD & CHEMICALS LBS. Added: KIND LBS. ON HAND															
BOP Tested												DRILLER:	CONTRACTOR'S TIME	CO'S TIME	

CASING TESTED TO: PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES

RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER: [Signature]

OBIL OIL OF CANADA, LTD.

DATE 11/21/11

No. _____ DAILY TIME SHEET

DRILLING REPORT

No. 59

CONTRACTOR

RIG No. 504

Approved

Date

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1

Midnite to 8 A.M.

Hrs.

MIKE 1, CURT DBA.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

Wm. P. RICE
L. BRISTOL
L. CHYR
M. NEWTON
M. F. YK.
J. H. TERT

1 CURT BIT
150 FT. CLEAN HILL
1 1/2" DIAMETER SINGLE CIRC
BIT
5.

TALLY BIT RECORD

No. LENGTH BIT No. 20
STANDS 59 SIZE 2 1/2"
SINGLE 82 MAKE
D.C.'s 711.21 TYPE
SERIAL 4650
JET SIZE
FROM 6363
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2

8 A.M. to 4 P.M.

Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

W. SHAW
R. L. ...
S. ...
H. ...
B. ...

TALLY BIT RECORD

No. LENGTH BIT No. 2
STANDS
SINGLE
D.C.'s
SERIAL
JET SIZE
FROM 6363
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3

4 P.M. to Midnite

Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE
D.C.'s
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

MIN.

EQUIPMENT FAILURES

TIME LOST

NE TON MILE

TOOL PUSHER: 1-2-6

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON WELL NAME & No. WHITE STONE CONTRACTOR _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR					
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.										
2 A.M.	10.4	30	2.8	32							2:00	2:45	3/4	REAM 6" IN 1/4 MIN. DOWN 1'						
4 A.M.											2:45	3:15	2	CIRC. 10'						
6 A.M.											3:15	3:30	2 1/4	TRIP OUT. STIRRED UP MUD. 10' IN 1/4 MIN. DOWN 1'						
8 A.M.											3:30	4:00	2 1/4	TRIP IN. UP 10' IN 1/4 MIN. DOWN 1'						
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____													BOP Tested _____		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S. TIME _____	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR					
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.										
10 A.M.											4:00	4:45	3	TRIP OUT. STIRRED UP MUD. 10' IN 1/4 MIN. DOWN 1'						
NOON											4:45	5:00	1	TRIP OUT. STIRRED UP MUD. 10' IN 1/4 MIN. DOWN 1'						
2 P.M.											5:00	5:30	2	REAM 4" IN 1/4 MIN. DOWN 1'						
4 P.M.											5:30	6:00	3 1/4	REAM 4" IN 1/4 MIN. DOWN 1'						
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____													BOP Tested _____		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S. TIME _____	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR					
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.										
6 P.M.																				
8 P.M.																				
10 P.M.																				
12 P.M.																				
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. ON HAND _____													BOP Tested _____		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S. TIME _____	

LOT #1 - 6351-6352.
 Available to us part day by 4700'

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

MOBIL OIL OF CANADA, LTD.

DATE May 26/64

No. _____ DAILY TIME SHEET

DRILLING REPORT

No. 27

Well _____

CONTRACTOR _____

RIG No. 21111

Approved _____

Date _____

WORK RECORD	12 - 8 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 1	Midnite to 8 A.M.	Hrs.
<i>1 1/2" Hole DASH 1'</i>							DRILLER <i>Wm. ...</i>		
<i>Time spent ...</i>							DERRICK <i>G. B...</i>		
<i>PH ...</i>							MOTORMAN <i>A. ...</i>		
							FLOORMAN <i>E. ...</i>		
							FLOORMAN <i>W. ...</i>		
							FIREMAN <i>J. ...</i>		
							REMARKS AND INJURIES:		
CONTRACTOR'S TIME	CO's TIME								

WORK RECORD	8 - 4 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 2	8 A.M. to 4 P.M.	Hrs.
<i>1 1/2" Hole</i>							DRILLER <i>Wm. ...</i>		
<i>1 1/2" Hole</i>							DERRICK <i>A. ...</i>		
<i>1 1/2" Hole</i>							MOTORMAN <i>A. ...</i>		
<i>1 1/2" Hole</i>							FLOORMAN <i>E. ...</i>		
<i>1 1/2" Hole</i>							FLOORMAN <i>W. ...</i>		
<i>1 1/2" Hole</i>							FIREMAN		
							REMARKS AND INJURIES:		
CONTRACTOR'S TIME	CO's TIME								

WORK RECORD	4 - 12 TOUR	FROM	TO	FOOTAGE	HRS.	SIZE	Tour 3	4 P.M. to Midnite	Hrs.
<i>6351-6363</i>							DRILLER		
<i>to 4 1/2" part day log 4700'</i>							DERRICK		
							MOTORMAN		
							FLOORMAN		
							FLOORMAN		
							FIREMAN		
							REMARKS AND INJURIES:		
CONTRACTOR'S TIME	CO's TIME								

SI. MIN. EQUIPMENT FAILURES TIME LOST
 LINE TON MILE TOOL PUSHER: *J. ...* APPROVED: _____ CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: 56 Yukon WELL NAME & No. WHITE STAR 4-206 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.														<p><i>Handwritten notes:</i> 2:00 AM - 2:30 AM 4:00 AM - 4:30 AM 6:00 AM - 6:30 AM 8:00 AM - 8:30 AM ... BOP Tested <input checked="" type="checkbox"/></p>	
4 A.M.															
6 A.M.															
8 A.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____											BOP Tested <input checked="" type="checkbox"/>		DRILLER: <u>Tom Foy</u>	CONTRACTOR'S TIME	CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	10.4	55	5.8	32	20	83	5	100						<p><i>Handwritten notes:</i> ... BOP Tested <input checked="" type="checkbox"/></p>	
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: <u>6 1/2</u> STROKE <u>13</u> MUD & CHEMICALS LBS. Added: _____ KIND _____											BOP Tested <input checked="" type="checkbox"/>		DRILLER: <u>Tom Foy</u>	CONTRACTOR'S TIME	CO'S. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.														<p><i>Handwritten notes:</i> ... BOP Tested <input checked="" type="checkbox"/></p>	
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. ON HAND _____											BOP Tested <input checked="" type="checkbox"/>		DRILLER: _____	CONTRACTOR'S TIME	CO'S. TIME

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____
 FOOL PUSHER: _____

ILLING REPORT

No. 26

CONTRACTOR

RIG No. S.M. 4

Approved _____

Date _____

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

Handwritten notes:
 24
 1000 BBL. CAPTURE
 DRAWN
 1000 BBL. CAPTURE
 2000 BBL. CAPTURE
 3000 BBL. CAPTURE
 4000 BBL. CAPTURE
 5000 BBL. CAPTURE
 6000 BBL. CAPTURE
 7000 BBL. CAPTURE
 8000 BBL. CAPTURE
 9000 BBL. CAPTURE
 10000 BBL. CAPTURE

DRILLED
REAMED
CORED

TALLY

BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS.	COND.
1	10	1	2 1/2	W	W	1000	1/2	0	10	10	1	1
2	10	2	2 1/2	W	W	1000	1/2	10	20	20	1	1
3	10	3	2 1/2	W	W	1000	1/2	20	30	30	1	1
4	10	4	2 1/2	W	W	1000	1/2	30	40	40	1	1
5	10	5	2 1/2	W	W	1000	1/2	40	50	50	1	1
6	10	6	2 1/2	W	W	1000	1/2	50	60	60	1	1
7	10	7	2 1/2	W	W	1000	1/2	60	70	70	1	1
8	10	8	2 1/2	W	W	1000	1/2	70	80	80	1	1
9	10	9	2 1/2	W	W	1000	1/2	80	90	90	1	1
10	10	10	2 1/2	W	W	1000	1/2	90	100	100	1	1
KELLY IN											30	
TOTAL												7
RAT HOLE TOP												1

DRILLER W. K. Kelly 12
 DERRICK W. K. Kelly 12
 MOTORMAN W. K. Kelly 12
 FLOORMAN W. K. Kelly 12
 FLOORMAN W. K. Kelly 12
 FIREMAN W. K. Kelly 12

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

Handwritten notes:
 1000 BBL. CAPTURE
 2000 BBL. CAPTURE
 3000 BBL. CAPTURE
 4000 BBL. CAPTURE
 5000 BBL. CAPTURE
 6000 BBL. CAPTURE
 7000 BBL. CAPTURE
 8000 BBL. CAPTURE
 9000 BBL. CAPTURE
 10000 BBL. CAPTURE

DRILLED
REAMED
CORED

TALLY

BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS.	COND.
1	10	1	2 1/2	W	W	1000	1/2	0	10	10	1	1
2	10	2	2 1/2	W	W	1000	1/2	10	20	20	1	1
3	10	3	2 1/2	W	W	1000	1/2	20	30	30	1	1
4	10	4	2 1/2	W	W	1000	1/2	30	40	40	1	1
5	10	5	2 1/2	W	W	1000	1/2	40	50	50	1	1
6	10	6	2 1/2	W	W	1000	1/2	50	60	60	1	1
7	10	7	2 1/2	W	W	1000	1/2	60	70	70	1	1
8	10	8	2 1/2	W	W	1000	1/2	70	80	80	1	1
9	10	9	2 1/2	W	W	1000	1/2	80	90	90	1	1
10	10	10	2 1/2	W	W	1000	1/2	90	100	100	1	1
KELLY IN											30	
TOTAL												7
RAT HOLE TOP												1

DRILLER W. K. Kelly 12
 DERRICK W. K. Kelly 12
 MOTORMAN W. K. Kelly 12
 FLOORMAN W. K. Kelly 12
 FLOORMAN W. K. Kelly 12
 FIREMAN W. K. Kelly 12

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

Handwritten notes:
 1000 BBL. CAPTURE
 2000 BBL. CAPTURE
 3000 BBL. CAPTURE
 4000 BBL. CAPTURE
 5000 BBL. CAPTURE
 6000 BBL. CAPTURE
 7000 BBL. CAPTURE
 8000 BBL. CAPTURE
 9000 BBL. CAPTURE
 10000 BBL. CAPTURE

DRILLED
REAMED
CORED

TALLY

BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS.	COND.
1	10	1	2 1/2	W	W	1000	1/2	0	10	10	1	1
2	10	2	2 1/2	W	W	1000	1/2	10	20	20	1	1
3	10	3	2 1/2	W	W	1000	1/2	20	30	30	1	1
4	10	4	2 1/2	W	W	1000	1/2	30	40	40	1	1
5	10	5	2 1/2	W	W	1000	1/2	40	50	50	1	1
6	10	6	2 1/2	W	W	1000	1/2	50	60	60	1	1
7	10	7	2 1/2	W	W	1000	1/2	60	70	70	1	1
8	10	8	2 1/2	W	W	1000	1/2	70	80	80	1	1
9	10	9	2 1/2	W	W	1000	1/2	80	90	90	1	1
10	10	10	2 1/2	W	W	1000	1/2	90	100	100	1	1
KELLY IN											30	
TOTAL												7
RAT HOLE TOP												1

DRILLER
 DERRICK
 MOTORMAN
 FLOORMAN
 FLOORMAN
 FIREMAN

REMARKS AND INJURIES:

MIN.

EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER: [Signature]

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON

WELL NAME & No. WHITE STAR VI YINZI CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	4.0	200	53	3.2	70	31	150								
4 A.M.															
6 A.M.	4.2	200	53												
8 A.M.															
LINER SIZE: <u>6 1/2</u> STROKE <u>13"</u> MUD & CHEMICALS LBS. Added: _____ KIND: <u>WATER 7"</u>															
BOP Tested _____ DRILLER: <u>W. J. ...</u> CONTRACTOR'S TIME _____ CO'S. TIME _____															
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	10.4	200	6.0	3.2	70	31	150								
NOON															
2 P.M.															
4 P.M.	10.4	200													
LINER SIZE: <u>6 1/2</u> STROKE <u>13"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____															
BOP Tested _____ DRILLER: <u>W. J. ...</u> CONTRACTOR'S TIME _____ CO'S. TIME _____															
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____															
BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S. TIME _____															

CASING TESTED TO:

PSI. MIN.

FORMATION TESTED

PSI. MIN.

EQUIPMENT FAILURES

RIG FUEL CONSUMPTION

GALS

BOILER FUEL CONSUMPTION

GALS

WIRELINE TON MILE

TOOL PUSHER:

MOBIL OIL OF CANADA, LTD.

DATE 2/19/64

No. _____ DAILY TIME SHEET 135

WORKING REPORT

Well No. 22ND 77 No 6

CONTRACTOR

No. 55

RIG No. 514 4

Approved _____ Date _____

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED
REAMED
CORED

DRILLER Wm. KRYGER 12
DERRICK A. BRISTIAN 12
MOTORMAN J. CLEGG 12
FLOORMAN G. NEWMAN 12
FLOORMAN W. RYKO 12
FIREMAN J. HOLT 12

TALLY BIT RECORD

No. LENGTH BIT No. 23
STANDS 5 25.00 SIZE 6 1/4
SINGLE 2 6.00 MAKE H. WOOD
D.C.'s 1 1.00 TYPE 4
1 1.00 SERIAL 4352
1 1.00 JET SIZE 1/2
27 14 FROM 4355
TO 4360
KELLY IN 25 FOOTAGE 5
TOTAL 1360 HRS. 11
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED
REAMED
CORED

DRILLER W. S. ...
DERRICK A. ...
MOTORMAN J. ...
FLOORMAN D. ...
FLOORMAN J. ...
FIREMAN J. ...

TALLY BIT RECORD

No. LENGTH BIT No. 23
STANDS 4 25.00 SIZE 6 1/4
SINGLE 2 6.00 MAKE H. WOOD
D.C.'s 1 1.00 TYPE 4
SERIAL 4352
JET SIZE 1/2
FROM TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

MIN. EQUIPMENT FAILURES

TIME LOST

TON MILE TOOL PUSHER: _____

APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: _____ WELL NAME & No. _____ CONTRACTOR _____

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12 - 8 TOUR	
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.							
2 A.M.	10.9	245	53	3/2	60	32	900										
4 A.M.	10.7	245	11														
6 A.M.	10.7	250															
8 A.M.																	
LINER SIZE: <u>6 1/2</u> STROKE <u>13</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____																	
BOP Tested												DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8 - 4 TOUR	
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.							
10 A.M.					15	60	25	850									
NOON																	
2 P.M.	10.4	252	3/2														
4 P.M.	10.4	ROD															
LINER SIZE: <u>6 1/2</u> STROKE <u>13</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____																	
BOP Tested												DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4 - 12 TOUR	
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.							
6 P.M.																	
8 P.M.																	
10 P.M.																	
12 P.M.																	
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____																	
BOP Tested												DRILLER:		CONTRACTOR'S TIME		CO'S. TIME	

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

BIL OIL OF CANADA, LTD.

DATE 11/23/64

No. _____ DAILY TIME SHEET

LOGGING REPORT

No. 54

Well _____

CONTRACTOR _____

RIG No. _____

Approved _____

Date _____

WORK RECORD

12 - 8 TOUR

FROM _____ TO _____ FOOTAGE _____ HRS. _____ SIZE _____

Tour 1 Midnite to 8 A.M. Hrs. _____

DRILLED 6452
REAMED
CORED

DRILLER Wm. KAYLER 12
DERRICK B...
MOTORMAN L. CLEGG 12
FLOORMAN C...
FLOORMAN R. A. P...
FIREMAN J. H. K...

TALLY BIT RECORD

No. _____ LENGTH _____ BIT No. 22
STANDS 19 SIZE 4 1/2
SINGLE 61 11 MAKE K...
D.C.'s 114 38 TYPE D
SERIAL 333
JET SIZE _____

REMARKS AND INJURIES:

FROM 6341
TO _____

KELLY IN _____
TOTAL 23 FOOTAGE _____
HRS. _____
COND. _____

CONTRACTOR'S TIME

CO's. TIME

RAT HOLE TOP

8 - 4 TOUR

FROM _____ TO _____ FOOTAGE _____ HRS. _____ SIZE _____

Tour 2 8 A.M. to 4 P.M. Hrs. _____

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. _____ LENGTH _____ BIT No. 22
STANDS _____ SIZE _____
SINGLE _____ MAKE _____
D.C.'s _____ TYPE _____
SERIAL 232
JET SIZE _____

REMARKS AND INJURIES:

FROM 6337
TO _____

KELLY IN _____
TOTAL 23 FOOTAGE _____
HRS. _____
COND. _____

CONTRACTOR'S TIME

CO's. TIME

RAT HOLE TOP

4 - 12 TOUR

FROM _____ TO _____ FOOTAGE _____ HRS. _____ SIZE _____

Tour 3 4 P.M. to Midnite Hrs. _____

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. _____ LENGTH _____ BIT No. _____
STANDS _____ SIZE _____
SINGLE _____ MAKE _____
D.C.'s _____ TYPE _____
SERIAL _____
JET SIZE _____

REMARKS AND INJURIES:

FROM _____
TO _____

KELLY IN _____
TOTAL _____ FOOTAGE _____
HRS. _____
COND. _____

CONTRACTOR'S TIME

CO's. TIME

RAT HOLE TOP

MIN.

EQUIPMENT FAILURES

TIME LOST

ON MILE

TOOL PUSHER: Yordy

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon WELL NAME & No. Willow Spring 4-11-62 CONTRACTOR _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR				
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.									
2 A.M.	10.3	30	3.2	30	26	22	24	26	315	2'	5:15	5:45	3 1/2	DRILLING					
4 A.M.	10.2	30	3.2	30	26	22	24	26	315	2'	5:45	6:15	3 1/2	DRILLING					
6 A.M.	10.1	30	3.2	30	26	22	24	26	315	2'	6:15	6:45	3 1/2	DRILLING					
8 A.M.	10.0	30	3.2	30	26	22	24	26	315	2'	6:45	7:15	3 1/2	DRILLING					
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. Added: _____ KIND: _____ LBS. Added: _____ KIND: _____ LBS. Added: _____ KIND: _____												BOP Tested _____		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S. TIME _____	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR				
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.									
10 A.M.					22	22	23	23											
NOON	10.1	30	3.2	30	26	22	24	26	315										
2 P.M.	10.4	30	3.2	30	26	22	24	26	315										
4 P.M.	10.4	30	3.2	30	26	22	24	26	315										
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. Added: _____ KIND: _____ LBS. Added: _____ KIND: _____												BOP Tested _____		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S. TIME _____	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR				
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.									
6 P.M.																			
8 P.M.																			
10 P.M.																			
12 P.M.																			
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____ LBS. Added: _____ KIND: _____ LBS. ON HAND: _____ LBS. Added: _____ KIND: _____ LBS. ON HAND: _____												BOP Tested _____		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S. TIME _____	

CASING TESTED TO: _____ PSI. MIN. _____ FORMATION TESTED _____ PSI. MIN. _____ EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS _____ BOILER FUEL CONSUMPTION _____ GALS _____ WIRELINE TON MILE _____ TOOL PUSHER: _____

DBIL OIL OF CANADA, LTD.

DATE 1/11/22

No. DAILY TIME SHEET 136

BILLING REPORT

No. 43

Well

CONTRACTOR

RIG No. 517

Approved

Date

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED 433 6300 10 10 1/2
REAMED
CORED

DRILLER W. KAYLER 12
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN J. H. WOOD 12

TALLY

BIT RECORD

No. LENGTH BIT No. 21
STANDS 25
SINGLE
D.C.'s 719.30
TYPE W 7 1/2
SERIAL 1332-1335
JET SIZE
FROM 6300
TO
KELLY IN
TOTAL 4.30 HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED 3
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE
D.C.'s
TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN
TOTAL HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE
D.C.'s
TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN
TOTAL HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

MIN.

EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON

WELL NAME & No. W.H. 12 STEEL 2-1-44 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS.	DEPTH	DEG.				
2 A.M.	10.3200				8235	90	54	150						
4 A.M.	10.3255													
6 A.M.	10.3255													
8 A.M.														

LINER SIZE: 6 1/4 STROKE 12

MUD & CHEMICALS

LBS. Added: _____ KIND _____

Dumped and clean shaker BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS.	DEPTH	DEG.				
10 A.M.					80	54	150							
NOON														
2 P.M.	10.4230													
4 P.M.	10.4455.8/32													

LINER SIZE: 6 3/8 STROKE 15

MUD & CHEMICALS

LBS. Added: _____ KIND _____

200 GIBKOLIN
100 DEXTRIN
50 CAUSTIC

BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS.	DEPTH	DEG.				
6 P.M.														
8 P.M.														
10 P.M.														
12 P.M.														

LINER SIZE: _____ STROKE _____

MUD & CHEMICALS

LBS. Added: _____ KIND _____

LBS. ON HAND _____

BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ COOL PUSHER: _____

BIL OIL OF CANADA, LTD.

DATE MAY 21/64

No. _____ DAILY TIME SHEET

LOGGING REPORT

No. 11

Well _____

CONTRACTOR _____

RIG No. 2-21-2

Approved _____

Date _____

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 1 Midnite to 8 A.M. Hrs.

DRILLED 41.2
REAMED 630.50 11 3/4
CORED

DRILLER W. ROBERT
DERRICK A. ROBERT
MOTORMAN A. ROBERT
FLOORMAN A. ROBERT
FLOORMAN A. ROBERT
FIREMAN A. ROBERT

TALLY BIT RECORD

No. _____ LENGTH BIT No. _____
STANDS _____ SIZE _____
SINGLE _____ MAKE _____
D.C.'s _____ TYPE _____
SERIAL _____
JET SIZE _____
FROM _____
TO _____
KELLY IN _____ FOOTAGE _____
TOTAL _____ HRS. _____
RAT HOLE TOP _____ COND. _____

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED 42.2
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. _____ LENGTH BIT No. _____
STANDS _____ SIZE _____
SINGLE _____ MAKE _____
D.C.'s _____ TYPE _____
SERIAL _____
JET SIZE _____
FROM _____
TO _____
KELLY IN _____ FOOTAGE _____
TOTAL _____ HRS. _____
RAT HOLE TOP _____ COND. _____

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. _____ LENGTH BIT No. _____
STANDS _____ SIZE _____
SINGLE _____ MAKE _____
D.C.'s _____ TYPE _____
SERIAL _____
JET SIZE _____
FROM _____
TO _____
KELLY IN _____ FOOTAGE _____
TOTAL _____ HRS. _____
RAT HOLE TOP _____ COND. _____

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

DAILY DRILLING REPORT

FIELD OR AREA: WELL NAME & No.: WHITE STONE CONTRACTOR:

TIME	MUD RECORD				TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.	BIT WT. M	RPM	SPM	PRESS.	DEPTH	DEG.					
2 A.M.	12.0	100	4.5	3.5	90	54	1050	6.2	28	7.5	2.00	1.30	1 1/2	DRILL 8 5/8 HOLE	
4 A.M.	12.0	100	4.5	3.5	90	54	1050	6.2	28	7.5	1.30	3.45	2 1/4	HOIST FOR NEW BIT	
6 A.M.	12.0	100	4.5	3.5	90	54	1050	6.2	28	7.5	3.45	4.00	4	RIG SERVICE	
8 A.M.	12.0	100	4.5	3.5	90	54	1050	6.2	28	7.5	4.00	5.30	1 1/2	RUN IN HOLE	

LINER SIZE: 6 1/2 STROKE: 15
 MUD & CHEMICALS
 LBS. Added: KIND:

WATER TO LOWER VISC.

TIME	MUD RECORD				TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.	BIT WT. M	RPM	SPM	PRESS.	DEPTH	DEG.					
10 P.M.	10.3	190	4.3	3.5	90	54	1050	6.2	28	7.5	1.30	3.45	2 1/4	DRILL 8 5/8 HOLE	
11:00											3.45	4.00	4	HOIST FOR NEW BIT	
2 P.M.											4.00	5.30	1 1/2	RIG SERVICE	
4 P.M.											5.30	6.00	1/2	RUN IN HOLE	
											6.00	7.30	1 1/2	CLEAN 12' FILL	
											7.30	8.00	1/2	DRILL 8 5/8 HOLE	
											8.00	12.00	4	SURVEY	
														DRILL 8 5/8 HOLE	

LINER SIZE: 6 1/2 STROKE: 54
 MUD & CHEMICALS
 LBS. Added: KIND:

BOP Tested 4:00 DRILLER: Wm. Duggan CONTRACTOR'S TIME: CO'S TIME:

TIME	MUD RECORD				TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.	BIT WT. M	RPM	SPM	PRESS.	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINER SIZE: STROKE:
 MUD & CHEMICALS
 LBS. Added: KIND: LBS. ON HAND:

BOP Tested DRILLER: Wm. Sanchez CONTRACTOR'S TIME: CO'S TIME:

CASING TESTED TO: PSI. MIN. FORMATION TESTED: PSI. MIN. EQUIPMENT FAILURES:
 RIG FUEL CONSUMPTION: GALS BOILER FUEL CONSUMPTION: GALS WIRELINE TON MILE: TOOL PUSHER:

DATE: 2/2/64

No. 27 DAN SHEE

Well: R-2-13

DRILLING REPORT

No. 27

CONTRACTOR

RIG No. S. 12. A

Approved

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 1 Midn to 8 A.M. Hrs.

1 HOLE
2 HOLE
4 HOLE

DRILLED 6156 6213 57 17 1/2
REAMED
CORED

DRILLER W. SAURBLE
DERRICK R. LOEWEN
MOTORMAN E. SCHACHER
FLOORMAN D. HEWITT
FLOORMAN I. BUGGER
FIREMAN J. HETTINGER

TALLY BIT RECORD

No. LENGTH BIT No. 19
59 STANDS 5525.66 SIZE 8 3/8
SINGLE MAKE H.T.C.
21 D.C.'s 657.03 TYPE OWC
BEAM 4.83 JET SIZE 8 1/2
Sub 1.65 FROM 6130
KELLY IN 32 TO 6226
TOTAL 6213 FOOTAGE 83 HRS. 16 3/4
COND. ANN

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO's TIME

RAT HOLE TOP

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 2 8 A.M. to 4 P.M. Hrs.

8 HOLE
NEW BIT
ICE
HOLE
FILL
HOLE
HOLE

DRILLED 6215 6252 37 7 8/8
REAMED
CORED

DRILLER W. SAURBLE 12
DERRICK R. LOEWEN 12
MOTORMAN E. SCHACHER 12
FLOORMAN D. HEWITT 12
FLOORMAN I. BUGGER 12
FIREMAN J. HETTINGER 12

TALLY BIT RECORD

No. LENGTH BIT No. 19 20
59 STANDS 5525.66 SIZE 8 3/8 8 3/8
SINGLE MAKE H.T.C. H.T.C.
21 D.C.'s 657.03 TYPE OWC OWC
BEAM 4.83 SERIAL 37608 58722
Sub 1.65 JET SIZE 8 1/2 8 1/2
KELLY IN 32 FROM 6130 6226
TOTAL 6252 FOOTAGE 90 TO 6252 HRS. 18 1/2 5 1/2
COND. 33-1

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO's TIME

RAT HOLE TOP

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
COND.

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO's TIME

RAT HOLE TOP

MIN. EQUIPMENT FAILURES TIME LOST

LINE TON MILE TOOL PUSHER: APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD OR AREA: Yukon WELL NAME & No. W.H. 11-2-44 42-1-76 CONTRACTOR W.H. 11-2-44 12-8 TOUR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.							
2 A.M.					35	96								<u>2 Prime 1/4 inch</u>			
4 A.M.														<u>2 Bed 1/4 inch</u>			
6 A.M.														<u>2 Bed 1/4 inch</u>			
8 A.M.																	
LINER SIZE: <u>6 1/2</u> STROKE <u>19"</u> MUD & CHEMICALS LBS. Added: _____ KIND _____																	
BOP Tested: _____												DRILLER: _____		CONTRACTOR'S TIME _____		CO'S TIME _____	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.							
10 A.M.					35	50								<u>1 UNIT 1/2 inch</u>			
NOON																	
2 P.M.																	
4 P.M.																	
LINER SIZE: <u>6 1/2</u> STROKE <u>5 1/2"</u> MUD & CHEMICALS LBS. Added: _____ KIND _____																	
BOP Tested: _____												DRILLER: _____		CONTRACTOR'S TIME _____		CO'S TIME _____	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD			
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.							
6 P.M.																	
8 P.M.																	
10 P.M.																	
12 P.M.																	
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. ON HAND _____																	
BOP Tested: _____												DRILLER: _____		CONTRACTOR'S TIME _____		CO'S TIME _____	

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____

TOOL PUSHER: _____

MOBIL OIL OF CANADA, LTD.

DATE 4/17/74

No. 51 DAILY TIME SHEET 305

DRILLING REPORT

No. 51

Well ...

CONTRACTOR

RIG No. 5111

Approved Date

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C. TYPE SERIAL JET SIZE FROM TO FOOTAGE HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C. TYPE SERIAL JET SIZE FROM TO FOOTAGE HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C. TYPE SERIAL JET SIZE FROM TO FOOTAGE HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

DATE: 10/10/77

AREA: VAD
 M: ORD
 W: VAD
 AM: 10:30
 6 AM: 1:30
 8 AM: 1:30

WATER TO LOWER VISE
 DRILLER: [Signature]
 CONTRACTOR'S TIME
 CO'S TIME

MUD RECORD										BOP Tested		DRILLER		CONTRACTOR'S TIME		CO'S TIME	
MUD & CHEMICALS										START	STOP	HRS.					
WT.	VISC.	W.L.	F.C.	BIT	TABLE	PUMP	DEVIATION		START	STOP	HRS.						
WT.	VISC.	W.L.	F.C.	M	RPM	SPM	PRESS	DEPTH	DEG.								
										12.00	1.30	1 1/2	DRILLING 8 3/8 HOLE				
										1.30	3.45	2 1/4	HOIST FOR NEW BIT				
										4.45	4.00	1/4	RIG SERVICE				
										4.00	6.00	2	PICKED UP 3-DIC & RUN IN HOLE				
										6.00	6.30	1/2	CLEAN 10' FILL				
										6.30	8.45	2 1/4	DRILLING 8 3/8 HOLE				
										8.45	9.15	1/2	SURVEY				
										9.15	12.00	2 3/4	DRILLING 8 3/8 HOLE				

MUD RECORD										BOP Tested		DRILLER		CONTRACTOR'S TIME		CO'S TIME	
MUD & CHEMICALS										START	STOP	HRS.					
WT.	VISC.	W.L.	F.C.	BIT	TABLE	PUMP	DEVIATION		START	STOP	HRS.						
WT.	VISC.	W.L.	F.C.	M	RPM	SPM	PRESS	DEPTH	DEG.								

6 P.M. 8 P.M. 10 P.M. 12 P.M.

CO'S TRAVELING TIME FROM DAWSON CITY TO GRANDE PRAIRIE

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____
 RIG FUEL CONSUMPTION: _____ GALS. BOILER FUEL CONSUMPTION: _____ GALS. WIRELINE TON MILE: _____ TOOL PUSHER: _____

CONTRACTOR'S TIME		CO'S TIME		RAT HOLE TOP		FOOTAGE		HRS.		SIZE		Tour 1		6 A.M. to 4 P.M.		Hrs.																	
8-4 TOUR						61																											
DRILLED		REAMED		CORED		TALLY		BIT RECORD		DRILLER		DERRICK		MOTORMAN		FLOORMAN		FLOORMAN		FIREMAN													
No. 59		STANDS 532.26		SINGLE		D.C. 561.0		REAM. 4.73		REAM. 1.65		BIT No. 12		SIZE 2 1/2		MAKE H.T.C		TYPE OWE		SERIAL 2008		JET SIZE 2 1/2		FROM 61		TO 61		FOOTAGE		HRS.		COND.	
KELLY IN 31		TOTAL 612		RAT HOLE TOP																													

CONTRACTOR'S TIME		CO'S TIME		RAT HOLE TOP		FOOTAGE		HRS.		SIZE		Tour 2		6 A.M. to 4 P.M.		Hrs.																	
8-4 TOUR						6156		30		6 1/2 2 1/2																							
DRILLED		REAMED		CORED		TALLY		BIT RECORD		DRILLER		DERRICK		MOTORMAN		FLOORMAN		FLOORMAN		FIREMAN													
No. 58		STANDS 5431.33		SINGLE 31.09		D.C. 657.03		REAM. 4.2		REAM. 1.65		BIT No. 18 19		SIZE 8 3/4 8 3/4		MAKE H.T.C		TYPE OWE		SERIAL 2003 37608		JET SIZE 3 1/2 3 1/2		FROM 6130		TO 6156		FOOTAGE		HRS.		COND.	
KELLY IN 30		TOTAL 6156		RAT HOLE TOP																													

CONTRACTOR'S TIME		CO'S TIME		RAT HOLE TOP		FOOTAGE		HRS.		SIZE		Tour 3		4 P.M. to Mid-N		Hrs.																	
4-12 TOUR																																	
DRILLED		REAMED		CORED		TALLY		BIT RECORD		DRILLER		DERRICK		MOTORMAN		FLOORMAN		FLOORMAN		FIREMAN													
No.		STANDS		SINGLE		D.C.		REAM.		REAM.		BIT No.		SIZE		MAKE		TYPE		SERIAL		JET SIZE		FROM		TO		FOOTAGE		HRS.		COND.	
KELLY IN		TOTAL		RAT HOLE TOP																													

MIN. EQUIPMENT FAILURES TIME LOST

TON MILE TOOL PUSHER: *[Signature]* APPROVED: *[Signature]* CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: _____ WELL NAME & No. _____ CONTRACTOR _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12 - 8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.															
4 A.M.															
6 A.M.															
8 A.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____															
											BOP Tested	DRILLER:	CONTRACTOR'S TIME	CO'S TIME	
											8 - 4 TOUR				
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8 - 4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____															
											BOP Tested	DRILLER:	CONTRACTOR'S TIME	CO'S TIME	
											4 - 12 TOUR				
TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4 - 12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. ON HAND _____															
											BOP Tested	DRILLER:	CONTRACTOR'S TIME	CO'S TIME	

Complete report requested.

8 1/2 Hrs TRAVELING TIME FROM OGDEN CITY 141 GPM 11/10/16

CASING TESTED TO: _____ PSI. MIN. _____ FORMATION TESTED _____ PSI. MIN. _____ EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS _____ BOILER FUEL CONSUMPTION _____ GALS _____ WIRELINE TON MILE _____ TOOL PUSHER: _____

DRILLING REPORT

No. 0

Well _____

Approved _____

Date _____

CONTRACTOR _____

RIG No. _____

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH
STANDS
SINGLE
D.C.'s
KELLY IN
TOTAL
RATHOLE TOP

BIT No.
SIZE
MAKE
TYPE
SERIAL
JET SIZE
FROM
TO
FOOTAGE
HRS.
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH
STANDS
SINGLE
D.C.
KELLY IN
TOTAL
RATHOLE TOP

BIT No.
SIZE
MAKE
TYPE
SERIAL
JET SIZE
FROM
TO
FOOTAGE
HRS.
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH
STANDS
SINGLE
D.C.
KELLY IN
TOTAL
RATHOLE TOP

BIT No.
SIZE
MAKE
TYPE
SERIAL
JET SIZE
FROM
TO
FOOTAGE
HRS.
COND.

REMARKS AND INJURIES:

F. CRABLE
H. LAWRENCE
H. LAWRENCE

8:00 AM
4:00 PM
8:00 PM

7 TIME FROM DIVISION
PRINTED

MIN

EQUIPMENT FAILURES

TIME LOST

ONE TON MILE

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yokan

WELL NAME & No. White Star 2-111 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	103	20	11	2	30	90	50	1000	62	30	7 1/2	430	442	DRILL 1 1/4 HOURS START (a 6036 bit run and cut SEM. Key to bit run DRILL 1 1/4 HOURS	
4 A.M.	103	20	11	2											
6 A.M.	103	20	11	2											
8 A.M.	103	20	11	2											
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	DRILLER: <u>Smith</u>	CONTRACTOR'S TIME	CO'S TIME
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
10 A.M.					30	100	50	1000								8-4 TOUR
NOON																
2 P.M.																
4 P.M.																
BOP Tested: _____ DRILLER: <u>Smith</u> CONTRACTOR'S TIME _____ CO'S TIME _____ LINER SIZE: <u>6 1/2</u> STROKE <u>48</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____																

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	DRILLER: <u>Smith</u>	CONTRACTOR'S TIME	CO'S TIME
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.						
6 P.M.	103	20	11	2												4-12 TOUR
8 P.M.																
10 P.M.	103	20	11	2												
12 P.M.																
BOP Tested: _____ DRILLER: <u>Smith</u> CONTRACTOR'S TIME _____ CO'S TIME _____ LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____																

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

OIL OF CANADA, LTD.

DATE April 11 1951

No. 47 DAILY TIME SHEET

REPORT

Well Y-12-26

CONTRACTOR

No. 47

DRK RECORD

RIG No. 47

Approved

Date

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS 43133
SINGLE 3167 MAKE
D.C.'s TYPE
SERIAL 26395
JET SIZE
FROM
TO
FOOTAGE 97
HRS. 12:00
COND.

REMARKS AND INJURIES:

TRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED
REAMED
CORED

DRILLER F. GARDNER 12
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS 43133
SINGLE 3267 MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
FOOTAGE
HRS. 12
COND. 72

REMARKS AND INJURIES:

NOTE: G has TRAVELING
TRUCK TO VANCOUVER
CITY

TRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS
SINGLE
D.C.'s
TYPE
SERIAL
JET SIZE
FROM
TO
FOOTAGE
HRS.
COND.

REMARKS AND INJURIES:

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon WELL NAME & No. W.H. 10-10-10-10-10-10 CONTRACTOR _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	10.3	10.4	32	30	10	64	100	100	7	7	11:45	7:44	Drill bit stuck in hole.		
4 A.M.	10.3	10.4	32	30	10	64	100	100	7	7	12:30	11:20	Drill bit stuck in hole. Trip out.		
6 A.M.													STOPPED		
8 A.M.															

LINER SIZE: _____ STROKE _____

MUD & CHEMICALS

LBS. Added: _____ KIND: WATER

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	10.3	10.4	32	30	10	64	100	100	7	7	12:30	11:40	Finish trip out.		
NOON	10.3	10.4	32	30	10	64	100	100	7	7	1:30	1:15	Trip out with mud bit.		
2 P.M.															
4 P.M.															

LINER SIZE: 6" STROKE: 15"

MUD & CHEMICALS

LBS. Added: _____ KIND: WATER

Notes: STRONG PIPE FULLY 15' OUT
NO CORROSION 1.5' OUT

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINER SIZE: _____ STROKE _____

MUD & CHEMICALS

LBS. Added: _____ KIND: _____ LBS. ON HAND: _____

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

DRILLING REPORT

No. 22

CONTRACTOR _____

RIG No. 2221

Approved _____

Date _____

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

Handwritten notes:
11:44
1:33
2:15
2:45
3:15
3:45
4:15
4:45
5:15
5:45
6:15
6:45
7:15
7:45
8:15
8:45
9:15
9:45
10:15
10:45
11:15
11:45

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. SIZE
57 STANDS 23701
SINGLE 21.2
D.C.'s 1.2
KELLY IN 21
TOTAL 2160
RAT HOLE TOP

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

Handwritten notes:
11:44
12:14
12:44
1:14
1:44
2:14
2:44
3:14
3:44
4:14
4:44
5:14
5:44
6:14
6:44
7:14
7:44
8:14
8:44
9:14
9:44
10:14
10:44
11:14
11:44

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. SIZE
50 STANDS 5431 33
SINGLE
D.C.'s 1.2
KELLY IN 1800
TOTAL 6020
RAT HOLE TOP

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No. SIZE
STANDS
SINGLE
D.C.'s
KELLY IN
TOTAL
RAT HOLE TOP

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

MIN. EQUIPMENT FAILURES TIME LOST APPROVED: CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon

WELL NAME & No. 11-11-11-11-11-11 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	10	2300	3	25	100			2495	7 1/2				DRILL 2 1/2 HOURS		
4 A.M.	10	2300											DRILL 2 1/2 HOURS		
6 A.M.	10	2300											DRILL 2 1/2 HOURS		
8 A.M.															

LINER SIZE: _____ STROKE _____

MUD & CHEMICALS

LBS. Added: _____ KIND _____

BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	10	2700	3	25	100								DRILL 2 1/2 HOURS		
NOON															
2 P.M.	10	2700											DRILL 2 1/2 HOURS		
4 P.M.															

LINER SIZE: 6 1/2 STROKE 15

MUD & CHEMICALS

LBS. Added: _____ KIND WATER.

BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINER SIZE: _____ STROKE _____

MUD & CHEMICALS

LBS. Added: _____ KIND _____ LBS. _____ ON HAND _____

BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

CASING TESTED TO: _____ PSI. MIN. _____ FORMATION TESTED _____ PSI. MIN. _____ EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS _____ BOILER FUEL CONSUMPTION _____ GALS _____ WIRELINE TON MILE _____ TOOL PUSHER: _____

MOBIL OIL OF CANADA, LTD.

DATE 11/1/71

No. _____ DAILY TIME SHEET

DRILLING REPORT

No. 2

Well _____

CONTRACTOR _____

RIG No. 1-14-71

Approved _____

Date _____

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 1 Midnite to 8 A.M. Hrs.

DRILLED 5727 4100 25 3 1/2 1 1/2
REAMED
CORED

DRILLER H. G. ... 12
DERRICK J. ... 12
MOTORMAN J. ... 12
FLOORMAN J. ... 12
FLOORMAN J. ... 12
FIREMAN J. ... 12

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS 322.00
SINGLE 311.00 MAKE H. ...
D.C.'s 143.10 TYPE G. ...
SERIAL 62386741
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED 5760 472
REAMED 5720 40 1 1/2
CORED 60

DRILLER F. ... 12
DERRICK J. ... 12
MOTORMAN J. ... 12
FLOORMAN J. ... 12
FLOORMAN J. ... 12
FIREMAN J. ... 12

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS 374.00
SINGLE 374.00 MAKE H. ...
D.C.'s 523.00 TYPE G. ...
SERIAL 62111
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS
SINGLE
D.C.'s
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

MIN.

EQUIPMENT FAILURES

TIME LOST

LINE TON MILE

TOOL PUSHER: ...

APPROVED: _____

CALGARY, ALTA.

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon T 1 WELL NAME & No. W. 11 CONTRACTOR CONTRACTOR 12-8 TOUR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.														
4 A.M.														
6 A.M.														
8 A.M.														
LINER SIZE: <u>5 7/8</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: _____														
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S TIME: _____														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.														
NOON														
2 P.M.														
4 P.M.														
LINER SIZE: <u>5 3/4</u> STROKE <u>15"</u> MUD & CHEMICALS LBS. Added: _____ KIND: <u>WATER</u>														
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S TIME: _____														

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														
8 P.M.														
10 P.M.														
12 P.M.														
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____														
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME: _____ CO'S TIME: _____														

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

ILLING REPORT

No. 46

CONTRACTOR Excavation & Drilling Co.

RIG No. 51111

Well 5000' 11/11/64

Approved _____ Date 11/11/64

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS 51111 19
SINGLE 31111 MAKE
D.C.'s 24311 TYPE
475 SERIAL 61111
JET SIZE
FROM TO
FOOTAGE
KELLY IN 33 HRS.
TOTAL 51111 HRS. 11/11/64
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS 51111 19
SINGLE 31111 MAKE
D.C.'s 24311 TYPE
475 SERIAL 61111
JET SIZE
FROM TO
FOOTAGE
KELLY IN 33 HRS.
TOTAL 51111 HRS. 11/11/64
COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE
STANDS
SINGLE
D.C.'s
SERIAL
JET SIZE
FROM TO
FOOTAGE
KELLY IN
TOTAL
COND.

REMARKS AND INJURIES:



MIN. EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER: _____

APPROVED: _____

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon WELL NAME & No. White Star 7222 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.															
4 A.M.															
6 A.M.															
8 A.M.															

LINER SIZE: 5 3/4 STROKE 15
 MUD & CHEMICALS
 LBS. Added: _____ KIND _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.															
4 P.M.															

LINER SIZE: 5 3/4 STROKE 15
 MUD & CHEMICALS
 LBS. Added: 1050 FANNA
100 CAUSTIC
100 BROMINE
1 STEAM WATER

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINER SIZE: _____ STROKE _____
 MUD & CHEMICALS
 LBS. Added: _____ KIND _____ LBS. ON HAND _____

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

DRILLING REPORT

No. 445

CONTRACTOR _____

RIG No. S. 2000

Approved _____

Date _____

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

ALL STANDS
H-14.
5632 2'
H-14.
5632 2'
H-14.
5632 2'
H-14.
5632 2'

DRILLED 5632 2' 66 12 1/2
REAMED
CORED

DRILLER W. G. STALL 12
DERRICK H. BRUNER 12
MOTORMAN H. BRUNER 12
FLOORMAN H. BRUNER 12
FLOORMAN H. BRUNER 12
FIREMAN H. BRUNER 12

TALLY

BIT RECORD

No. LENGTH BIT No. 13
1. STANDS 5632 2' SIZE 4 1/2"
2. SINGLE 6212 MAKE H-14
D.C.'s 56360 TYPE 65L
H-14 1483 SERIAL 65421
H-14 145 JET SIZE 1/2"
KELLY IN 11 FROM 5700
TOTAL 5721 HRS. 14 TO 5721
FOOTAGE 76
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

Sp. out
locks
with new bit
will
fall to bottom
8 1/2" hole.

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED 6101 5721 20 4 1/2 3/4
REAMED
CORED

DRILLER F. STALL 12
DERRICK H. BRUNER 12
MOTORMAN H. BRUNER 12
FLOORMAN H. BRUNER 12
FLOORMAN H. BRUNER 12
FIREMAN H. BRUNER 12

TALLY

BIT RECORD

No. LENGTH BIT No. 14
1. STANDS 5052 2' SIZE 4 1/2"
2. SINGLE 6212 MAKE H-14
14 D.C.'s 56360 TYPE 65L
H-14 1483 SERIAL 65421
H-14 145 JET SIZE 1/2"
KELLY IN 3100 FROM 5701
TOTAL 5721 HRS. 4 TO 5721
FOOTAGE 70
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

MIN. EQUIPMENT FAILURES

TIME LOST

TON MILE TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon

WELL NAME & No. W-11111 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.											3:30	3:42		DRAIN 1 1/4" HOLE START 2 1/2" HOLE WITH 2 1/2" D.C. 2 1/2" HOLE 1 1/2" DEEP 2 1/2" HOLE 1 1/2" DEEP 2 1/2" HOLE 1 1/2" DEEP
4 A.M.														
6 A.M.														
8 A.M.														

12-8 TOUR

LINER SIZE: 5 3/4 STROKE 15

MUD & CHEMICALS	
LBS. Added	KIND

BOP Tested Yes DRILLER: W. G. Gable CONTRACTOR'S TIME CO'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.											12:00	12:15		Rig SERVICES & Reps 1 1/2" HOLE 1 1/2" DEEP 1 1/2" HOLE 1 1/2" DEEP 1 1/2" HOLE 1 1/2" DEEP 1 1/2" HOLE 1 1/2" DEEP
NOON														
2 P.M.														
4 P.M.														

8-4 TOUR

LINER SIZE: 5 3/4 STROKE 15

MUD & CHEMICALS	
LBS. Added	KIND
100	CAUSTIC
100	P. BROXIN

BOP Tested Yes DRILLER: W. G. Gable CONTRACTOR'S TIME CO'S TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														
8 P.M.														
10 P.M.														
12 P.M.														

4-12 TOUR

LINER SIZE: STROKE

MUD & CHEMICALS	
LBS. Added	KIND

BOP Tested DRILLER: CONTRACTOR'S TIME CO'S TIME

CASING TESTED TO: PSI. MIN. FORMATION TESTED PSI. MIN. EQUIPMENT FAILURES
RIG FUEL CONSUMPTION GALS BOILER FUEL CONSUMPTION GALS WIRELINE TON MILE TOOL PUSHER:

DRILLING REPORT

No. 44

Well _____

CONTRACTOR _____

RIG No. 2111

Approved _____

Date _____

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED 5335-5400 23 14 1 1/2
REAMED
CORED

DRILLER Wm. Miller 12
DERRICK A. Britton 12
MOTORMAN C. L. 12
FLOORMAN E. Newman 12
FLOORMAN W. Ryms 12
FIREMAN W. H. Longman 12

TALLY BIT RECORD

No. LENGTH BIT No. 1
3 STANDS 11633 SIZE 1 1/2
SINGLE 3157 MAKE H.C.
D.C.s 36710 TYPE H.C.
Serial 113 SERIAL 61197
JET SIZE 2 1/2
FROM 5417
TO 5600
KELLY IN 40 FOOTAGE 128
TOTAL HRS. 1 1/2
RAT HOLE TOP COND. 2-3-1

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED 5605-5635 30 30 3/4
REAMED
CORED

DRILLER F. G. Galloway 12
DERRICK H. Brewer 12
MOTORMAN A. Morrison 12
FLOORMAN H. Keenan 12
FLOORMAN D. Hewitt 12
FIREMAN J. Halliday 12

TALLY BIT RECORD

No. LENGTH BIT No. 1
3 STANDS 11633 SIZE 1 1/2
SINGLE 6265 MAKE H.C.
D.C.s 36260 TYPE H.C.
Serial 113 SERIAL 60181
JET SIZE 2 1/2
FROM 5605
TO 5635
KELLY IN 3710 FOOTAGE 30
TOTAL HRS. 3/4
RAT HOLE TOP COND. Run

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RAT HOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

MIN. EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

OBIL OIL OF CANADA, LTD.

DATE 10/2/51

No. _____ DAILY TIME SHEET

DRILLING REPORT

No. 71

Well

CONTRACTOR

RIG No. 1044

Approved

Date

WORK RECORD

12 - 8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

*Drill 12-8 tour
12-8 tour
12-8 tour*

DRILLED
REAMED
CORED

DRILLER W. K. ...
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

*12-8 tour
12-8 tour
12-8 tour*

No. LENGTH BIT No. SIZE MAKE TYPE SERIAL JET SIZE FROM TO FOOTAGE HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

8 - 4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

*8-4 tour
8-4 tour
8-4 tour*

DRILLED
REAMED
CORED

DRILLER F. ...
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE MAKE TYPE SERIAL JET SIZE FROM TO FOOTAGE HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

4 - 12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. SIZE MAKE TYPE SERIAL JET SIZE FROM TO FOOTAGE HRS. COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S. TIME

MIN. EQUIPMENT FAILURES

TIME LOST

TON MILE TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon

WELL NAME & No. 1122 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.															
4 A.M.															
6 A.M.															
8 A.M.															

DRILLER: W. G. ... CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	76	410	38	20	20	120	10	100	54	7	8				
NOON															
2 P.M.															
4 P.M.	76	375													

DRILLER: W. G. ... CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

DRILLER: W. G. ... CONTRACTOR'S TIME _____ CO'S TIME _____

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

LOGGING REPORT

No. 112

CONTRACTOR WORK RECORD

12-8 TOUR

RIG No. 2216 FROM TO FOOTAGE HRS. SIZE

Approved Date Tour 1 Midnite to 8 A.M. Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C.s... FROM TO FOOTAGE HRS. COND

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

RIG No. FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C.s... FROM TO FOOTAGE HRS. COND

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

RIG No. FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C.s... FROM TO FOOTAGE HRS. COND

REMARKS AND INJURIES

EQUIPMENT FAILURES

TIME LOST

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon

WELL NAME & No. WHITE STONE 11 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
2 A.M.														
4 A.M.														
6 A.M.														
8 A.M.														

LINER SIZE: _____ STROKE _____
 MUD & CHEMICALS
 LBS. Added: _____ KIND _____
 100% ...
 BOP Tested _____ DRILLER: Jim Hunt CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
10 A.M.														
NOON														
2 P.M.														
4 P.M.														

LINER SIZE: 5 7/8 STROKE 15
 MUD & CHEMICALS
 LBS. Added: _____ KIND _____
20 Caustic
100 Broken
1" Stratton Water
 NOTE: Layered down 5 UC HOLE PICKED UP 5 UC THAT WERE MANGLED
 BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.				
6 P.M.														
8 P.M.														
10 P.M.														
12 P.M.														

LINER SIZE: _____ STROKE _____
 MUD & CHEMICALS
 LBS. Added: _____ KIND _____ LBS. ON HAND _____
 BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER: _____

DRILLING REPORT

No. 111

CONTRACTOR 12-8 TOUR

RIG No. 211

Approved

Date

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED 5300 5345 45 4 1/2
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. 11
STANDS 411/2 1/2
SINGLE 6 1/2 MAKE
D.C.'s 5120 TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN 25 FOOTAGE
TOTAL 5346 HRS. 15
RAT HOLE TOP COND

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED 5340 5380 32 5 1/2
REAMED
CORED

DRILLER F. GIBBLE 12
DERRICK H. BAKER 12
MOTORMAN H. BAKER 12
FLOORMAN H. BAKER 12
FLOORMAN H. BAKER 12
FIREMAN J. HOFFERT 12

TALLY BIT RECORD

No. LENGTH BIT No. 11
STANDS 411/2 1/2
SINGLE MAKE
D.C.'s 5630 TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN 22.0 FOOTAGE
TOTAL 5380 HRS. 5 1/2
RAT HOLE TOP COND

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.


DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS
SINGLE
D.C.'s
TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN
TOTAL
RAT HOLE TOP COND

REMARKS AND INJURIES:



CONTRACTOR'S TIME

CO'S TIME

MIN.

EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

 FIELD or AREA: Yukon

 WELL NAME & No. White Star 7-11A

CONTRACTOR:

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	2500														
4 A.M.															
6 A.M.															
8 A.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____															
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	2500														
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: <u>2300</u> KIND: <u>Well Water</u>															
BOP Tested: _____ DRILLER: <u>W. S. ...</u> CONTRACTOR'S TIME _____ CO'S TIME _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND: _____ LBS. ON HAND: _____															
BOP Tested: _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____															

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____
 R.G. FUEL CONSUMPTION: _____ GALS BOILER FUEL CONSUMPTION: _____ GALS WIRELINE TON MILE: _____ TOOL PUSHER: _____

DRILLING REPORT

No. 47

CONTRACTOR WORK RECORD

12-8 TOUR

RIG No. FROM TO FOOTAGE HRS. SIZE

Approved Date Tour 1 Midnite to 8 A.M.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C.'s TYPE SERIAL JET SIZE FROM TO KELLY IN FOOTAGE TOTAL HRS. RAT HOLE TOP COND.

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C.'s TYPE SERIAL JET SIZE FROM TO KELLY IN FOOTAGE TOTAL HRS. RAT HOLE TOP COND.

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED REAMED CORED

DRILLER DERRICK MOTORMAN FLOORMAN FLOORMAN FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No. STANDS SINGLE D.C.'s TYPE SERIAL JET SIZE FROM TO KELLY IN FOOTAGE TOTAL HRS. RAT HOLE TOP COND.

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon WELL NAME & No: W1111 2100 11024 CONTRACTOR: _____

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.						
2 A.M.																
4 A.M.																
6 A.M.																
8 A.M.																
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____												BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____				

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.						
10 A.M.																
NOON																
2 P.M.																
4 P.M.																
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____												BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____				

TIME	MUD RECORD				BIT WT. M	TABLE		PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.		RPM	SPM	PRESS	DEPTH	DEG.						
6 P.M.																
8 P.M.																
10 P.M.																
12 P.M.																
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS LBS. Added: _____ KIND _____ LBS. ON HAND _____												BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____				

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED: _____ PSI. MIN. EQUIPMENT FAILURES: _____

RIG FUEL CONSUMPTION: _____ GALS. BOILER FUEL CONSUMPTION: _____ GALS. WIRELINE TON MILE: _____ TOOL PUSHER: _____

DRILLING REPORT

No. 39

CONTRACTOR WORK RECORD

12-8 TOUR

RIG No. 5224

Approved _____

Date _____

FROM _____ TO _____ FOOTAGE _____ HRS _____ SIZE _____

Tour 1 Man to 8 A.M. Hrs. _____

DRILLED
REAMED
CORED

DRILLER W. J. ...
DERRICK ...
MOTORMAN ...
FLOORMAN ...
FLOORMAN ...
F REMAN ...

TALLY

BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS	COND.
1	110	9	1 1/2
2	110
3	110
4	110
5	110
KELLY IN <u>11:00</u> FOOTAGE _____											TOTAL _____ HRS _____	
RATHOLE TOP _____											COND. _____	

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM _____ TO _____ FOOTAGE _____ HRS _____ SIZE _____

Tour 2 8 A.M. to 4 P.M. Hrs. _____

DRILLED
REAMED
CORED

DRILLER ...
DERRICK ...
MOTORMAN ...
FLOORMAN ...
FLOORMAN ...
F REMAN ...

TALLY

BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS	COND.
1	110	1	1 1/2
2	110
3	110
4	110
5	110
KELLY IN <u>30</u> FOOTAGE _____											TOTAL _____ HRS _____	
RATHOLE TOP _____											COND. _____	

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM _____ TO _____ FOOTAGE _____ HRS _____ SIZE _____

Tour 3 4 P.M. to Man to Hrs. _____

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
F REMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS	COND.
1												
2												
3												
4												
KELLY IN _____ FOOTAGE _____											TOTAL _____ HRS _____	
RATHOLE TOP _____											COND. _____	

REMARKS AND INJURIES

CONTRACTOR'S TIME

CO'S TIME

MIN. EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER: A. Lynch

APPROVED:

CALGARY, ALBERTA

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon

WELL NAME & No. 111

CONTRACT 100

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.	9.33				15	100	35								
4 A.M.															
6 A.M.															
8 A.M.															

LINER SIZE: 6 STROKE 15

MUD & CHEMICALS

LBS. Added: KIND

BOP Tested 11/2

DRILLER

CONTRACTOR'S TIME

COY. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.	7.2				15	130	35								
NOON	7.2				15	130	35								
2 P.M.															
4 P.M.															

LINER SIZE: 6 STROKE 15

MUD & CHEMICALS

LBS. Added: Best 1000 KIND

BOP Tested

DRILLER

CONTRACTOR'S TIME

COY. TIME

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															

LINER SIZE: STROKE

MUD & CHEMICALS

LBS. Added: KIND LBS. ON HAND

BOP Tested

DRILLER

CONTRACTOR'S TIME

COY. TIME

CASING TESTED TO:

PSI MIN

FORMATION TESTED

PSI MIN

EQUIPMENT FAILURES

RIG FUEL CONSUMPTION

GALS

BOILER FUEL CONSUMPTION

GALS

WIRELINE TON MILE

TOOL PUSHER

MOBIL OIL OF CANADA, LTD.

DATE MAY 7/54

No. DAILY TIME SHEET

DRILLING REPORT

No. 37

CONTRACTOR Sheridan Oil Co.

RIG No.

Approved Date May 11/54

WORK RECORD 12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY BIT RECORD

No. LENGTH BIT No.
STANDS SIZE
SINGLE MAKE
D.C.'s TYPE
SERIAL
JET SIZE
FROM
TO
KELLY IN FOOTAGE
TOTAL HRS.
RATHOLE TOP COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

SL. MIN.

EQUIPMENT FAILURES

TIME LOST

LINE TON MILE

TOOL PUSHER:

APPROVED:

CALGARY DISTRICT

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: *Yuff-N*

WELL NAME & No. *WT*

CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.															
4 A.M.															
6 A.M.															
8 A.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS _____ LBS. Added: <i>3</i> KIND _____															

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS _____ LBS. Added: _____ KIND _____															

Handwritten notes in this section:
 2° 45' 11" by services.
 2° 315' 3" Clear all from 4500 to 5190
 4° 123' 5" 315' 345' 1/2" Service to 5150 ft.
 4° 570' 1" Make 1/2 service running Trip
 5° 156' 1/2" Kill out to 5140 ft.
 6° 158' 00" Service to 5140 ft.
 8° 70' 1" Make 3 parts from 5140 to 5170 ft.
 9° 00' 11" Trip in well and 5170 ft.
 11° 430' 1/2" Kill trip + 5170 ft.
 11° 420' 1/2" Clearing out line @ 4:00

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS _____ LBS. Added: _____ KIND _____ LBS. ON HAND _____															

CASING TESTED TO _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS. BOILER FUEL CONSUMPTION _____ GALS. WIRELINE TON MILE _____ TOOL PUSHER _____

BIL OIL OF CANADA, LTD.

DATE *11/11/77*

No. _____ DAILY TIME SHEET

LOGGING REPORT

No. *27*

CONTRACTOR WORK RECORD

12-8 TOUR

RIG No. FROM TO FOOTAGE HRS. SIZE

Approved Date Tour 1 Midnite to 8 A.M. Hrs

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS.	COND.
STANDS												
SINGLE												
D.C.'s												
KELLY IN												
TOTAL												
RAT HOLE TOP												

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS.	COND.
STANDS												
SINGLE												
D.C.'s												
KELLY IN												
TOTAL												
RAT HOLE TOP												

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs

DRILLED
REAMED
CORED

DRILLER
DERRICK
MOTORMAN
FLOORMAN
FIREMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.	SIZE	MAKE	TYPE	SERIAL	JET SIZE	FROM	TO	FOOTAGE	HRS.	COND.
STANDS												
SINGLE												
D.C.'s												
KELLY IN												
TOTAL												
RAT HOLE TOP												

REMARKS AND INJURIES:

MIN

EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER:

APPROVED:

CALGARY, CANADA

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon

WELL NAME & No. W-1111-11-11 Yukon CONTRACTOR

WORK RECORD

12-8 TOUR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.			
2 A.M.		47											
4 A.M.		92											
6 A.M.		92											
8 A.M.													

START	STOP	HRS.

LINER SIZE: _____ STROKE _____
 MUD & CHEMICALS
 LBS. Added, KIND _____

BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.			
10 A.M.	92	47											
NOON		92											
2 P.M.		92											
4 P.M.		1010											

START	STOP	HRS.

LINER SIZE: _____ STROKE _____
 MUD & CHEMICALS
 LBS. Added, KIND Yall
Water

BOP Tested _____ DRILLER: 11/11/11 CONTRACTOR'S TIME _____ CO'S TIME _____

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.			
6 P.M.													
8 P.M.													
10 P.M.													
12 P.M.													

START	STOP	HRS.

LINER SIZE: _____ STROKE _____
 MUD & CHEMICALS
 LBS. Added, KIND _____ LBS. ON HAND _____

BOP Tested _____ DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS. BOILER FUEL CONSUMPTION _____ GALS. WIRELINE TON MILE _____ TOOL PUSHER: _____

BP OIL OF CANADA, LTD.

DATE 11-27-74

No. _____ DAILY TIME SHEET

DRILLING REPORT

No. 36

Well _____

CONTRACTOR _____

RIG No. 224

Approved _____

Date _____

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED

DRILLER W. P. ... 12

REAMED

DERRICK 1 12

CORED

MOTORMAN 2 12

TALLY

BIT RECORD

No. LENGTH BIT No.

FLOORMAN 1 12

STANDS

SIZE

FLOORMAN 1 12

SINGLE

MAKE

FIREMAN 1 12

D.C.S.

TYPE

SERIAL

JET SIZE

FROM

TO

FOOTAGE

HRS.

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED

DRILLER F. ... 12

REAMED

DERRICK 1 12

CORED

MOTORMAN 1 12

TALLY

BIT RECORD

No. LENGTH BIT No.

STANDS

SIZE

FLOORMAN 1 12

SINGLE

MAKE

FLOORMAN 1 12

D.C.S.

TYPE

SERIAL

JET SIZE

FROM

TO

FOOTAGE

HRS.

COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED

DRILLER

REAMED

DERRICK

CORED

MOTORMAN

TALLY

BIT RECORD

No. LENGTH BIT No.

STANDS

SIZE

FLOORMAN

SINGLE

MAKE

FLOORMAN

D.C.S.

TYPE

SERIAL

JET SIZE

FROM

TO

FOOTAGE

HRS.

COND.

REMARKS AND INJURIES:

MIN.

EQUIPMENT FAILURES

TIME LOST

ONE TON MILE

TOOL PUSHER:

APPROVED:

CALGARY, CANADA

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: YUKON

WELL NAME & No. H. 2 Stone Y. 1-2-6 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR				
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.									
2 A.M.																			
4 A.M.																			
6 A.M.																			
8 A.M.																			
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS _____ LBS. Added: _____ KIND _____												BOP Tested: _____		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S TIME _____	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR				
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.									
10 A.M.																			
NOON																			
2 P.M.																			
4 P.M.																			
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS _____ LBS. Added: _____ KIND _____												BOP Tested: <u>yes</u>		DRILLER: <u>W. G. G.</u>		CONTRACTOR'S TIME _____		CO'S TIME _____	

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR				
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.									
6 P.M.																			
8 P.M.																			
10 P.M.																			
12 P.M.																			
LINER SIZE: _____ STROKE _____ MUD & CHEMICALS _____ LBS. Added: _____ KIND _____ LBS. ON HAND _____												BOP Tested: _____		DRILLER: _____		CONTRACTOR'S TIME _____		CO'S TIME _____	

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____
 RIG FUEL CONSUMPTION _____ GALS. BOILER FUEL CONSUMPTION _____ GALS. WIRELINE TON MILE _____ TOOL PUSHER: _____

BILLING REPORT

No. 3

ALL CONTRACTOR WORK RECORD

12-8 TOUR

RIG No. 1174

Approved _____ Date _____

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED

DRILLER

REAMED

DERRICK

CORED

MOTORMAN

TALLY

BIT RECORD

No. LENGTH BIT No.

STANDS SIZE

SINGLE MAKE

D.C.S. TYPE

SERIAL

JET SIZE

FROM

TO

KELLY IN

FOOTAGE

TOTAL

HRS.

RATHOLE TOP

COND

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED

DRILLER

REAMED

DERRICK

CORED

MOTORMAN

TALLY

BIT RECORD

No. LENGTH BIT No.

STANDS SIZE

SINGLE MAKE

D.C.S. TYPE

SERIAL

JET SIZE

FROM

TO

KELLY IN

FOOTAGE

TOTAL

HRS.

RATHOLE TOP

COND

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED

DRILLER

REAMED

DERRICK

CORED

MOTORMAN

TALLY

BIT RECORD

No. LENGTH BIT No.

STANDS SIZE

SINGLE MAKE

D.C.S. TYPE

SERIAL

JET SIZE

FROM

TO

KELLY IN

FOOTAGE

TOTAL

HRS.


RATHOLE TOP

COND

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME



MIN

EQUIPMENT FAILURES

TIME LOST

E TON MILE

TOOL PUSHER:

APPROVED:

CALGARY OFFICE

SOCONY MOBIL OIL OF CANADA, LTD.

DAILY DRILLING REPORT

FIELD or AREA: Yukon WELL NAME & No. W 11111111111111111111 CONTRACTOR

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	12-8 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
2 A.M.															
4 A.M.															
6 A.M.															
8 A.M.															
LINER SIZE: _____ STROKE _____															
MUD & CHEMICALS															
LBS. Added: _____ KIND _____															
BOP Tested _____											DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____				

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	8-4 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
10 A.M.															
NOON															
2 P.M.															
4 P.M.															
LINER SIZE: _____ STROKE _____															
MUD & CHEMICALS															
LBS. Added: _____ KIND _____															
BOP Tested _____											DRILLER: <u>W. H. H. C.</u> CONTRACTOR'S TIME _____ CO'S TIME _____				

Note: full string finished

TIME	MUD RECORD				BIT WT. M	TABLE RPM	PUMP		DEVIATION		START	STOP	HRS.	WORK RECORD	4-12 TOUR
	WT.	VISC.	W.L.	F.C.			SPM	PRESS	DEPTH	DEG.					
6 P.M.															
8 P.M.															
10 P.M.															
12 P.M.															
LINER SIZE: _____ STROKE _____															
MUD & CHEMICALS															
LBS. Added: _____ KIND _____											LBS. ON HAND _____				
BOP Tested _____											DRILLER: _____ CONTRACTOR'S TIME _____ CO'S TIME _____				

CASING TESTED TO: _____ PSI. MIN. FORMATION TESTED _____ PSI. MIN. EQUIPMENT FAILURES _____

RIG FUEL CONSUMPTION _____ GALS BOILER FUEL CONSUMPTION _____ GALS WIRELINE TON MILE _____ TOOL PUSHER:

BIL OIL OF CANADA, LTD.

DATE May 3/64

No. _____ DAILY TIME SHEET

LOGGING REPORT

No. 22

CONTRACTOR

RIG No. 22

Approved _____

Date _____

WORK RECORD

12-8 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 1 Midnite to 8 A.M. Hrs.

DRILLED

DRILLER

REAMED

DERRICK

CORED

MOTORMAN

FLOORMAN

FLOORMAN

F REMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.
STANDS		SIZE
SINGLE		MAKE
D.C.'s		TYPE
		SERIAL
		JET SIZE
		FROM
		TO
KELLY IN		FOOTAGE
TOTAL		HRS.
RAT HOLE TOP		COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

8-4 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 2 8 A.M. to 4 P.M. Hrs.

DRILLED

DRILLER

REAMED

DERRICK

CORED

MOTORMAN

FLOORMAN

FLOORMAN

F REMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.
STANDS		SIZE
SINGLE		MAKE
D.C.'s		TYPE
		SERIAL
		JET SIZE
		FROM
		TO
KELLY IN		FOOTAGE
TOTAL		HRS.
RAT HOLE TOP		COND.

REMARKS AND INJURIES:

CONTRACTOR'S TIME

CO'S TIME

4-12 TOUR

FROM TO FOOTAGE HRS. SIZE

Tour 3 4 P.M. to Midnite Hrs.

DRILLED

DRILLER

REAMED

DERRICK

CORED

MOTORMAN

FLOORMAN

FLOORMAN

F REMAN

TALLY

BIT RECORD

No.	LENGTH	BIT No.
STANDS		SIZE
SINGLE		MAKE
D.C.'s		TYPE
		SERIAL
		JET SIZE
		FROM
		TO
KELLY IN		FOOTAGE
TOTAL		HRS.
RAT HOLE TOP		COND.

REMARKS AND INJURIES:

MIN

EQUIPMENT FAILURES

TIME LOST

TON MILE

TOOL PUSHER: _____

APPROVED: _____

CALGARY OFFICE