

DAILY DRILLING REPORT

REPORT NO.

DATE

April 5/67

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RCE.	W.	WELL NAME	
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>R.S. Gault</i>		CONTRACTOR'S TOOL PUSHER <i>J. Magowan</i>			NO.	MANUFACTURER	TYPE	STROKE LENGTH	
					1.				
					2.				
					3.				

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
DRILLING ACTUAL	MOORING	DAY	EVE	STANDS	DP	FT.	RUN NO.							
				SNGLS.	DP	FT.	SIZE							
				D.C.	ID		MFG.							
					OD	FT.	TYPE							
				AMR BODY	OD	FT.	NOZ.	NO.						
				STB BODY	OD	FT.	SIZE			DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH
				SUBS	OD	FT.	SER. NO.							
				BIT OR C.B.		FT.	DEPTH OUT							
						FT.	CUMULATIVE HOURS RUN							
				KELLY DOWN		FT.	COND. OF BIT							
				TOTAL		FT.	REAMER CUTTER NO.							
				WT. OF STRING		LBS.	TYPE							
				DRILLER										

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
DRILLING ACTUAL	MOORING	DAY	EVE	STANDS	DP	FT.	RUN NO.							
				SNGLS.	DP	FT.	SIZE							
				D.C.	ID		MFG.							
					OD	FT.	TYPE							
				AMR BODY	OD	FT.	NOZ.	NO.						
				STB BODY	OD	FT.	SIZE			DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH
				SUBS	OD	FT.	SER. NO.							
				BIT OR C.B.		FT.	DEPTH OUT							
						FT.	CUMULATIVE HOURS RUN							
				KELLY DOWN		FT.	COND. OF BIT							
				TOTAL		FT.	REAMER CUTTER NO.							
				WT. OF STRING		LBS.	TYPE							
				DRILLER										

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
DRILLING ACTUAL	MOORING	DAY	EVE	STANDS	DP	FT.	RUN NO.							
				SNGLS.	DP	FT.	SIZE							
				D.C.	ID		MFG.							
					OD	FT.	TYPE							
				AMR BODY	OD	FT.	NOZ.	NO.						
				STB BODY	OD	FT.	SIZE			DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH
				SUBS	OD	FT.	SER. NO.							
				BIT OR C.B.		FT.	DEPTH OUT							
						FT.	CUMULATIVE HOURS RUN							
				KELLY DOWN		FT.	COND. OF BIT							
				TOTAL		FT.	REAMER CUTTER NO.							
				WT. OF STRING		LBS.	TYPE							
				DRILLER										

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
DRILLING ACTUAL	MOORING	DAY	EVE	STANDS	DP	FT.	RUN NO.							
				SNGLS.	DP	FT.	SIZE							
				D.C.	ID		MFG.							
					OD	FT.	TYPE							
				AMR BODY	OD	FT.	NOZ.	NO.						
				STB BODY	OD	FT.	SIZE			DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH
				SUBS	OD	FT.	SER. NO.							
				BIT OR C.B.		FT.	DEPTH OUT							
						FT.	CUMULATIVE HOURS RUN							
				KELLY DOWN		FT.	COND. OF BIT							
				TOTAL		FT.	REAMER CUTTER NO.							
				WT. OF STRING		LBS.	TYPE							
				DRILLER										

DATE *April 5/59*

TWP. *TT 11-59* RGE. *W.* WELL NAME No. PROVINCE

PUMPS				CASING & LINER RECORD	SIZE	WT. & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH				FROM	TO	FROM	TO		
1.												
2.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<i>H. Navy D</i> <i>L. Smith D</i> <i>M. L. L. D</i> <i>M. L. L. D</i> <i>M. L. L. D</i>													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT.	TYPE	AMT.			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
													SD. CONT.						
													MUD & CHEMICALS ADDED						
													TYPE	AMT.	TYPE	AMT.			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT.	TYPE	AMT.			

DAILY DRILLING REPORT

REPORT NO.

DATE April 4/67

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME		
CONTRACTOR REGENT Drilling LTD 21		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER			NO.			MANUFACTURER	TYPE	STROKE LENGTH
					1.					
					2.					
					3.					

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL			
REAMING			
CIRCULATING			
TRIPS			
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER			
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS			
TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS WO/D.P.:			
HRS STANDBY			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)				
	STANDS	DP	FT.	RUN NO					DEPTH	DEV.	DIRECTION	DEPTH	D
	SINGLS.	DP	FT.	SIZE									
	D.C.	ID	FT.	MFG.									
	RMR BODY	OD	FT.	NOZ. NO.									
	STB BODY	OD	FT.	SIZE									
	SUBS	OD	FT.	SER. NO.									
	BIT OR C.B.		FT.	DEPTH OUT									
			FT.	CUMULATIVE HOURS RUN									
	KELLY DOWN		FT.	COND. OF BIT									
	TOTAL		FT.	REAMER CUTTER NO.									
	WT. OF STRING		LBS.	TYPE									
	DRILLER												

M. HOAG  
D. SMILEY  
M. LUKA  
G. N. COLAY  
W. ZITTAU

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)				
	STANDS	DP	FT.	RUN NO.					DEPTH	DEV.	DIRECTION	DEPTH	D
	SINGLS.	DP	FT.	SIZE									
	D.C.	ID	FT.	MFG.									
	RMR BODY	OD	FT.	NOZ. NO.									
	STB BODY	OD	FT.	SIZE									
	SUBS	OD	FT.	SER. NO.									
	BIT OR C.B.		FT.	DEPTH OUT									
			FT.	CUMULATIVE HOURS RUN									
	KELLY DOWN		FT.	COND. OF BIT									
	TOTAL		FT.	REAMER CUTTER NO.									
	WT. OF STRING		LBS.	TYPE									
	DRILLER												

R. GUNSOLEY 8  
B. DAHL 4  
H. HALADAY 8  
H. MARSHALL 8  
H. THOMAS 8

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)				
	STANDS	DP	FT.	RUN NO					DEPTH	DEV.	DIRECTION	DEPTH	D
	SINGLS.	DP	FT.	SIZE									
	D.C.	ID	FT.	MFG.									
	RMR BODY	OD	FT.	NOZ. NO.									
	STB BODY	OD	FT.	SIZE									
	SUBS	OD	FT.	SER. NO.									
	BIT OR C.B.		FT.	DEPTH OUT									
			FT.	CUMULATIVE HOURS RUN									
	KELLY DOWN		FT.	COND. OF BIT									
	TOTAL		FT.	REAMER CUTTER NO.									
	WT. OF STRING		LBS.	TYPE									
	DRILLER												

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FELT CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

MORNING TOUR  
DAY TOUR  
EVENING TOUR







DAILY DRILLING REPORT

REPORT NO.

DATE

APRIL 3/67

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	
CONTRACTOR <b>REGENT OIL &amp; GAS LTD 66 LTD 21</b>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>			NO.	MANUFACTURER	TYPE	STROKE LENGTH	
					1.				
					2.				
					3.				

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)				
DRILLING ACTUAL	REAMING	CIRCULATING	TRIPS	STANDS DP	FT.	RUN NO.										
				SNGLS. DP	FT.	SIZE										
				D.C. ID		MFG.										
				OD	FT.	TYPE										
				RMR BODY OD	FT.	NOZ. NO.										
				STB BODY OD	FT.	SIZE										
				SUBS OD	FT.	SER. NO.										
				BIT OR C.B.	FT.	DEPTH OUT										
					FT.	CUMULATIVE HOURS RUN										
				KELLY DOWN	FT.	COND. OF BIT										
				TOTAL	FT.	REAMER CUTTER NO.										
				WT. OF STRING	LBS.	TYPE										
				DRILLER												

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)				
DRILLING ACTUAL	REAMING	CIRCULATING	TRIPS	STANDS DP	FT.	RUN NO.										
				SNGLS. DP	FT.	SIZE										
				D.C. ID		MFG.										
				OD	FT.	TYPE										
				RMR BODY OD	FT.	NOZ. NO.										
				STB BODY OD	FT.	SIZE										
				SUBS OD	FT.	SER. NO.										
				BIT OR C.B.	FT.	DEPTH OUT										
					FT.	CUMULATIVE HOURS RUN										
				KELLY DOWN	FT.	COND. OF BIT										
				TOTAL	FT.	REAMER CUTTER NO.										
				WT. OF STRING	LBS.	TYPE										
				DRILLER												

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)				
DRILLING ACTUAL	REAMING	CIRCULATING	TRIPS	STANDS DP	FT.	RUN NO.										
				SNGLS. DP	FT.	SIZE										
				D.C. ID		MFG.										
				OD	FT.	TYPE										
				RMR BODY OD	FT.	NOZ. NO.										
				STB BODY OD	FT.	SIZE										
				SUBS OD	FT.	SER. NO.										
				BIT OR C.B.	FT.	DEPTH OUT										
					FT.	CUMULATIVE HOURS RUN										
				KELLY DOWN	FT.	COND. OF BIT										
				TOTAL	FT.	REAMER CUTTER NO.										
				WT. OF STRING	LBS.	TYPE										
				DRILLER												

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	









DAILY DRILLING REPORT

REPORT NO. 20

DATE April 1 1967

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION <b>R Y T H-59</b>	LSD. SEC. TWP. RGE. W. <b>Shell Beach R</b>	WELL NAME
CONTRACTOR <b>Regeret</b>	RIG No. <b>21</b>	DRILL PIPE STRING NO. SIZE	TOOL JOINT TYPE THD.	OD
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>		
		PUMPS		CASING & LINER RECORD
		1. MANUFACTURER	TYPE	STROKE LENGTH
		2.		
		3.		

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.					DEPTH	DEV.
				SNGLS.	DP	FT.	SIZE						
				D.C.	ID		MFG.						
					OD	FT.	TYPE						
				RMR BODY	OD	FT.	NOZ. NO.					DEPTH	DEV.
				STB BODY	OD	FT.	SIZE					DIRECTION	DEPTH
				SUBS	OD	FT.	SER. NO.						
				BIT OR C.B.		FT.	DEPTH OUT						
						FT.	CUMULATIVE HOURS RUN						
				KELLY DOWN		FT.	COND. OF BIT						
				TOTAL		FT.	REAMER CUTTER NO.						
				WT. OF STRING		LBS.	TYPE						
OTHER				DRILLER									
FISHING				DRILLER									
COMPLETING (A) PERFORATING				DRILLER									
(B) RUNNING TUBING				DRILLER									
(C) SWABBING				DRILLER									
(D) TESTING				DRILLER									
(E) ACIDIZING				DRILLER									
(F) ADDITIONAL				DRILLER									
TOTALS				DRILLER									
TIME SUMMARY (OFFICE USE ONLY)				DRILLER									
CONTRACTOR'S TIME HRS:				DRILLER									
OPERATOR'S TIME:				DRILLER									
HRS. W/D.P.:				DRILLER									
HRS WO/D.P.:				DRILLER									
HRS STANDBY				DRILLER									

*Handwritten notes in Morning Tour section:*  
 55' 1200-500 W.O.C  
 2500-530 Tool Plug  
 22' 530-800 Lay down

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.					DEPTH	DEV.
				SNGLS.	DP	FT.	SIZE						
				D.C.	ID		MFG.						
					OD	FT.	TYPE						
				RMR BODY	OD	FT.	NOZ. NO.					DEPTH	DEV.
				STB BODY	OD	FT.	SIZE					DIRECTION	DEPTH
				SUBS	OD	FT.	SER. NO.						
				BIT OR C.B.		FT.	DEPTH OUT						
						FT.	CUMULATIVE HOURS RUN						
				KELLY DOWN		FT.	COND. OF BIT						
				TOTAL		FT.	REAMER CUTTER NO.						
				WT. OF STRING		LBS.	TYPE						
OTHER				DRILLER									
FISHING				DRILLER									
COMPLETING (A) PERFORATING				DRILLER									
(B) RUNNING TUBING				DRILLER									
(C) SWABBING				DRILLER									
(D) TESTING				DRILLER									
(E) ACIDIZING				DRILLER									
(F) ADDITIONAL				DRILLER									
TOTALS				DRILLER									
TIME SUMMARY (OFFICE USE ONLY)				DRILLER									
CONTRACTOR'S TIME HRS:				DRILLER									
OPERATOR'S TIME:				DRILLER									
HRS. W/D.P.:				DRILLER									
HRS WO/D.P.:				DRILLER									
HRS STANDBY				DRILLER									

*Handwritten notes in Day Tour section:*  
 8" 4" Lay down B.P.  
 11.14 in. Plu  
 5.5 lbs. Lay down  
 Rig Released @

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.					DEPTH	DEV.
				SNGLS.	DP	FT.	SIZE						
				D.C.	ID		MFG.						
					OD	FT.	TYPE						
				RMR BODY	OD	FT.	NOZ. NO.					DEPTH	DEV.
				STB BODY	OD	FT.	SIZE					DIRECTION	DEPTH
				SUBS	OD	FT.	SER. NO.						
				BIT OR C.B.		FT.	DEPTH OUT						
						FT.	CUMULATIVE HOURS RUN						
				KELLY DOWN		FT.	COND. OF BIT						
				TOTAL		FT.	REAMER CUTTER NO.						
				WT. OF STRING		LBS.	TYPE						
OTHER				DRILLER									
FISHING				DRILLER									
COMPLETING (A) PERFORATING				DRILLER									
(B) RUNNING TUBING				DRILLER									
(C) SWABBING				DRILLER									
(D) TESTING				DRILLER									
(E) ACIDIZING				DRILLER									
(F) ADDITIONAL				DRILLER									
TOTALS				DRILLER									
TIME SUMMARY (OFFICE USE ONLY)				DRILLER									
CONTRACTOR'S TIME HRS:				DRILLER									
OPERATOR'S TIME:				DRILLER									
HRS. W/D.P.:				DRILLER									
HRS WO/D.P.:				DRILLER									
HRS STANDBY				DRILLER									

*Handwritten notes in Evening Tour section:*  
 (None visible)

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.					DEPTH	DEV.
				SNGLS.	DP	FT.	SIZE						
				D.C.	ID		MFG.						
					OD	FT.	TYPE						
				RMR BODY	OD	FT.	NOZ. NO.					DEPTH	DEV.
				STB BODY	OD	FT.	SIZE					DIRECTION	DEPTH
				SUBS	OD	FT.	SER. NO.						
				BIT OR C.B.		FT.	DEPTH OUT						
						FT.	CUMULATIVE HOURS RUN						
				KELLY DOWN		FT.	COND. OF BIT						
				TOTAL		FT.	REAMER CUTTER NO.						
				WT. OF STRING		LBS.	TYPE						
OTHER				DRILLER									
FISHING				DRILLER									
COMPLETING (A) PERFORATING				DRILLER									
(B) RUNNING TUBING				DRILLER									
(C) SWABBING				DRILLER									
(D) TESTING				DRILLER									
(E) ACIDIZING				DRILLER									
(F) ADDITIONAL				DRILLER									
TOTALS				DRILLER									
TIME SUMMARY (OFFICE USE ONLY)				DRILLER									
CONTRACTOR'S TIME HRS:				DRILLER									
OPERATOR'S TIME:				DRILLER									
HRS. W/D.P.:				DRILLER									
HRS WO/D.P.:				DRILLER									
HRS STANDBY				DRILLER									

20 DATE April 1 1967

TWP. 1-59	RGE.	W.	WELL NAME Shell Peck River	No. 8	PROVINCE Iowa										
PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER				
NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM			TO			
1.															
2.															

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME					
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
85' 1200-500 W.O.C													SD. CONT.					
2500-530 Seal plug no 2 @ 500 ft @ 2000 ft																		
22530-800 Lay down pipe																		
													MUD & CHEMICALS ADDED					
													TYPE	AMT.	TYPE	AMT.		

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME					
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
8" 4" Lay down B.S.P. Run 1055' Cont in Top Shell													SD. CONT.					
Hold on Plate																		
5.5 lbs Cement in Kit hole																		
Rig Released @ 4: PM April 1/67													MUD & CHEMICALS ADDED					
													TYPE	AMT.	TYPE	AMT.		

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME					
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
													SD. CONT.					
													MUD & CHEMICALS ADDED					
													TYPE	AMT.	TYPE	AMT.		



DAILY DRILLING REPORT

REPORT NO. 19

DATE

march 31 / 67

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>Shell Peel R</i>
CONTRACTOR <i>Regent</i>	RIG No. <i>21</i>	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>RB Pugh</i>		CONTRACTOR'S TOOL PUSHER <i>H. Hanson</i>			NO.	MANUFACTURER	TYPE	STROKE LENGTH
					1.	<i>Emaco</i>	<i>D-500</i>	<i>14</i>
					2.			
					3.			

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL			
REAMING			
CIRCULATING			
TRIPS			
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER	<i>8</i>	<i>8</i>	<i>8</i>
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
<b>TOTALS</b>	<i>8</i>	<i>8</i>	<i>8</i>

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.					DEPTH	DEV.
	SINGLS.	DP	FT.	SIZE						
	D.C.	ID	FT.	MFG.						
		OD	FT.	TYPE						
	RMR BODY	OD	FT.	NO.						
	STB BODY	OD	FT.	NOZ. SIZE						
	SUBS	OD	FT.	SER. NO.						
	BIT OR C.B.		FT.	DEPTH OUT						
			FT.	CUMULATIVE HOURS RUN						
	KELLY DOWN		FT.	COND. OF BIT						
	TOTAL		FT.	REAMER CUTTER NO.						
	WT. OF STRING		LBS.	TYPE						
	DRILLER									

*8 1200-800 Wait on OAD... Lay down D. Co. Pipe*

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS.			
OPERATOR'S TIME:			
HRS. W/D.P.			
HRS WO/D.P.			
HRS STANDBY			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.					DEPTH	DEV.
	SINGLS.	DP	FT.	SIZE						
	D.C.	ID	FT.	MFG.						
		OD	FT.	TYPE						
	RMR BODY	OD	FT.	NO.						
	STB BODY	OD	FT.	NOZ. SIZE						
	SUBS	OD	FT.	SER. NO.						
	BIT OR C.B.		FT.	DEPTH OUT						
			FT.	CUMULATIVE HOURS RUN						
	KELLY DOWN		FT.	COND. OF BIT						
	TOTAL		FT.	REAMER CUTTER NO.						
	WT. OF STRING		LBS.	TYPE						
	DRILLER	<i>R. Gunn</i>								

*800 230 WAIT ON OAD... 230 400 RUN PLUG WITH \$15*

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.					DEPTH	DEV.
	SINGLS.	DP	FT.	SIZE						
	D.C.	ID	FT.	MFG.						
		OD	FT.	TYPE						
	RMR BODY	OD	FT.	NO.						
	STB BODY	OD	FT.	NOZ. SIZE						
	SUBS	OD	FT.	SER. NO.						
	BIT OR C.B.		FT.	DEPTH OUT						
			FT.	CUMULATIVE HOURS RUN						
	KELLY DOWN		FT.	COND. OF BIT						
	TOTAL		FT.	REAMER CUTTER NO.						
	WT. OF STRING		LBS.	TYPE						
	DRILLER	<i>H. Hanson</i>								

*400 730 Lay down... 730-900 Run plug... @ 382 skel... 900-1200 Pull out W/O*

19 DATE *March 31 / 67*  
 TWP. *H-59* RGE. W. WELL NAME *Shell Peel River* No. *8* PROVINCE *Yukon*

NO.	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE	WT. & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
							FROM	TO	FROM	TO		
1.	<i>Emaco</i>	<i>D-500</i>	<i>14</i>									
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.			
DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION													FLTR. CK.						
REMARKS <i>8 1200-800 Wait on orders Lay down D. Ca. Pick up D. pipe</i>													PH						
													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT.	TYPE	AMT.			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.			
DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION													FLTR. CK.						
REMARKS <i>800 230 WAIT ON ORDERS - CIRCULATE            230 400 RUN plug # 1 2500# 2400 FT            WITH 51 STS CEMENT</i>													PH						
													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT.	TYPE	AMT.			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.			
DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION													FLTR. CK.						
REMARKS <i>400 730 Lay down 2 1/2" pipe            730-900 Run plug no 2 270-975            @ 382 skat cement 270 Cu. Lb            900-1200 Pull out WOC</i>													PH						
													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT.	TYPE	AMT.			

DAILY DRILLING REPORT

REPORT NO. 18

DATE

March 30, 1967

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <b>SHELL PEEL</b>	
CONTRACTOR <i>See Report Only '66' Pld.</i>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>APB Kumbhar</i>		CONTRACTOR'S TOOL PUSHER <i>J. J. ...</i>			PUMPS			CASING & LINER RECORD	

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
DRILLING ACTUAL	MORN	DAY	EVE	23	STANDS DP	FT.	RUN NO.								
REAMING	5 1/2			1	SNGLS. DP	1452.59	FT.	SIZE	6 3/4	5 1/2	2475	2500	22		
CIRCULATING	1			34	D.C. 2 1/4 ID		MFG.	SEC							
TRIPS	7 1/2			2	RMR BODY OD	986.02	FT.	TYPE	H7UG5						
DEVIATION SURVEY	1/4			2	STB BODY OD	4.11	FT.	NOZ.	NO. 3	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.
TEST B.O.P.					SUBS OD		FT.	SER. NO.	905716	12 <sup>00</sup> -2 <sup>00</sup>					REMARKS
CUT OFF DRILL LINE					BIT OR C.B.		FT.	DEPTH OUT	2500	2 <sup>00</sup> -2 <sup>30</sup>					Drill 6 3/4 Hole
REPAIR RIG	1/2			1	S.D.C.	30.35	FT.	CUMULATIVE HOURS RUN	8 1/4	2 <sup>30</sup> -6 <sup>00</sup>					Work on pump
CORING					KELLY DOWN	19.46	FT.	COND. OF BIT		6 <sup>00</sup> -7 <sup>00</sup>					Drill 6 3/4 Hole
WIRE LINE LOGGING	7 7 1/2				TOTAL	2500	FT.	REAMER CUTTER NO.		7 <sup>00</sup> -7 <sup>15</sup>					Circ To Log
FISHER	1/2	1/2			WT. OF STRING	52000	LBS.	TYPE		7 <sup>15</sup> -8 <sup>00</sup>					Totals
FISHING					DRILLER	<i>Geo. Louance</i>									

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)				
COMPLETING (A) PERFORMING					STANDS DP	FT.	RUN NO.									
(B) RUNNING TUBING					SNGLS. DP	FT.	SIZE									
(C) SWABBING					D.C. ID		MFG.									
(D) TESTING					OD	FT.	TYPE									
(E) ACIDIZING					RMR BODY OD	FT.	NO			DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	
(F) ADDITIONAL					STB BODY OD	FT.	NOZ.	SIZE								
TOTALS	8	8	8		SUBS OD	FT.	SER. NO.			1/2	8:00	8:30			Finish pulling	
TIME SUMMARY (OFFICE USE ONLY)					BIT OR C.B.	FT.	DEPTH OUT			1/2	8:30	9:00				Key To Log
CONTRACTOR'S TIME HRS:					KELLY DOWN	FT.	CUMULATIVE HOURS RUN			7	9:00	4:00				Logging
OPERATOR'S TIME:					TOTAL	FT.	COND. OF BIT									
HRS. W/D.P.:					WT. OF STRING	LBS.	REAMER CUTTER NO.									
HRS. WO/D.P.:					DRILLER	<i>R. Gumsalley</i>										
HRS. STANDBY:																

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)				
REEL NO					STANDS DP	FT.	RUN NO.									
NO OF LINES	SIZE				SNGLS. DP	FT.	SIZE									
FEET SLIPPED					D.C. ID		MFG.									
FEET CUT OFF					OD	FT.	TYPE									
PRESENT LENGTH					RMR BODY OD	FT.	NO.			DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	
TON MI. or TRIPS SINCE LAST CUT					STB BODY OD	FT.	NOZ.	SIZE								
CUMULATIVE TON MI. or TRIPS					SUBS OD	FT.	SER. NO.			7 1/2	4:00	11:30				Logging
NO. OF DAYS FROM SPUD					BIT OR C.B.	FT.	DEPTH OUT			1/2	11:30	12:00				Lean out logging eq
CUMULATIVE ROTATING HRS.					KELLY DOWN	FT.	CUMULATIVE HOURS RUN									
					TOTAL	FT.	COND. OF BIT									
					WT. OF STRING	LBS.	REAMER CUTTER NO.									
					DRILLER	<i>G. J. Loung</i>										





DAILY DRILLING REPORT

REPORT NO. 17

DATE March 29 1967

OPERATOR SHELL CANADA LIMITED		LOCATION R	LSD.	SEC. JT	TWP. H59	RGE.	W.	WELL NAME SHELL PEEL R.	
CONTRACTOR REGENT DRUG G6 LTD		RIG No. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>			NO.	MANUFACTURER	TYPE	STROKE LENGTH	
					1.	EMSCO	D300	14"	
					2.				
					3.				

TIME DISTRIBUTION—HOURS			
	NORM	DAY	EVE
DRILLING ACTUAL	7	6 3/4	5 3/4
REAMING			
CIRCULATING			
TRIPS	1	1	2 1/4
DEVIATION SURVEY			
TEST B.O.P.		1 1/4	
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER			
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	9 1/4	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS
	STANDS	DP	FT.	RUN NO.					DEPTH	DEV.	DIRECTION	
21	1	STANDS DP	1329.5	FT.	18							
	1	SINGLS. DP		FT.	6 3/4	7	2353	2384				21
		ID			MFG. SEC							
34	2	D.C. OD	986.02	FT.	TYPE H70-3							
	2	RMR BODY OD	11.11	FT.	NO. 3							
		STB BODY OD		FT.	SIZE 13							
		SUBS OD		FT.	SER. NO. 881665							
		BIT OR C.B.		FT.	DEPTH OUT 2284							
	1	SSD.C.	3032	FT.	CUMULATIVE HOURS RUN 10 1/4							
		KELLY DOWN	2800	FT.	COND. OF BIT							
		TOTAL	2384.76	FT.	REAMER CUTTER NO.							
		WT. OF STRING	50000	LBS.	TYPE							
		DRILLER	R. Gumsalley									

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS. WO/D.P.:			
HRS. STANDBY:			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS
	STANDS	DP	FT.	RUN NO.					DEPTH	DEV.	DIRECTION	
22	1	STANDS DP	1391.5	FT.	19							
	1	SINGLS. DP		FT.	6 3/4	6 3/4	2384	2437				
		ID			MFG. SEC							
34	2	D.C. OD	986.02	FT.	TYPE H70-3							
	2	RMR BODY OD	11.11	FT.	NO. 3							
		STB BODY OD		FT.	SIZE 13							
		SUBS OD		FT.	SER. NO. 45210							
		BIT OR C.B.		FT.	DEPTH OUT							
	1	SSD.C.	3032	FT.	CUMULATIVE HOURS RUN							
		KELLY DOWN	1804	FT.	COND. OF BIT							
		TOTAL	2437	FT.	REAMER CUTTER NO.							
		WT. OF STRING	51000	LBS.	TYPE							
		DRILLER	Geo Louance									

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS
	STANDS	DP	FT.	RUN NO.					DEPTH	DEV.	DIRECTION	
23	1	STANDS DP	1421.65	FT.	19	20						
	1	SINGLS. DP		FT.	6 3/4	6 3/4	5 3/4	2437	2478			
		ID			MFG. SEC							
34	2	D.C. OD	986.02	FT.	TYPE H70-3	H70-3						
	2	RMR BODY OD	11.11	FT.	NO. 3							
		STB BODY OD		FT.	SIZE 13							
		SUBS OD		FT.	SER. NO. 45210	70570						
		BIT OR C.B.		FT.	DEPTH OUT 2456							
	1	SSD.C.	3032	FT.	CUMULATIVE HOURS RUN 9 3/4							
		KELLY DOWN	2900	FT.	COND. OF BIT 5-2-1							
		TOTAL	2478	FT.	REAMER CUTTER NO.							
		WT. OF STRING		LBS.	TYPE							
		DRILLER	Geo + Day									





DAILY DRILLING REPORT

REPORT NO. 16

DATE

MARCH 28

1967

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <b>SHELL PEELE</b>		
CONTRACTOR <b>REGENT DRILLING 66 LTD</b>		RIG NO. <b>21</b>	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	
OPERATOR'S REPRESENTATIVE <i>HS Lamb</i>		CONTRACTOR'S TOOL PUSHER <i>A. Wagner</i>			TYPE THD.		NO.	MANUFACTURER	TYPE	STROKE LENGTH
						1.	FMS 60	D300	14"	
						2.				
						3.				

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	4 1/2	8	5 1/2
REAMING			
CIRCULATING			
TRIPS	3		2
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			1/4
CORING			
WIRE LINE LOGGING			
START on pump	1/2		
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	8

NO.	DRILLING ASSEMBLY		BIT RECORD		MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.						
20	STANDS	DP	1237.98	FT.	15	18				
	SINGLS.	DP		FT.	SIZE	6 3/4	6 3/4	2267	2274	7
	ID				MFG.	HW	SEC	2274	2274	5
34	D.C.	OD	986.02	FT.	TYPE	R675	H705			
2	RMR BODY	OD	11.11	FT.	NO.	NO				
	STB BODY	OD		FT.	NO.	NO				
	SUBS	OD		FT.	NO.	NO				
	BIT OR C.B.			FT.	DEPTH OUT	2274				
	1 SQ D.C.		3032	FT.	CUMULATIVE HOURS RUN	4				
	KELLY DOWN		1400	FT.	COND. OF BIT					
	TOTAL		2271	FT.	REAMER CUTTER NO.					
	WT. OF STRING		50000	LBS.	TYPE					
	DRILLER	<i>R. Genssally</i>								

NO.	DRILLING ASSEMBLY		BIT RECORD		MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.						
20	STANDS	DP		FT.	18					
1	SINGLS.	DP	1268.16	FT.	SIZE	6 3/4		2279	2327	
	ID				MFG.	SEC				
34	D.C.	OD	986.02	FT.	TYPE	H705				
2	RMR BODY	OD	11.11	FT.	NO.	3				
	STB BODY	OD		FT.	NO.	13				
	SUBS	OD		FT.	NO.	872737				
	BIT OR C.B.			FT.	DEPTH OUT			800-400	DRILL 6 3/4 HOLES	
	1 SQ D.C.		3032	FT.	CUMULATIVE HOURS RUN	9				
	KELLY DOWN		3139	FT.	COND. OF BIT					
	TOTAL		2327	FT.	REAMER CUTTER NO.					
	WT. OF STRING		50000	LBS.	TYPE					
	DRILLER	<i>Geo Louane</i>								

TIME SUMMARY (OFFICE USE ONLY)	
CONTRACTOR'S TIME HRS:	
OPERATOR'S TIME:	
HRS. W/D.P.:	
HRS. WO/D.P.:	
HRS. STANDBY:	
WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.						
21	STANDS	DP	1299.15	FT.	18	18				
	SINGLS.	DP		FT.	SIZE	6 3/4	6 3/4	2327	2353	26
	ID				MFG.	SEC	SEC			
34	D.C.	OD	986.02	FT.	TYPE	H705	H705			
2	RMR BODY	OD	11.11	FT.	NO.	5				
	STB BODY	OD		FT.	NO.	13				
	SUBS	OD		FT.	NO.	872737				
	BIT OR C.B.			FT.	DEPTH OUT	2336				
	1 SQ D.C.		3032	FT.	CUMULATIVE HOURS RUN	12				
	KELLY DOWN		2700	FT.	COND. OF BIT	631				
	TOTAL		2353	FT.	REAMER CUTTER NO.					
	WT. OF STRING		50000	LBS.	TYPE					
	DRILLER	<i>Geo + Ray</i>								



DAILY DRILLING REPORT

REPORT NO.

DATE

MARCH 27/67

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION <b>VT</b>	SEC. <b>1159</b>	TWP. <b>1159</b>	RGE. <b>W.</b>	WELL NAME <b>SHELL PEEL</b>
CONTRACTOR <b>REGENT DRLG 66 LTD 21</b>		RIG No.	DRILL PIPE STRING NO. & SIZE	TOOL JOINT TYPE THD.	PUMPS	
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>		NO. MANUFACTURER TYPE STROKE LENGTH		CASING & LINER RECORD
				1. <b>FMSCO</b> <b>Q 300</b> <b>14"</b>		
				2.		
				3.		

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	4 1/4	4 1/4	5 1/2
REAMING			1/2
CIRCULATING			
TRIPS	2 1/4	2 1/2	2
DEVIATION SURVEY			
TEST B.O.P		1/4	
CUT OFF DRILL LINE			
REPAIR RIG		1	
CORING			
WIRE LINE LOGGING			
OTHER	1		
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8 1/8	8	8
TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS. WO/D.P.:			
HRS. STANDBY:			
WIRE LINE RECORD			
REEL NO			
NO OF LINES	SIZE		
FEET SLIPPED			
FEET CUT OFF			
PRESENT LENGTH			
TON MI. or TRIPS SINCE LAST CUT			
CUMULATIVE TON MI. or TRIPS			
NO. OF DAYS FROM SPUD			
CUMULATIVE ROTATING HRS.			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS DP	FT.	RUN NO	SIZE					DEPTH	DEV.
19	STANDS DP	1175.45	FT.	RUN NO	14					
	SINGLS. DP		FT.	SIZE	6 3/4	4 1/4	2207	2230		23
	ID			MFG.	SEC					
34	D.C.	986.02	FT.	TYPE	11703					
2	RMR BODY OD	11.11	FT.	NO.	3					
	STB BODY OD		FT.	NOZ.	SIZE					
	SUBS OD		FT.	SER. NO	957498	4 1/4	12.00	12.45		RUN IN
	BIT OR C.B.		FT.	DEPTH OUT	2230	4 1/4	12.45	5.00		Run In
1	SQ. D.C.	30.32	FT.	CUMULATIVE HOURS RUN	4 1/4	1 1/4	5.00	6.15		Run In
	KELLY DOWN	28.00	FT.	COND. OF BIT	621	1	6.15	7.15		REPACK SW
	TOTAL	2230	FT.	REAMER CUTTER NO.						SEAMING R
	WT. OF STRING		LBS.	TYPE		4 1/4	7.15	8:00		RUN IN
	DRILLER	<i>R Gumsally</i>								

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS DP	FT.	RUN NO	SIZE					DEPTH	DEV.
19	STANDS DP	1175.45	FT.	RUN NO	15 16					
	SINGLS. DP		FT.	SIZE	6 3/4 6 3/4	4 1/4	2230	2243		
	ID			MFG.	H.W. SEC					
34	D.C.	986.02	FT.	TYPE	RG7XJ H10-J					
2	RMR BODY OD	11.11	FT.	NO	3					
	STB BODY OD		FT.	NOZ.	SIZE					
	SUBS OD		FT.	SER. NO.	FWR25 867189	8:00	8:30			RUN IN
	BIT OR C.B.		FT.	DEPTH OUT	2234	8:30	8:45			SET RIG
1	SQ. D.C.	30.32	FT.	CUMULATIVE HOURS RUN	2 1/4	8:45	11:00			DRILL 6 3/4 HOLE
	KELLY DOWN	40.10	FT.	COND. OF BIT		11:00	11:00			TRIP FOR B.T.
	TOTAL	2243	FT.	REAMER CUTTER NO.		1:00	3:00			DRILL 6 3/4 HOLE
	WT. OF STRING	5000	LBS.	TYPE		3:00	4:00			REPACK SW
	DRILLER	<i>Geo Journe</i>								

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS DP	FT.	RUN NO	SIZE					DEPTH	DEV.
19	STANDS DP	1175.45	FT.	RUN NO	16 17					
	SINGLS. DP		FT.	SIZE	6 3/4 6 3/4	5 1/2	2243	2267		24
	ID			MFG.	SEC HW					
34	D.C.	986.02	FT.	TYPE	H10-J RG7XJ					
2	RMR BODY OD	11.11	FT.	NO.	3					
	STB BODY OD		FT.	NOZ.	SIZE					
	SUBS OD		FT.	SER NO	867184 FWR25	5	4:00	9:00		DRILL 6 3/4 HOLE
	BIT OR C.B.		FT.	DEPTH OUT	2265	2	9:00	11:00		TRIP FOR B.T.
1	SQ. D.C.	30.32	FT.	CUMULATIVE HOURS RUN	7 1/2	1/2	11:00	11:30		SEAMING
	KELLY DOWN		FT.	COND. OF BIT	721	1/2	11:30	12:00		Run In
	TOTAL		FT.	REAMER CUTTER NO.						
	WT OF STRING	5000	LBS.	TYPE						
	DRILLER	<i>J. L. + 15 day</i>								



DATE MARCH 27/67

TWP. 1459	RGE. W.	WELL NAME SHELL STEEL RIG	No. 8	PROVINCE YUKON			
PUMPS		CASING & LINER RECORD	DEPTH SET	PERFORATIONS	CEMENT USED	OTHER	
NO.	MANUFACTURER	TYPE	STROKE LENGTH	FROM	TO	FROM	TO
1.	FMSCO	D 300	14"				
2.							
3.							

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
4 1/4		2207	2230	23	100	40	1300	5"	62				2	124	58	28	3/2	9.5	
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
4 1/4		12:00	12:45	KUN IN															
4 1/4		12:45	5:00	D-Log															
1 1/4		5:00	6:15	FULL OUT															
1		6:15	7:12	REPACK SEALS IN LG 7X3 AND SERVICE REAMER															
7 1/4		7:15	8:00	RUN IN.															
MUD & CHEMICALS ADDED													SD. CONT.						
													TYPE	AMT.	TYPE	AMT.			
													CAUSTIC	25KS					

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
4 1/4		2230	2243		100	40	1350	5	65				10	124	65	65			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH	9.5					
18 1/2	8 30			Run IN															
	8 30			Set Rig															
	8 45			DRILL 6 3/4" HOLE															
	11 45			Trip For B.T.															
	1 00	300		DRILL 6 3/4" HOLE															
	3 00	400		REPACK SEALS															
MUD & CHEMICALS ADDED													SD. CONT.						
													TYPE	AMT.	TYPE	AMT.			
													PELTEX	8 SACK					

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
4 1/4	5 1/2	2243	2267	24	100	40	1350	5	65				4	6	8	124	125	124	62
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
5	400	9:00		DRILL 6 3/4" HOLE															
2	9:00	11:00		Trip For B.T.															
1/2	11:00	11:30		SEAMING															
1/2	11:30	12:00		D-Log															
MUD & CHEMICALS ADDED													SD. CONT.						
													TYPE	AMT.	TYPE	AMT.			

DAILY DRILLING REPORT

REPORT NO. 14

DATE

March 26, 1967

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	
CONTRACTOR <b>REGENT DRILLING LTD</b>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>		NO.	MANUFACTURER	TYPE	STROKE LENGTH		
				1.	<b>FMSCO</b>	<b>D300</b>	<b>17</b>		
				2.					
				3.					

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	4		6 1/2
REAMING			
CIRCULATING	1		
TRIPS	3	3 1/2	1 1/4
DEVIATION SURVEY			
TEST B.O.P.			1/4
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER			4 1/4
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
<b>TOTALS</b>	<b>8</b>	<b>8</b>	<b>8</b>

NO.	DRILLING ASSEMBLY		BIT RECORD		MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.					SIZE	DEPTH
18	STANDS	DP	1052.45 FT.	RUN NO.	13					
1	SINGLS.	DP	315 FT.	SIZE	6 3/4		2108	2140		32
34	D.C.	ID	986.02 FT.	MFG.	SEC					
	OD			TYPE	H70-J					
2	RMR BODY	OD	11.11 FT.	NO.	3					
	STB BODY	OD		NOZ.	SIZE					
	SUBS	OD		SER. NO.	881259		1/2 12 00	12 30		CIRC AND GU
	BIT OR C.B.			DEPTH OUT	2140		2 1/4 12 30	2 45		TRIP FOR 13
1	SQ D.C.		30.32 FT.	CUMULATIVE HOURS RUN	4		4 2 45	6 45		DRILL 6 3/4
	KELLY DOWN		29 00 FT.	COND. OF BIT			1/2 6 45	7 15		C.C.D.
	TOTAL		2,140 FT.	REAMER CUTTER NO.			3/4 7 15	8 00		PULL OUT
	WT. OF STRING		4900 LBS.	TYPE						
	DRILLER									
										<i>R. Gunn</i>

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS WO/D.P.:			
HRS STANDBY:			

NO.	DRILLING ASSEMBLY		BIT RECORD		MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.					SIZE	DEPTH
17	STANDS	DP		RUN NO.						
1	SINGLS.	DP	1084.15 FT.	SIZE						
34	D.C.	ID	986.02 FT.	MFG.						
	OD			TYPE						
2	RMR BODY	OD	11.11 FT.	NO.	NO					
	STB BODY	OD		NOZ.	SIZE					
	SUBS	OD		SER. NO.			8 00 - 8 30			FINISH PULLING OUT
	BIT OR C.B.			DEPTH OUT			8 30 - 8 45			SLIP R.G.
1	SQ D.C.		30.32 FT.	CUMULATIVE HOURS RUN			8 45 - 9 45			PICK UP + MAKE UP PAC
	KELLY DOWN		29 00 FT.	COND. OF BIT			9 45 - 10 45			RUN IN
	TOTAL		2140 FT.	REAMER CUTTER NO.			10 45 - 11 15			TESTING.
	WT. OF STRING		4900 LBS.	TYPE			1 15 - 2 30			PULL PACKER
	DRILLER						2 30 - 3 15			BREAK & LAY PACKER
							3 15 - 4 00			RUN IN w/ 6 3/4 T.S.
										<i>G. Jarrance</i>

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.					SIZE	DEPTH
18	STANDS	DP	1115.15 FT.	RUN NO.	13					
	SINGLS.	DP	30 00 FT.	SIZE	6 3/4		2140	2207		67
34	D.C.	ID	986.02 FT.	MFG.	SEC					
	OD			TYPE	H70-J					
2	RMR BODY	OD	11.11 FT.	NO.	3					
	STB BODY	OD		NOZ.	SIZE					
	SUBS	OD		SER. NO.	881259		4 00 - 4 15			FINISH RUNNING IN
	BIT OR C.B.			DEPTH OUT	2207		4 15 - 10 30			DRILL 6 3/4 HOLE
1	SQ D.C.		30.32 FT.	CUMULATIVE HOURS RUN	10 1/4		10 30 - 12 00			PULL OUT
	KELLY DOWN		35 00 FT.	COND. OF BIT	5 7-1					
	TOTAL		2207 FT.	REAMER CUTTER NO.						
	WT. OF STRING		4900 LBS.	TYPE						
	DRILLER									
										<i>[Signature]</i>







12 DATE MARCH 25/67  
 TWP. H59 RGE. W. WELL NAME SHELL PEEL RIVER No. 8 PROVINCE YUKON

PUMPS	CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
				FROM	TO	FROM	TO		
NO. 1. MANUFACTURER TYPE STROKE LENGTH									
1. EMSCO P300 14"									
2.									
3.									

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.			
3/4		1976	2013	57	100	30	1225	5	62				12	2	6				
													WEIGHT	11.00	11.3				
													VISC	44					
													W.L.-C.C.						
DEVIATION RECORD:													FLTR. CK.						
DEPTH DEV. DIRECTION													PH						
1220 245 DELG 6 3/4 HOLE													SD. CONT.						
245 445 WORK ON PUMP																			
445 515 DELG 6 3/4 HOLE																			
515 630 PUL OUT SLOW																			
630 800 RUN IN																			
													MUD & CHEMICALS ADDED						
													TYPE AMT. TYPE AMT.						
													PELTER 8 SAX.						

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.			
63/4		2013	2085	72	120	28	1200	5	62				10	12	2				
													WEIGHT	11.2	11.2	11.4			
													VISC	48	48	48			
													W.L.-C.C.			2.7			
DEVIATION RECORD:													FLTR. CK.						
DEPTH DEV. DIRECTION													PH						
REMARKS													SD. CONT.						
800 815 SER RIG																			
815 830 RUN IN																			
830 915 BIRC GAS OUT OF HOLE																			
915 400 DRILL 6 3/4 HOLE																			
													MUD & CHEMICALS ADDED						
													TYPE AMT. TYPE AMT.						
													PELTER 8 SAX						
													CAUSTIC 2 SAX.						

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.			
3/4		2085	2108	23	120	32	1200	5	62				4	6	10				
													WEIGHT	11.5	11.5	11.6			
													VISC	48	48	48			
													W.L.-C.C.			3.4			
DEVIATION RECORD:													FLTR. CK.						
DEPTH DEV. DIRECTION													PH						
REMARKS													SD. CONT.						
400-745 DRILL 6 3/4 HOLE																			
745 945 WAIT ON WT MATERIAL																			
945 1200 CIRC AND MIXING WT. MATERIAL																			
													MUD & CHEMICALS ADDED						
													TYPE AMT. TYPE AMT.						
													173 SKS WT MAT.						

DAILY DRILLING REPORT

REPORT NO. 12

DATE MARCH 24/67

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION LSD.		R	SEC.	JT	TWP.	H59	RGE.	W.	WELL NAME <i>Shell Peel E.</i>
CONTRACTOR <i>REGENT Drily 66 LTD</i>		RIG No. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT		OD	PUMPS			CASING & LINER RECORD	
OPERATOR'S REPRESENTATIVE <i>W.B. Cummins</i>		CONTRACTOR'S TOOL PUSHER <i>J. Morrison</i>		TYPE THD.		NO.		MANUFACTURER	TYPE	STROKE LENGTH	
						1.		<i>Emaco</i>	<i>D. 300</i>	<i>14</i>	
						2.					
						3.					

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL			4 1/2
REAMING		1/2	1 3/4
CIRCULATING	2 1/4		1 1/2
TRIPS	3	2 1/2	
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			1/4
CORING	2 1/4	4	
WIRE LINE LOGGING			
OTHER			1
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
<b>TOTALS</b>	<b>8</b>	<b>8</b>	<b>8</b>

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS DP	FT.	RUN NO.	SIZE					DEPTH	DEV.
14	STANDS DP	865.74 FT.	10	11						
	SINGLS. DP	FT.	4 1/4	6 3/4	4	1	1899	1904		
35	D.C.	986.02 FT.		SEC						
	RMR BODY OD	FT.	NO.	NO.						
	STB BODY OD	FT.	SIZE	SIZE						
	SUBS OD	100 FT.	SER. NO.	L0-R30S						
	BIT OR C.B.	34.42 FT.	DEPTH OUT							
1	BIT SUB	600 FT.	CUMULATIVE HOURS RUN							
	KELLY DOWN	1100 FT.	COND. OF BIT							
	TOTAL	1904 FT.	REAMER CUTTER NO.							
	WT. OF STRING	48000 LBS.	TYPE							
DRILLER		<i>R. Gunn</i>								

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS DP	FT.	RUN NO.	SIZE					DEPTH	DEV.
14	STANDS DP	865.74 FT.	10	11						
	SINGLS. DP	FT.	4 1/4	6 3/4	4	1	1899	1927		
34	D.C.	986.02 FT.		SEC						
	RMR BODY OD	FT.	NO.	NO.						
	STB BODY OD	FT.	SIZE	SIZE						
	SUBS OD	100 FT.	SER. NO.	L-R30S 905702						
	BIT OR C.B.	34.42 FT.	DEPTH OUT							
1	BIT SUB	600 FT.	CUMULATIVE HOURS RUN							
	KELLY DOWN	3382 FT.	COND. OF BIT							
	TOTAL	1927 FT.	REAMER CUTTER NO.							
	WT. OF STRING	48000 LBS.	TYPE							
DRILLER		<i>Geo. Lawrence</i>								

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS DP	FT.	RUN NO.	SIZE					DEPTH	DEV.
16	STANDS DP	927.65 FT.	11	11						
	SINGLS. DP	FT.	6 3/4	6 3/4	4 1/2		1929	1976		49
34	D.C.	986.02 FT.		SEC						
	RMR BODY OD	11 11 FT.	NO.	NO.						
	STB BODY OD	FT.	SIZE	SIZE						
	SUBS OD	FT.	SER NO	905702						
	BIT OR C.B.	FT	DEPTH OUT							
1	SUB D.C.	3032 FT.	CUMULATIVE HOURS RUN							
	KELLY DOWN	2100 FT.	COND. OF BIT							
	TOTAL	1976 FT.	REAMER CUTTER NO.							
	WT OF STRING	48000 LBS.	TYPE							
DRILLER		<i>Geo + Ray</i>								



12 DATE MARCH 24/67

TWP. 1459 RGE. W. WELL NAME Shell Peel River No. 8 PROVINCE Ontario

OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
	1.	Amco	D-300	14								
	2.											
	3.											

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	WISC	W.L.-C.C.				
	1	1899	19.4		80	600	650	5"	25				6	11.2	42					
DEVIATION RECORD:													FLTR. CK.	PH	SD. CONT.					
REMARKS													MUD & CHEMICALS ADDED							
1/4 12:00 1:00 CIRC.													TYPE				AMT.			
1/4 1:00 2:15 PULL OUT MAGNET																				
1/4 2:15 4:00 RUN IN CORE BARREL																				
1/4 4:00 5:45 CIRC.																				
2/4 5:45 8:00 CORING																				
													Road 1897.60							
													Mud 1899.99							
													P.H. 1.79							
													Corrected 179 & 1899.99							

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	WISC	W.L.-C.C.				
	4	1899	19.29	Shale	90	600	750	5	25				8	10	11.1	47				
REMARKS													MUD & CHEMICALS ADDED							
8:00 - 12:00 Coring No 1													TYPE				AMT.			
12:00 - 1:15 Pull Core																				
1:15 - 2:15 HANDLE CORE + Lay BARREL DOWN																				
2:15 - 3:30 Run In To Ream.																				
3:30 - 4:00 Ream Hole To 6 3/4"																				
Cut Core #1 1899-1929 (30.0' MS-1 SS.)																				
Ream 29.2 feet 2 3/4" Core																				

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	WISC	W.L.-C.C.				
	4 1/2	1929	1976	49	120	2800	1050	5	55				4	6	47					
DEVIATION RECORD:													FLTR. CK.	PH	SD. CONT.					
REMARKS													MUD & CHEMICALS ADDED							
1/4 4:00 - 5:45 Ream Hole To 6 3/4"													TYPE				AMT.			
3 5:45 - 8:45 DRILL 6 3/4" HOLE																				
1/2 8:45 - 9:15 CIRC. SAMPLE																				
1/4 9:15 - 9:30 WORK ON PUMP																				
1/2 9:30 - 10:00 DRUG																				
1/4 10:00 - 10:15 CIRC. SAMPLE																	PELTEX 8 S.A.			
1/2 10:15 - 10:45 DRUG																	CAUSTIC 1 S.A.			
1/4 10:45 - 11:28 CIRC. SAMPLE																				

DAILY DRILLING REPORT

REPORT NO. 11 DATE MARCH 23/67

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	
CONTRACTOR <b>REGENT DRILLING 66 LTD 21</b>		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			
OPERATOR'S REPRESENTATIVE <i>M.S. Gumb</i>		CONTRACTOR'S TOOL PUSHER <i>D. Magnus</i>			TYPE THD.	NO.	MANUFACTURER	TYPE	STROKE LENGTH
						1.	Fansco	D300	14"
						2.			
						3.			

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
MORN	DAY	EVE		STANDS DP	FT.	RUN NO.						
2	4	2	4	13	804.7	8	9					
				1				2		1840	1858	18
				34	984.4			1/4		1858	1861	3
				2	11.1							
				2								
				1	30.32			2		12:00	2:00	PULL OUT
				1	330			1/4		3:15	3:45	THAW OUT AIR
					1861			3/4		4:00	4:45	CHECK REAMER
								2		4:00	4:45	RUN IN
								1/4		4:45	5:00	BREAK CIRC
								1/4		5:00	5:15	DRILL
								2 3/4		5:15	8:00	CIRC. AND G

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
MORN	DAY	EVE		STANDS DP	FT.	RUN NO.						
				13	835.69	9						
				1				2 1/4		1861	1875	
				34	984.48							
				2	11.1							
				1	30.32					8:00	1:00	Pump and from storage
				1	13.40			2 1/2		1:00	2:15	DRILL 6 3/4 HOLE
					1875			2 1/2		2:15	2:45	CIRC SAMPLE
								2 1/2		2:45	3:45	DRILL
								3 1/2		3:45	4:00	CIRC SAMPLE

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
MORN	DAY	EVE		STANDS DP	FT.	RUN NO.						
				13	835.69	9						
				1				4 1/4		1875	1897	22
				34	984.48							
				2	11.1							
				1	30.32			1/2		4:00	4:30	CIRC SAMPLE
				1	360			3/4		4:00	5:15	DRILL 5"
					1897			1/2		5:15	5:45	CIRC SAMPLE
								3/4		5:45	9:00	DRILL
								1		9:00	10:00	PULL OUT
								1 1/4		10:00	11:15	RUN IN WITH
								3/4		11:15	12:00	CIRC.

11 DATE MARCH 23/67

TWP. H-59	RGE. W.	WELL NAME <i>Head Pool Run</i>	No. 8	PROVINCE <i>Utah</i>					
PUMPS		CASING & LINER RECORD	DEPTH SET	PERFORATIONS	CEMENT USED	OTHER			
NO.	MANUFACTURER	TYPE	STROKE LENGTH	SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
1.	Fansco	D300	14"						
2.									
3.									

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.				
2		1840	1858	18	1000	30	1100	6 3/4	65				2	4	6	10.9	10.9	3.8	43	
1/4		1858	1861	3																
DEVIATION RECORD:													FLTR. CK.							
REMARKS													PH							
2 12:00 200 DRILL 6 3/4 HOLE													SD. CONT.							
1/4 2:00 3:15 PULL OUT													MUD & CHEMICALS ADDED							
1/2 3:15 3:45 THAW OUT AIR LINES													TYPE	AMT.	TYPE	AMT.				
1/4 3:45 4:00 CHECK REAMERS													GEL	15 SKS						
3/4 4:00 4:45 RUN IN													PELTEX	3 SKS						
1/4 4:45 5:00 BREAK CIRC AND REAM TO BOTTOM																				
1/4 5:00 5:15 DRILL																				
2 5:15 8:00 CIRC. AND GUNNING TANKS																				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.			
2 1/4		1861	1875		100	32	1050	5	57				12.8	10	2.12	10.9	10.9	3.8	43
DEVIATION RECORD:													FLTR. CK.	332					
REMARKS													PH	10.0					
8:00-1:00 Pump mud from storage tanks + gun up same mix mud.													SD. CONT.						
1:00-2:15 DRILL 6 3/4 HOLE													MUD & CHEMICALS ADDED						
2:15-2:45 CIRC SAMPLE													TYPE	AMT.	TYPE	AMT.			
2:45-3:45 DRILL													GEL	15 SKS					
3:45-4:00 CIRC SAMPLE													PELTEX	26 SKS					
													MASTIC	2 SKS					

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.			
4 1/4		1875	1897	22	100	35	1050	5	57				4	6	8	11.4	11.2	4.2	42
DEVIATION RECORD:													FLTR. CK.	332					
REMARKS													PH	9.0					
1/2 4:00 4:30 CIRC SAMPLE													SD. CONT.						
3/4 4:30 5:15 DRILL 5"													MUD & CHEMICALS ADDED						
1/2 5:15 5:45 CIRC SAMPLE													TYPE	AMT.	TYPE	AMT.			
3/4 5:45 9:00 DRILL																			
1 9:00 10:00 PULL OUT																			
1 1/4 10:00 11:15 RUN IN WITH MAGNET																			
3/4 11:15 12:00 CIRC.																			



DAILY DRILLING REPORT

REPORT NO. 1

DATE MARCH 22

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	
CONTRACTOR <b>REGENT DRILL 1966 LTD 21</b>		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			
OPERATOR'S REPRESENTATIVE <i>M. S. Curran</i>		CONTRACTOR'S TOOL PUSHER <i>M. J. J. J.</i>		TYPE THD.			CASING & LINER RECORD		
						NO.	MANUFACTURER	TYPE	STROKE LENGTH
						1.	KMSCO	D 700	14
						2.			
						3.			

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	8	52	5 1/2
REAMING			
CIRCULATING		1/4	
TRIPS		24	2
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER			1/2
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	89	9

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO	SIZE					
11	STANDS DP	682.03 FT.	RUN NO	6					
	SINGLS. DP	FT.	SIZE	6 3/4	8		1655	1722	
	D.C. ID		MFG.	SEC					
34	D.C. OD	984.48 FT.	TYPE	H700					
	RMR BODY OD	11.11 FT.	NOZ. NO.	3					
	STB BODY OD	FT.	SIZE	1/2					
	SUBS OD	FT.	SER. NO	905693					
	BIT OR C.B.	FT.	DEPTH OUT				12:00	8:00	Drill 6 3/4 Hole
1	Sq. D.C.	30.32 FT.	CUMULATIVE HOURS RUN						
	KELLY DOWN	14.06 FT.	COND. OF BIT						
	TOTAL	1722 FT.	REAMER CUTTER NO.						
	WT. OF STRING	48000 LBS.	TYPE						
	DRILLER	G. Jorance							

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL			
REAMING			
CIRCULATING			
TRIPS			
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER			
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	89	9

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS DP	FT.	RUN NO	SIZE						
12	STANDS DP	742.77 FT.	RUN NO	6 7						
	SINGLS. DP	FT.	SIZE	6 3/4 6 3/4			1722	1726	4	
	D.C. ID		MFG.	SEC SEC						
34	D.C. OD	984.48 FT.	TYPE	H700-J H700-J						
	RMR BODY OD	11.11 FT.	NOZ. NO.	3 231						
	STB BODY OD	FT.	SIZE	1/2 12 B						
	SUBS OD	FT.	SER. NO.	905693 905693						
	BIT OR C.B.	FT.	DEPTH OUT				7:4	8:00	8:45	Drill 6 3/4 HOLE
1	Sq. D.C.	30.32 FT.	CUMULATIVE HOURS RUN				1:14	8:45	11:00	TRIP FOR BIT
	KELLY DOWN	31.00 FT.	COND. OF BIT	4-2-1			1	11:00	12:00	Drill 6 3/4 HOLE
	TOTAL	1799 FT.	REAMER CUTTER NO.				1/4	12:00	12:15	Circ. SAMPLE
	WT. OF STRING	48000 LBS.	TYPE				3/4	12:15	4:00	Drill 6 3/4 HOLE
	DRILLER	G. Jorance								

WIRE LINE RECORD	
REEL NO	SIZE
NO OF LINES	
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS DP	FT.	RUN NO	SIZE						
12	STANDS DP	773.72 FT.	RUN NO	7 8						
	SINGLS. DP	FT.	SIZE	6 3/4 6 3/4	5 1/2		1799	1806	7	
	D.C. ID		MFG.	SEC SEC						
34	D.C. OD	984.48 FT.	TYPE	H700-J H700-J						
	RMR BODY OD	11.11 FT.	NOZ. NO.	2 1 2/12						
	STB BODY OD	FT.	SIZE	1/2 1/15						
	SUBS OD	FT.	SER. NO	878591 859890						
	BIT OR C.B.	FT.	DEPTH OUT							
1	Sq. D.C.	30.32 FT.	CUMULATIVE HOURS RUN				1	5:00	6:00	PULL OUT
	KELLY DOWN	40.35 FT.	COND. OF BIT	4-2-1			1/2	6:00	6:00	CLEAN HOLE
	TOTAL	1840 FT.	REAMER CUTTER NO.				1	6:30	7:30	Run in ANS
	WT. OF STRING	48000 LBS.	TYPE				4 1/2	7:30	12:00	Drill
	DRILLER	G. Jorance								

10 DATE MARCH 22  
 TWP. RGE. W. WELL NAME No. PROVINCE  
 H 59. *Shallow Pool Pump 8* *Yellow*

PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE							
1.	EMSCO	D 700	14						
2.									
3.									

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD												
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.									
8		1655	1722		90	28	750	5"	65				12	2	6	11.8	11.1	11.1	3.8	3.8	3.9	6.2			

DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION

REMARKS  
*1700-800 Drill 6 3/4 Hole*

MUD & CHEMICALS ADDED  
 TYPE AMT TYPE AMT  
*GEL 5 SAH*  
*POLTEX 25 Ks*  
*1/2 Stream water*  
*CAUSTIC 1 SK.*

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD												
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.									
<del>4 3/4</del>		1722	1726	4	90	28	750	5"	65				8	12	9	11.1	11.0	11.0	3.8	3.7	2.7				
4 3/4		1726			120	30	1100	5"	64																

DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION
	172	3 3/4		1726	3 3/4				

REMARKS  
*3/4 8:00 8:45 Dng 6 3/4 HOLE*  
*1 1/4 8:45 11:00 TRIP FOR BIT*  
*1 11:00 12:00 Dng 6 3/4 HOLE*  
*1/4 12:00 12:15 CIRC. SAMPLE*  
*3/4 12:15 4:00 Dng 6 3/4 HOLE*

MUD & CHEMICALS ADDED  
 TYPE AMT TYPE AMT

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD												
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.									
5 1/2		1799	1806	7	120	28	1100	5"	64				4	8	10	10.9	10.9	10.9	3.6	3.7	3.7	7.2			

DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION
	1700	4							

REMARKS  
*1 Dng 4:00 5:00*  
*1 5:00 6:00 PULL OUT*  
*1/2 6:00 6:00 CLEAN SHAKER TANK + REAMERS*  
*1 6:30 7:30 RUN IN AND BREAK CIRC.*  
*4 1/2 7:30 12:00 Dng*

MUD & CHEMICALS ADDED  
 TYPE AMT TYPE AMT  
*GEL 6 SAH*  
*POLTEX 4 SAH*  
*Water 1/2 Stream*







DAILY DRILLING REPORT

REPORT NO. 8

DATE

March 20 1967

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>Shell Pe</i>	
CONTRACTOR <i>Recept Drilling 1966 Ltd.</i>		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER			NO.		MANUFACTURER	TYPE	STROKE LENGTH
					1.		<i>Emeco</i>	<i>D-300</i>	<i>14</i>
					2.				
					3.				

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	5 1/4	5 1/2	7 3/4
REAMING			
CIRCULATING	1/4		
TRIPS	1	2	
DEVIATION SURVEY			
TEST B.O.P			1/4
CUT OFF DRILL LINE			
REPAIR RIG	1/2		
CORING			
WIRE LINE LOGGING			
OTHER	1	1/4	
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	8

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
5	STANDS	DP	311.11	FT.					
	SINGLS.	DP		FT.					
	D.C.	ID							
27	5"	OD	780.40	FT.			1000	1165	
2	RMR BODY	OD	11.11	FT.					
	STB BODY	OD		FT.					
	SUBS	OD		FT.					
	BIT OR C.B.			FT.					
1	5" D.C.		3032	FT.					
	KELLY DOWN		3206	FT.					
	TOTAL		1165	FT.					
	WT. OF STRING		40000	LBS.					
DRILLER <i>G. Jonance</i>									

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
MRS. W/D.P.:			
MRS. WO/D.P.:			
MRS. STANDBY:			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
7	STANDS	DP	435.15	FT.					
	SINGLS.	DP		FT.					
	D.C.	ID							
27	5"	OD	780.40	FT.			1065	1204	<del>39</del>
2	RMR BODY	OD	11.11	FT.					
	STB BODY	OD		FT.					
	SUBS	OD		FT.					
	BIT OR C.B.			FT.					
1	5" D.C.		3032	FT.					
	KELLY DOWN		3500	FT.					
	TOTAL		1291	FT.					
	WT. OF STRING		40000	LBS.					
DRILLER <i>R. Gunsolley</i>									

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
9	STANDS	DP	559.51	FT.					
	SINGLS.	DP		FT.					
	D.C.	ID							
27	5"	OD	780.40	FT.			1291	1426	
2	RMR BODY	OD	11.11	FT.					
	STB BODY	OD		FT.					
	SUBS	OD		FT.					
	BIT OR C.B.			FT.					
1	5" D.C.		3032	FT.					
	KELLY DOWN		1580	FT.					
	TOTAL		1426	FT.					
	WT. OF STRING		42000	LBS.					
DRILLER <i>Geo Jonance</i>									

8 DATE March 20 1967  
 TWP. 1159 RGE. W WELL NAME Shell Pool River No. 8 PROVINCE Yukon

PUMPS				CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH				FROM	TO	FROM	TO		
1.	EMSCO	D-300	14									
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME							
5 1/4		1000	1165		160	28	1050	6 1/4	57				4	6						
													WEIGHT	11.3	11.4					
													VISC	35	35					
													W.L.C.C.							
DEVIATION RECORD:													FLTR. CK.							
REMARKS													PH							
12:00-12:30 Run in to BTM of CSG													SD. CONT							
12:30-1:30 Displace Hole + pump mud to STORAGE TANK.																				
1:30-2:00 Work on pump																				
2:00-2:30 Run in to BTM																				
2:30-2:45 Gov. mud tanks																				
2:45-8:00 Drill 6 3/4 Hole - Change of hole size																				
													MUD & CHEMICALS ADDED							
													TYPE		AMT.		TYPE		AMT.	
													Pulvis		100 lbs					
													Cement		50 lbs					

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME							
2		1065	1204	<del>39</del> 39	160	28	1050	6 1/4	57				8	10	2					
3 3/4		1204	1291	87	160	20	1100	6 1/4	56				WEIGHT	11.3	11.5	11.5				
													VISC	38	38	39				
													W.L.C.C.	7.4						
DEVIATION RECORD:													FLTR. CK.							
REMARKS													PH							
6 1/4 8:00 8:15 SERVICE Rig													SD. CONT.							
2 8:15 10:15 Drill 6 3/4 Hole																				
2 10:15 12:15 Trip For Bit																				
3 3/4 12:15 4:00 Drill 6 3/4 Hole																				
													MUD & CHEMICALS ADDED							
													TYPE		AMT.		TYPE		AMT.	

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME							
7 3/4		1291	1426		160	30	1100	6 1/4	56				4	6						
													WEIGHT	11.4	11.4					
													VISC	28	37					
													W.L.C.C.		6.4					
DEVIATION RECORD:													FLTR. CK.							
REMARKS													PH							
4:00-8:00 Drill 6 3/4 Hole													SD. CONT.							
8:00-8:15 Stop Rig																				
8:15-12:00 Drill 6 3/4 Hole																				
													MUD & CHEMICALS ADDED							
													TYPE		AMT.		TYPE		AMT.	



DAILY DRILLING REPORT

REPORT NO. 7

DATE

March 19, 1967

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	
CONTRACTOR <i>Regent Drilling 1966 Ltd 21</i>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			
OPERATOR'S REPRESENTATIVE <i>Success</i>		CONTRACTOR'S TOOL PUSHER <i>P. Mifick</i>			TYPE THD.	NO.	MANUFACTURER	TYPE	STROKE LENGTH
						1.	<i>Emeco</i>	<i>D-200</i>	<i>14</i>
						2.			
						3.			

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	5 1/2	7 3/4	4 1/4
REAMING			
CIRCULATING			1/2
TRIPS	1 3/4	1 3/4	
DEVIATION SURVEY			1/4
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG		1/4	
CORING			
WIRE LINE LOGGING			
OTHER	<i>Gun Tanks 3/4</i>		<i>1 1/4</i>
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
<b>TOTALS</b>	<b>8</b>	<b>9</b>	<b>8</b>

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO	SIZE	TYPE					
29	STANDS DP		FT.	RUN NO	2					
	SNGLS. DP		FT.	SIZE	9 7/8	5 1/2		793	881	
	D.C. ID			MFG.	<i>Reed</i>					
	RMR BODY OD	835.48	FT.	TYPE	<i>JTL</i>					
2	STB BODY OD		FT.	NOZ. NO.						
	SUBS OD	4.31	FT.	SER. NO	527010					
DEVIATION RECORD:						1200-145				REMARKS
						145-315				<i>Trip for Bit</i>
						315-400				<i>Drill 9 7/8 Hole</i>
						400-800				<i>Gun Tanks work on pump</i>
										<i>Drill 9 7/8 Hole</i>
DRILLER <i>Geo Jonano</i>										

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
MRS. W/D.P:			
MRS WO/D.P:			
MRS STANDBY			

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO	SIZE	TYPE					
31	STANDS DP	62.47	FT.	RUN NO	2					
	SNGLS. DP		FT.	SIZE	9 7/8	7 3/4		881	974	93
	D.C. ID			MFG.	<i>Reed</i>					
	RMR BODY OD	842.69	FT.	TYPE	<i>JTL</i>					
2	STB BODY OD		FT.	NOZ. NO.	<i>No</i>					
	SUBS OD	4.31	FT.	SER. NO.	527000					
DEVIATION RECORD:						8:00		10:55		REMARKS
						10:15		10:30		<i>Drill 9 7/8 H</i>
						10:30		4:00		<i>Source</i>
DRILLER <i>R. Gussalbes</i>										

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO	SIZE	TYPE					
31	STANDS DP	62.47	FT.	RUN NO	2					
	SNGLS. DP		FT.	SIZE	9 7/8	4 1/4		974	1000	
	D.C. ID			MFG.	<i>Reed</i>					
	RMR BODY OD	842.69	FT.	TYPE	<i>JTL</i>					
2	STB BODY OD		FT.	NOZ. NO.	<i>No</i>					
	SUBS OD	4.31	FT.	SER NO	527010					
DEVIATION RECORD:						4:00-8'5				REMARKS
						8'5-8'45				<i>Drill 9 7/8 H</i>
						8'45-9'00				<i>Circ Sample</i>
						9'00-10'15				<i>TOT CO</i>
						10'15-11'30				<i>Pull Out TLA</i>
						11'30-12'00				<i>Pump and INT</i>
										<i>Pick up Source</i>
DRILLER <i>Geo Jonano</i>										

7 DATE March 19, 1967

TWP. H 59	RGE. W.	WELL NAME Shell Peel River	No. 8	PROVINCE Yukon		
PUMPS		CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH			
1.	Emeco	D-300	14			
2.						
3.						

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD			
5 1/2		793	821		160	28	700	6 1/4	4				TIME	12	4	6
													WEIGHT	14.8	14.8	14.8
													VISC	200	230	350
													W.L.C.C.			
DEVIATION RECORD:													FLTR. CK			
REMARKS													PH			
12:00 - 14:5 Trip for Bit													SD. CONT			
14:5 - 3:15 Drllg 9 7/8 Hole																
3:15 - 4:00 GUN TANKS work on pump																
4:00 - 8:00 Drllg 9 7/8 Hole																
													MUD & CHEMICALS ADDED			
													TYPE	AMT.	TYPE	AMT.
													Peltex	8	SAX	

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD			
7 3/4		881	974	9.3	160	28	700	6 1/4	4.3				TIME	8	12	2
													WEIGHT	14.9	14.8	14.8
													VISC	380	300	275
													W.L.C.C.			4.5
DEVIATION RECORD:													FLTR. CK			333
REMARKS													PH			9.3
8:00 - 10:35 Drllg 9 7/8 Hole													SD. CONT			
10:15 - 10:30 SERVICE S. AND GUN TANKS																
10:30 - 4:00 Drllg 9 7/8 H.																
													MUD & CHEMICALS ADDED			
													TYPE	AMT.	TYPE	AMT.
													Peltex	3	SAX	
													Castrol	2	SAX	

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD			
4 1/4		974	1000		140	30	700	6 1/4	4.3				TIME	4	6	
													WEIGHT	14.8	14.8	
													VISC	275	350	
													W.L.C.C.			
DEVIATION RECORD:													FLTR. CK			
REMARKS													PH			
4:00 - 8:15 Drllg 9 7/8 Hole													SD. CONT			
8:15 - 8:45 Core Sample																
8:45 - 9:00 Totco																
9:00 - 10:15 Pull out 7 Lay 6 1/2 D.C. Down																
10:15 - 11:30 Pump mud into STORAGE TANK																
11:30 - 12:00 Pick up Square Drllg PULLER + RAMMER																
													MUD & CHEMICALS ADDED			
													TYPE	AMT.	TYPE	AMT.

DAILY DRILLING REPORT

REPORT NO. 6

DATE March 12 1967

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION LSD.	SEC.	TWP.	RGE.	W.	WELL NAME
CONTRACTOR <i>REGGON DELG 1966 LTD</i>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS	
OPERATOR'S REPRESENTATIVE <i>R. J. ...</i>		CONTRACTOR'S TOOL PUSHER <i>L. ...</i>		TYPE THD.	NO.	MANUFACTURER	TYPE
					1.	EMSCO	D. 30-14
					2.		
					3.		

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	3 3/4	3 1/2	7 1/2
REAMING			
CIRCULATING	3 1/2	4	1/2
TRIPS	1/2		
DEVIATION SURVEY	1/4		
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER		1/2	
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	8

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
23	D.C. ID	663.69 FT.	1	9 7/8	3 3/4		637	700	
	RMR BODY OD		NO.	REED					
	STB BODY OD		NOZ.	YTLS					
2	SUBS OD	4 31 FT.	SER. NO.	27009					
	BIT OR C.B.		DEPTH OUT	4 1/2	12:00-3:45				DRILL 9 7/8 HOLES
			CUMULATIVE HOURS RUN	11 3/4	3:45-4:00				TOTCO
	KELLY DOWN	3200 FT.	COND. OF BIT		4:00-4:30				TRIP 5 STDS (200-1200)
	TOTAL	700 FT.	REAMER CUTTER NO.		4:30-8:00				CIRC. WITH MATERIAL
	WT. OF STRING	4000 LBS.	TYPE						
	DRILLER	<i>Geo Torrance</i>							

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS.			
OPERATOR'S TIME:			
MRS. W/D.P.			
HRS WO/D.P.			
HRS STANDBY			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
24	D.C. ID	692.02 FT.	1	9 7/8	3 1/2		700	729	29
	RMR BODY OD		NO.	REED					
	STB BODY OD		NOZ.	YTLS					
2	SUBS OD	4 31 FT.	SER. NO.	27009	4		8:00	12:00	CIRC. AND M...
	BIT OR C.B.		DEPTH OUT		1/4		12:00	12:45	DRILL AND "
			CUMULATIVE HOURS RUN	15 1/4	1/2		12:45	1:15	SERVICE RIG
	KELLY DOWN	3300 FT.	COND. OF BIT		2 3/4		1:15	4:00	DRILL 9 7/8 H...
	TOTAL	729 FT.	REAMER CUTTER NO.						
	WT. OF STRING	4000 LBS.	TYPE						
	DRILLER	<i>R. Gunnalby</i>							

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
26	D.C. ID	748.20 FT.	1	9 7/8	7 1/2		729	743	
	RMR BODY OD		NO.	REED					
	STB BODY OD		NOZ.	YTLS					
2	SUBS OD	4 31 FT.	SER. NO.	27009			4:00	5:00	DRLG
	BIT OR C.B.		DEPTH OUT	7 1/2	5:00		5:00	5:00	GUN UP MJD TA
			CUMULATIVE HOURS RUN	22 3/4	5:30		12:00		DRLG 9 7/8 H...
	KELLY DOWN	4049 FT.	COND. OF BIT	3-2-1					
	TOTAL	743 FT.	REAMER CUTTER NO.						
	WT. OF STRING	4200 LBS.	TYPE						
	DRILLER	<i>J. Torrance</i>							



DATE MARCH 12 1967 YTH 59

TWP. H 59 RGE. W. WELL NAME SHALL PUMP PUMP No. 8 PROVINCE Y.K.C.

NO.	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
							FROM	TO	FROM	TO		
1.	Emsco	D-30	14									
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WT.	VISC.			
3 3/4		637	700		150	24	600	6 1/2	62				12	2	6	10.8	11.2	11.7
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
1200-345 DRILL 9 1/8 HOLE.													SD. CONT.					
345-400 TOTCO													MUD & CHEMICALS ADDED					
400-430 TRIP 5 STDS (DUG INTO CSG)													TYPE	AMT.	TYPE	AMT.		
430-800 CIRC. MIX WT MATERIAL													GEL	5 SKS				
													WT. MAT	270 SKS				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WT.	VISC.			
3 1/2		700	729	29	150	20	650	6 1/2	50				8	12	2	12.5	13.2	13.6
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
4 800 1200 CIRC. AND MIX WT MATERIAL													SD. CONT.					
14 1200 1245 DRILL AND " " "													MUD & CHEMICALS ADDED					
1/2 1245 1.15 SERVICE RIG AND CHECK HYDRILL													TYPE	AMT.	TYPE	AMT.		
2 3/4 1.15 4.00 DRILL 9 1/8 HOLE													WT. MAT.	530 SKS				
													PEL.	8 SKS				
													CAUSTIC	2 SKS				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WT.	VISC.			
7 1/2		729	743		110	24	700	6 1/2	78				4	7	10	14.0	14.8	14.8
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
4:00 500 D.L.G.													SD. CONT.					
5:00 500 GUN UP MUD TANKS													MUD & CHEMICALS ADDED					
5:30 1200 DRLG. 9 1/8 HOLE.													TYPE	AMT.	TYPE	AMT.		
													PELLEN	2 SKS				

DAILY DRILLING REPORT

REPORT NO. **S** DATE **March 17 1967**

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <b>Shell Peel</b>	
CONTRACTOR <b>REGENT DOLG 66 LTD 21</b>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			
OPERATOR'S REPRESENTATIVE <b>R. M. Mink</b>		CONTRACTOR'S TOOL PUSHER		TYPE THD.	MANUFACTURER			TYPE	STROKE LENGTH
					1. <b>Emaco</b>			<b>D-300</b>	<b>14</b>
					2.				
					3.				

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL		1	7
REAMING			4 1/2
CIRCULATING			
TRIPS		1 1/2	
DEVIATION SURVEY	7		
TEST B.O.P.		3 1/2	
CUT OFF DRILL LINE			1 1/2
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER	1	2	
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	8

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
12	STANDS DP	FT.	RUN NO.	1 B					
	SNGLS. DP	FT.	SIZE	12 1/4					
	D.C. ID		MFG.	SEC					
	4-6 1/2 OD	344.45 FT.	TYPE	M4N					
	RMR BODY OD	FT.	NOZ. NO.						
	STB BODY OD	FT.	SIZE						
2	SUBS OD	4.31 FT.	SER. NO.	820274					
	BIT OR C.B.	FT.	DEPTH OUT						
		2324 FT.	CUMULATIVE HOURS RUN						
	KELLY DOWN	372. FT.	COND. OF BIT						
	TOTAL	FT.	REAMER CUTTER NO.						
	WT. OF STRING	2400 LBS.	TYPE						
DRILLER <b>G. Jorance</b>									

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
15	STANDS DP	FT.	RUN NO.	1 B 1					
	SNGLS. DP	FT.	SIZE	12 1/4 9 7/8					
	D.C. ID		MFG.	SEC PELL					
	4 1/2 OD	432.6 FT.	TYPE	M4N 4 TL-3			425	465	
	RMR BODY OD	FT.	NOZ. NO.						
	STB BODY OD	FT.	SIZE						
2	SUBS OD	4.31 FT.	SER. NO.	820274 27009					
	BIT OR C.B.	FT.	DEPTH OUT						
		30.00 FT.	CUMULATIVE HOURS RUN						
	KELLY DOWN	465.57 FT.	COND. OF BIT						
	TOTAL	FT.	REAMER CUTTER NO.						
	WT. OF STRING	2900 LBS.	TYPE						
DRILLER <b>G. Jorance</b>									

TIME SUMMARY (OFFICE USE ONLY)	
CONTRACTOR'S TIME HRS:	
OPERATOR'S TIME:	
MRS. W/D.P.:	
HRS WO/D.P.:	
MRS STANDBY:	

WIRE LINE RECORD	
REEL NO	
NO OF LINES SIZE	
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPND	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
2	STANDS DP	FT.	RUN NO.	1					
	SNGLS. DP	FT.	SIZE	9 7/8					
	D.C. ID		MFG.	PELL					
	6 OD	604.76 FT.	TYPE	4 TL-3					
	RMR BODY OD	FT.	NOZ. NO.						
	STB BODY OD	FT.	SIZE						
2	SUBS OD	4.31 FT.	SER. NO.	27009					
	BIT OR C.B.	FT.	DEPTH OUT						
		26.43 FT.	CUMULATIVE HOURS RUN						
	KELLY DOWN	637. FT.	COND. OF BIT						
	TOTAL	FT.	REAMER CUTTER NO.						
	WT. OF STRING	LBS.	TYPE						
DRILLER <b>Geo Jorance</b>									

WDRILL MWD 9 7/8 HOLD W 1/2  
DRILL 9 7/8 HOLE  
Recharged Hydril accu  
mtr

DATE March 17 1967  
 TWP. H 59 RGE. W. WELL NAME Shell Peel River No. 8 PROVINCE Yukon

NO.	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
					FROM	TO	FROM	TO		
1.	<u>Emeco</u>	<u>D-300</u>	<u>14</u>							
2.										
3.										

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.			
REMARKS													MUD & CHEMICALS ADDED						
<u>12<sup>00</sup> Nipple up 30 P's + Pressure Test casing +</u> <u>Hydril</u> <u>7:00-8:00 DRILL OUT CEMENT WITH 4 3/4 Collars @ 1200 PSI OK</u> <u>TESTING Hydril AND valves UNDER DIESEL OIL 1200 PSI 30 min</u> <u>TESTING Kelly cock 1200 PSI 15 min</u> <u>MOTOR SHUT OFF'S CHECKED OK.</u>													<u>OK P. PELTEX</u> <u>RICARD 5 SAKS</u> <u>2 SAKS</u>						

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.			
REMARKS													MUD & CHEMICALS ADDED						
<u>7:00-8:00 DRILL OUT CEMENT AND LINER STAG</u> <u>10:00 PRESSURE TESTING</u> <u>AND pressure Kelly cock to 1200 15 min OK</u> <u>12:00-1:15 PULL OUT</u> <u>1:15-2:30 RECHECK HYDRIL AND MOTOR SHUT OFF'S OK + CLEAN SECTION TANK</u> <u>2:30-3:00 RUN IN</u> <u>3:00-4:00 DRILL 7/8 HOLE</u>													<u>PELTEX 10 SAKS</u> <u>GEL 40 SAKS</u> <u>WATER 10 SAKS</u>						

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.			
REMARKS													MUD & CHEMICALS ADDED						
<u>Washed mud P.O. Hold work on pump</u> <u>DRILL 9/8 HOLE</u> <u>Recharged Hydril accumulator to 700 PSI w/ nitrogen.</u>													<u>4 8 10</u> <u>9.7 101 104</u> <u>100 140 110</u>						
													<u>GEL 20 SAKS</u> <u>WEIGHT MAX 80 SAKS</u> <u>PELTEX 7 SAKS</u>						



DAILY DRILLING REPORT

REPORT NO. 4

DATE

MARCH 16, 1967

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME Shell P
CONTRACTOR REGENT DRILLING '1966' LTD. 21	RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & L'NER RECORD
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER			NO.	MANUFACTURER	TYPE	STROKE LENGTH
					1.	EMSCO	D 300	14
					2.			
					3.			

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
DRILLING ACTUAL	MORN	DAY	EVE	STANDS DP	FT.	RUN NO									
				SNGLS. DP	FT.	SIZE									
				D.C. ID	FT.	MFG.									
				OD	FT.	TYPE									
				RMR BODY OD	FT.	NO.									
				STB BODY OD	FT.	NOZ. SIZE									
				SUBS OD	FT.	SER. NO									
				BIT OR C.B.	FT.	DEPTH OUT									
					FT.	CUMULATIVE HOURS RUN									
				KELLY DOWN	FT.	COND. OF BIT									
				TOTAL	FT.	REAMER CUTTER NO.									
				WT. OF STRING	LBS.	TYPE									
				DRILLER		Geo Louance									

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
DRILLING ACTUAL	MORN	DAY	EVE	STANDS DP	FT.	RUN NO									
				SNGLS. DP	FT.	SIZE									
				D.C. ID	FT.	MFG.									
				OD	FT.	TYPE									
				RMR BODY OD	FT.	NO.									
				STB BODY OD	FT.	NOZ. SIZE									
				SUBS OD	FT.	SER. NO									
				BIT OR C.B.	FT.	DEPTH OUT									
					FT.	CUMULATIVE HOURS RUN									
				KELLY DOWN	FT.	COND. OF BIT									
				TOTAL	FT.	REAMER CUTTER NO.									
				WT. OF STRING	LBS.	TYPE									
				DRILLER		R. Gumsalley									

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
DRILLING ACTUAL	MORN	DAY	EVE	STANDS DP	FT.	RUN NO									
				SNGLS. DP	FT.	SIZE									
				D.C. ID	FT.	MFG.									
				OD	FT.	TYPE									
				RMR BODY OD	FT.	NO.									
				STB BODY OD	FT.	NOZ. SIZE									
				SUBS OD	FT.	SER. NO									
				BIT OR C.B.	FT.	DEPTH OUT									
					FT.	CUMULATIVE HOURS RUN									
				KELLY DOWN	FT.	COND. OF BIT									
				TOTAL	FT.	REAMER CUTTER NO.									
				WT. OF STRING	LBS.	TYPE									
				DRILLER		Geo Louance									

1200-200 Run 13 1/2 CS6  
200-330 CIRC CS6  
330-515 CEMENT + Bump PLU  
515-800 W.O.C.

W.O.C.  
Run 11 jls line  
J65 8RT 61 1/2  
449.40 Cemented  
Cabo 2 @ 515 Ann  
cement returns CS6  
Average string wt  
not held.

400-515 W.O.C.  
515-1200 Slack off put on CS6



DAILY DRILLING REPORT

REPORT NO. 3

DATE

MARCH 15, 1967

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD. R	SEC. 17	TWP. H-59	RGE. W.	WELL NAME	SHELL P
CONTRACTOR REGENT 10-26-1966 LTD		RIG NO.	DRILL PIPE STRING NO. SIZE		TOOL JOINT	PUMPS		CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		21	TYPE THD.		MANUFACTURER		TYPE	STROKE LENGTH
CONTRACTOR'S TOOL PUSHER		1. Emsco		D. 300		14		
		2.						
		3.						

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL			
REAMING	8	6	
CIRCULATING			
TRIPS		1 1/2	
DEVIATION SURVEY			
TEST B.O.P.			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER		1/4	
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
4	6 1/2 OD	112.29 FT.	1A	13 1/4	8		160	330	
1	RMR BODY OD	3.06 FT.	NO.	MFG. SEC					
2	SUBS OD	4.31 FT.	SER. NO. 22339	TYPE 53					
6	5" D.C.	175.02 FT.	NOZ. NO.	CUMULATIVE HOURS RUN 23					
	KELLY DOWN	35.32 FT.	COND. OF BIT	3-6-1					
	TOTAL	330.00 FT.	REAMER CUTTER NO.						
	WT. OF STRING	21000 LBS.	TYPE						
DRILLER <i>Geo Louance</i>									

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS. WO. D.P.:			
HRS. STANDBY:			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
9	5" ID	261.60	1A	13 1/4			330	410	REAMING 80
4	6 1/2 OD	112.29 FT.	MFG. SEC	TYPE 53					
1	RMR BODY OD	306 FT.	NOZ. NO.						
1	SUBS OD	431 FT.	SER. NO. 22339				8:00	9:00	REAMING
1	BIT OR C.B.	431 FT.	DEPTH OUT				9:00	9:15	SERVICE R. g
	KELLY DOWN	29.00 FT.	CUMULATIVE HOURS RUN				9:15	2:15	REAMING
	TOTAL	410 FT.	COND. OF BIT				2:15	3:00	PULL OUT
	WT. OF STRING	30000 LBS.	REAMER CUTTER NO.				3:00	3:30	CLEAN PLUG
	DRILLER		TYPE				3:30	4:00	RUN IN
DRILLER <i>R. Gunsolley</i>									

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS	
SINCE LAST CUT	
CUMULATIVE	
TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
14	10 5/8 OD	403.45	1A	13 1/4			410	428	REAMING 18
1	RMR BODY OD	306 FT.	MFG. SEC	TYPE 53					
1	SUBS OD	431 FT.	SER. NO. 22339				4:00	5:30	RUN IN
1	BIT OR C.B.	431 FT.	DEPTH OUT				5:30	6:30	REAMING
	KELLY DOWN	18.00 FT.	CUMULATIVE HOURS RUN				6:30	7:45	CIRCULATING
	TOTAL	428.45 FT.	COND. OF BIT				7:45	8:55	PULL OUT
	WT. OF STRING		REAMER CUTTER NO.				8:55	9:00	RIG TO RUN
	DRILLER		TYPE				9:00	12:00	RUN 13 1/2
DRILLER <i>Geo Louance</i>									



3 DATE MARCH 15, 1967.

TWP. H-59	RGE. W.	WELL NAME Shell Pool River	No. 8	PROVINCE Yukon.				
PUMPS			CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER	
NO.	MANUFACTURER	TYPE						STROKE LENGTH
1.	Emeco	D.300						14
2.								
3.								

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
1/2	8	160	330		200	20	200	7 1/2	50				4	6				
DEVIATION RECORD:													FLTR. CK	PH	SD. CONT			
REMARKS													MUD & CHEMICALS ADDED					
12:00 - 8:00 REAMING 13 1/4 HOLE TO 17 1/2 + WORKING TIGHT HOLE.													TYPE	AMT.	TYPE	AMT.		
													GEL	18	SAX			
													Water 3/4 stream					

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
		330	410	REAMING 30	150	20	400	7 1/2	54				8	10	12			
DEVIATION RECORD:													FLTR. CK	PH	SD. CONT			
REMARKS													MUD & CHEMICALS ADDED					
8:00 9:00 REAMING													TYPE	AMT.	TYPE	AMT.		
9:00 9:15 SERVICE RIG																		
9:15 2:15 REAMING																		
2:15 3:00 PULL OUT																		
3:00 3:30 CLEAN Plug Bit + REAMER																		
3:30 4:00 RUN IN													GEL	5	SAX			

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
		410	428	REAMING 18	150	20	500	7 1/2	50									
DEVIATION RECORD:													FLTR. CK	PH	SD. CONT			
REMARKS													MUD & CHEMICALS ADDED					
4:00 5:30 RUN IN AND REAM TIGHT SPOTS													TYPE	AMT.	TYPE	AMT.		
5:30 6:30 REAMING																		
6:30 7:45 CIRCULATING																		
7:45 8:45 PULL OUT																		
8:15 9:00 RIG TO RUN CSG.																		
9:00 - 12:00 Run 13 1/2 CSG.																		

DAILY DRILLING REPORT

REPORT NO. 2

DATE

March 14

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	
CONTRACTOR <b>REGENT DRILLING '1966' LTD. 24</b>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER			TYPE THD.	NO.	MANUFACTURER	TYPE	STROKE LENGTH
						1.	Emco	D 300	14
						2.			
						3.			

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	7 3/4	5	
REAMING			6
CIRCULATING		1/2	
TRIPS		3/4	
DEVIATION SURVEY	1/4	1/4	
TEST LOG			1/4
CUT OFF DRILL LINZ			
REPAIR RIG			
GORING			3/4
WIRE LINE LOGGING			
OTHER			1/4 1/4
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	8

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
4	D.C. 6 1/2 OD	112.2 FT.	1A	13 1/4	7 3/4		157	347	
	RMR BODY OD	FT.	MFG.	SEC					
	STB BODY OD	FT.	NOZ.	NO.					
	SUBS OD	FT.	SER. NO.	22339					
	BIT OR C.B.	FT.	DEPTH OUT						
7	5" D.C.	214.6 FT.	CUMULATIVE HOURS RUN	18.					
	KELLY DOWN	25.78 FT.	COND. OF BIT						
	TOTAL	347 FT.	REAMER CUTTER NO.						
	WT. OF STRING	28 LBS.	TYPE						
DRILLER <i>Geo. Torrance</i>									

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS. WO/D.P.:			
HRS. STANDBY:			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
14	D.C. 4-6 1/2	403.45 FT.	1A	13 1/4	5		347	430	
	RMR BODY OD	FT.	MFG.	SEC					
	STB BODY OD	FT.	NOZ.	NO.					
	SUBS OD	FT.	SER. NO.	22339					
	BIT OR C.B.	FT.	DEPTH OUT	430					
2	subs	4.31 FT.	CUMULATIVE HOURS RUN	23					
	KELLY DOWN	23.00 FT.	COND. OF BIT	3-6-1					
	TOTAL	430.76 FT.	REAMER CUTTER NO.						
	WT. OF STRING	28 LBS.	TYPE						
DRILLER <i>D. Tickowski</i>									

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
4	D.C. 6 1/2 OD	112.2 FT.	1A	13 1/4	6		0	100	Reaming
	RMR BODY OD	FT.	MFG.	SEC					
	STB BODY OD	FT.	NOZ.	NO.					
	SUBS OD	FT.	SER. NO.	22339					
	BIT OR C.B.	FT.	DEPTH OUT						
1	RMR BODY OD	3.06 FT.	CUMULATIVE HOURS RUN						
	STB BODY OD	FT.	COND. OF BIT						
	SUBS OD	4.31 FT.	REAMER CUTTER NO.						
	BIT OR C.B.	FT.	DEPTH OUT						
2	subs	4.31 FT.	CUMULATIVE HOURS RUN						
	KELLY DOWN	40.34 FT.	COND. OF BIT						
	TOTAL	160. FT.	REAMER CUTTER NO.						
	WT. OF STRING	12 LBS.	TYPE						
DRILLER <i>G. Torrance</i>									

2. DATE *March 14*

YT H-59

TWP. <i>59</i>	RGE. <i>W.</i>	WELL NAME <i>Shell Peat Pools</i>	No. <i>8</i>	PROVINCE <i>Yukon</i>
----------------	----------------	-----------------------------------	--------------	-----------------------

PUMPS				CASING & LINER RECORD	SIZE	WT. & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH				FROM	TO	FROM	TO		
1.	<i>Emeco</i>	<i>D 300</i>	<i>14</i>									
2.												
3.												

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD				
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.	
<i>7 3/4</i>		<i>157</i>	<i>347</i>			<i>200</i>	<i>20</i>	<i>500</i>	<i>7/4</i>	<i>48</i>			<i>6</i>	<i>10.5</i>	<i>250</i>		
DEVIATION RECORD:													FLTR. CK	PH	SD. CONT		
REMARKS																	
<i>1200-345. DRILL 13 1/4" HOLE</i>																	
<i>345-400 TOTCO</i>																	
<i>400-800 DRILL 13 1/4" HOLE</i>																	
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT.	
													<i>WATER</i>	<i>1/2"</i>	<i>Steam</i>		

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.		
<i>5</i>		<i>347</i>	<i>430</i>				<i>600</i>	<i>7/4</i>	<i>50</i>				<i>8</i>	<i>10</i>	<i>12</i>	<i>10.3</i>	<i>10.3</i>	<i>10.3</i>
DEVIATION RECORD:													FLTR. CK	PH	SD. CONT			
REMARKS																		
<i>800-900 DRILL 13 1/4" HOLE</i>																		
<i>900-915 SER RIG</i>																		
<i>915-115 DRILL 13 1/4" HOLE</i>																		
<i>115-145 CIR TO TRIP FOR REAMER</i>																		
<i>145-200 TOTCO</i>																		
<i>200-245 PULL OUT</i>																		
<i>245-400 WORKING THROUGH TAUGHT SPOT 68.4'</i>																		
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT.		
													<i>GEL</i>	<i>15 SACS</i>				

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD				
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.	
<i>1/2</i>	<i>6</i>	<i>0</i>	<i>100</i>	<i>REAMING</i>		<i>120</i>	<i>12</i>	<i>200</i>	<i>7/4</i>	<i>50</i>			<i>6</i>	<i>8</i>	<i>10.4</i>	<i>10.4</i>	<i>10.4</i>
DEVIATION RECORD:													FLTR. CK	PH	SD. CONT		
REMARKS																	
<i>400-515 WORKING OUT OF TAUGHT SPOT</i>																	
<i>515-600 PICK UP 17 1/2" REAMER</i>																	
<i>600-1200 REAMING HOLE TO 17 1/2"</i>																	
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT.	
													<i>Water</i>	<i>1/4"</i>	<i>Steam</i>		
													<i>GEL</i>	<i>9 SACS</i>			
USED 40 SACS WEIGHT MATERIAL IN CELLAR TO STOP MUD FROM COMING UP AROUND CONDUCTOR PIPE.																	



DAILY DRILLING REPORT

REPORT NO. 1

DATE

MARCH 13, 1967

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>SHELL P...</i>	
CONTRACTOR <i>REGENT DELC 1966 LTD</i>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT TYPE THD.	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>MS Lamb</i>		CONTRACTOR'S TOOL PUSHER <i>R. Muffin</i>			NO.	MANUFACTURER	TYPE	STROKE LENGTH	
					1.	<i>EMSCO</i>	<i>D 300</i>	<i>14</i>	
					2.				
					3.				

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
MORN	DAY	EVE	STANDS	DP	FT.	RUN NO.					
<i>2</i>	<i>2</i>	<i>4 1/2</i>	SNGLS.	DP	FT.	SIZE					
			D.C.	ID	FT.	MFG.					
				OD	FT.	TYPE					
			RMR BODY	OD	FT.	NO.					
			STB BODY	OD	FT.	NOZ. SIZE					
			SUBS	OD	FT.	SER. NO.					
			BIT OR C.B.		FT.	DEPTH OUT					
			KELLY DOWN		FT.	CUMULATIVE HOURS RUN					
			TOTAL		FT.	COND. OF BIT REAMER CUTTER NO.					
			WT. OF STRING		LBS.	TYPE					
			DRILLER <i>G. Louance</i>								

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
MORN	DAY	EVE	STANDS	DP	FT.	RUN NO.					
			SNGLS.	DP	FT.	SIZE					
			D.C.	ID	FT.	MFG.					
				OD	FT.	TYPE					
			RMR BODY	OD	FT.	NO.					
			STB BODY	OD	FT.	NOZ. SIZE					
			SUBS	OD	FT.	SER. NO.					
			BIT OR C.B.		FT.	DEPTH OUT					
			KELLY DOWN		FT.	CUMULATIVE HOURS RUN					
			TOTAL		FT.	COND. OF BIT REAMER CUTTER NO.					
			WT. OF STRING		LBS.	TYPE					
			DRILLER <i>Steve Kachowak</i>								

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
MORN	DAY	EVE	STANDS	DP	FT.	RUN NO.					
			SNGLS.	DP	FT.	SIZE					
			D.C.	ID	FT.	MFG.					
				OD	FT.	TYPE					
			RMR BODY	OD	FT.	NO.					
			STB BODY	OD	FT.	NOZ. SIZE					
			SUBS	OD	FT.	SER. NO.					
			BIT OR C.B.		FT.	DEPTH OUT					
			KELLY DOWN		FT.	CUMULATIVE HOURS RUN					
			TOTAL		FT.	COND. OF BIT REAMER CUTTER NO.					
			WT. OF STRING		LBS.	TYPE					
			DRILLER <i>G. Louance</i>								

REEL NO	NO OF LINES	SIZE
FEET SLIPPED	FEET CUT OFF	PRESENT LENGTH
TON MI. OF TRIPS SINCE LAST CUT	CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	CUMULATIVE ROTATING HRS.	

1 DATE MARCH 13 1967  
 TWP. RGE. W. WELL NAME SHELL PEEK RIVER No. 8 PROVINCE Yukon

PUMPS	CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
				FROM	TO	FROM	TO		
NO. 1. MANUFACTURER <u>EMSCO</u> TYPE <u>D-300</u> STROKE LENGTH <u>14</u>									
2.									
3.									

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR CK						
REMARKS													PH						
1200-800 D.G. RAT HOLE													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT.			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
5 1/2	0	7 1/2			1200			7 1/2					10	120	2				
DEVIATION RECORD:													FLTR CK						
REMARKS													PH						
800-1030 MIX MUD AND RIG TO DRILL 13 1/2" HOLE													SD. CONT						
1030-1100 DRILL 13 1/2" HOLE ALL KOCH'S													MUD & CHEMICALS ADDED						
RIG TO GROUND 1250 FT.													TYPE	AMT	TYPE	AMT.			
													Gel	100	SAS				
													Caustic H		SAS				
													Pilled	2	SAS				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
4 3/4		72	157		200	20		74											
DEVIATION RECORD:													FLTR CK						
REMARKS													PH						
100-600 DRILL 15 1/4" HOLE													SD. CONT						
630-645 SET RIG + TUBES													MUD & CHEMICALS ADDED						
645-800 DRILL 15 1/4" HOLE													TYPE	AMT	TYPE	AMT.			
800-845 WORK TIGHT HOLE + MAKE COU													Gel	125	SAS				
845-915 DRILL																			
915-1130 WORK TIGHT HOLE (MIX MUD)																			
1130-1200 DRILL																			





DATE March 12

TWP. RGE. W. WELL NAME SHELL PEEL RIVER No. 8 PROVINCE Yukon

OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
	1.	EMSCO	D-300	14								
	2.											
	3.											

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
8 hrs. DIGGING CONDUCTOR HOLE.													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT.			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
800-200 D.C. CONDUCTOR HOLE													SD. CONT						
200-400 SET IN CONDUCTOR PIPE + CEMENT													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT.			
Used 58 SAND CEMENT + 100 lbs calcium FOR 20' CONDUCTOR HOLE.																			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
400-1200 Pick up Rat Hole + Drill SANG													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT.			

DAILY DRILLING REPORT

REPORT NO.

DATE

MARCH 11

OPERATOR <b>SHELL CANADA LIMITED</b>		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>Shell Peak</i>	
CONTRACTOR <i>REGENT DRILLING</i>	RIG No. <i>21</i>	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS				CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>			NO.	MANUFACTURER	TYPE	STROKE LENGTH	
					1.	<i>Amoco</i>	<i>D-30</i>	<i>14</i>	
					2.				
					3.				

TIME DISTRIBUTION—HOURS				NO.	DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
MORN	DAY	EVE			STANDS	DP	FT.	RUN NO.	SIZE								
DRILLING ACTUAL																	
REAMING																	
CIRCULATING																	
TRIPS																	
DEVIATION SURVEY																	
TEST B.O.P.																	
CUT OFF DRILL LINE																	
REPAIR RIG																	
CORING																	
WIRE LINE LOGGING																	
OTHER																	
FISHING																	
COMPLETING (A) PERFORATING																	
(B) RUNNING TUBING																	
(C) SWABBING																	
(D) TESTING																	
(E) ACIDIZING																	
(F) ADDITIONAL																	
TOTALS																	
TIME SUMMARY (OFFICE USE ONLY)																	
CONTRACTOR'S TIME HRS:																	
OPERATOR'S TIME:																	
HRS. W/D.P.:																	
HRS. W/D.P.:																	
HRS. STANDBY																	

MORNING TOUR

DAY TOUR

EVENING TOUR

TIME DISTRIBUTION—HOURS				NO.	DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
MORN	DAY	EVE			STANDS	DP	FT.	RUN NO.	SIZE								
DRILLING ACTUAL																	
REAMING																	
CIRCULATING																	
TRIPS																	
DEVIATION SURVEY																	
TEST B.O.P.																	
CUT OFF DRILL LINE																	
REPAIR RIG																	
CORING																	
WIRE LINE LOGGING																	
OTHER																	
FISHING																	
COMPLETING (A) PERFORATING																	
(B) RUNNING TUBING																	
(C) SWABBING																	
(D) TESTING																	
(E) ACIDIZING																	
(F) ADDITIONAL																	
TOTALS																	
TIME SUMMARY (OFFICE USE ONLY)																	
CONTRACTOR'S TIME HRS:																	
OPERATOR'S TIME:																	
HRS. W/D.P.:																	
HRS. W/D.P.:																	
HRS. STANDBY																	

TIME DISTRIBUTION—HOURS				NO.	DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
MORN	DAY	EVE			STANDS	DP	FT.	RUN NO.	SIZE								
DRILLING ACTUAL																	
REAMING																	
CIRCULATING																	
TRIPS																	
DEVIATION SURVEY																	
TEST B.O.P.																	
CUT OFF DRILL LINE																	
REPAIR RIG																	
CORING																	
WIRE LINE LOGGING																	
OTHER																	
FISHING																	
COMPLETING (A) PERFORATING																	
(B) RUNNING TUBING																	
(C) SWABBING																	
(D) TESTING																	
(E) ACIDIZING																	
(F) ADDITIONAL																	
TOTALS																	
TIME SUMMARY (OFFICE USE ONLY)																	
CONTRACTOR'S TIME HRS:																	
OPERATOR'S TIME:																	
HRS. W/D.P.:																	
HRS. W/D.P.:																	
HRS. STANDBY																	

TIME DISTRIBUTION—HOURS				NO.	DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
MORN	DAY	EVE			STANDS	DP	FT.	RUN NO.	SIZE								
DRILLING ACTUAL																	
REAMING																	
CIRCULATING																	
TRIPS																	
DEVIATION SURVEY																	
TEST B.O.P.																	
CUT OFF DRILL LINE																	
REPAIR RIG																	
CORING																	
WIRE LINE LOGGING																	
OTHER																	
FISHING																	
COMPLETING (A) PERFORATING																	
(B) RUNNING TUBING																	
(C) SWABBING																	
(D) TESTING																	
(E) ACIDIZING																	
(F) ADDITIONAL																	
TOTALS																	
TIME SUMMARY (OFFICE USE ONLY)																	
CONTRACTOR'S TIME HRS:																	
OPERATOR'S TIME:																	
HRS. W/D.P.:																	
HRS. W/D.P.:																	
HRS. STANDBY																	

Rig up from 800 AMT

800-400 R.C. up LAY LINES

400-800 R.C. up  
800-1200 D.C. CONDUCTOR HOLE

*Geo Louance*

*Dave Frankowski*

*Geo Louance*

DATE **MARCH 11**

TWP. RGE. W. WELL NAME **Shell Pond River** No. **5** PROVINCE **Tukson**

OD	PUMPS			CASING & LINER RECORD	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE		STROKE LENGTH	FROM	TO	FROM		
1.	<i>Inaco</i>		<i>D-3</i>	<i>14</i>						
2.										
3.										

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<i>R.C. up from 800 AM TO 4 PM</i>													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<i>800-400 R.C. up LAY LINES</i>													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<i>400-800 R.C. UP</i>													SD. CONT						
<i>800-1200 D.G. CONDUCTOR HOLE</i>													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			