

DAILY DRILLING REPORT

REPORT NO.

DATE

March 1/67

OPERATOR SHELL CANADA LIMITED	LOCATION R	LSD. YT	SEC. K9	TWP. K9	RGE. W.	W. W.	WELL NAME SHELL PEEL K	
CONTRACTOR REGENT OIL & GAS 66 LTD	RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>	CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>		TYPE THD	1. MANUFACTURER FUSCO			TYPE R300	STROKE LENGTH 14

TIME DISTRIBUTION—HOURS	
	MORN DAY EVE
DRILLING ACTUAL	
REAMING	
CIRCULATING	5 7/2
TRIPS	2 1/2
DEVIATIC SURVEY	
TEST B.O.P	
CUT OFF DRILL LINE	
REPAIR RIG	
CORING	
WIRE LINE LOGGING	
OTHER	1
FISHING	
COMPLETING (A) PERFORATING	
(B) RUNNING TUBING	
(C) SWABBING	
(D) TESTING	
(E) ACIDIZING	
(F) ADDITIONAL	
TOTALS	8

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	SIZE					
65	STANDS	DP	4016.08 FT.	SIZE	27				
	SINGLS.	DP	FT.	SIZE	6 7/8				
34	D.C.	ID	482.53 FT.	MFG.	SEC				
	RMR BODY	OD	FT.	TYPE	H706-3				
	STB BODY	OD	FT.	NOZ.	NO 3				
	SUBS	OD	FT.	SIZE	11				
	BIT OR C.B.	FT.	FT.	SER. NO.	979724				
	BIT OR C.B.	FT.	FT.	DEPTH OUT			12:00	1:15	P.C. SECURE
	1 Bit Sub	6.00	FT.	CUMULATIVE HOURS RUN			12:15	1:00	Lay Down
	KELLY DOWN	23.00	FT.	COND. OF BIT			1:00	3:00	RUN IN
	TOTAL	5027	FT.	REAMER CUTTER NO.			3:00	8:00	WAIT ON S
	WT. OF STRING	75000	LBS.	TYPE					
	DRILLER	<i>R Gonsolley</i>							

TIME SUMMARY (OFFICE USE ONLY)	
CONTRACTOR'S TIME HRS.	
OPERATOR'S TIME	
HRS. W/D.P.	
HRS. WO/D.P.	
HRS. STANDBY	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	SIZE					
65	STANDS	DP	4016.08 FT.	SIZE	27				
	SINGLS.	DP	FT.	SIZE	6 7/8				
34	D.C.	ID	482.53 FT.	MFG.	SEC				
	RMR BODY	OD	FT.	TYPE	H706-3				
	STB BODY	OD	FT.	NOZ.	NO 3				
	SUBS	OD	FT.	SIZE	11				
	BIT OR C.B.	FT.	FT.	SER. NO.	979724				
	BIT OR C.B.	FT.	FT.	DEPTH OUT			8:00 - 3:30		WAIT ON SCLUMBERG
	1 Bit Sub	6.00	FT.	CUMULATIVE HOURS RUN			3:30 - 4:00		PULL OUT
	KELLY DOWN	23.00	FT.	COND. OF BIT					
	TOTAL	5027	FT.	REAMER CUTTER NO.					
	WT. OF STRING	75000	LBS.	TYPE					
	DRILLER	<i>Geo Louance</i>							

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	SIZE					
65	STANDS	DP	4016.08 FT.	SIZE	27				
	SINGLS.	DP	FT.	SIZE	6 7/8				
34	D.C.	ID	482.53 FT.	MFG.	SEC				
	RMR BODY	OD	FT.	TYPE	H706-3				
	STB BODY	OD	FT.	NOZ.	NO 3				
	SUBS	OD	FT.	SIZE	11				
	BIT OR C.B.	FT.	FT.	SER. NO.	979724				
	BIT OR C.B.	FT.	FT.	DEPTH OUT			4:00 - 5:30		PULL OUT
	1 Bit Sub	6.00	FT.	CUMULATIVE HOURS RUN			5:30 - 7:30		Run up to LOG + LOG
	KELLY DOWN	23.00	FT.	COND. OF BIT			7:30 - 10:00		Run IN + CLEAN HOLE
	TOTAL	5027	FT.	REAMER CUTTER NO.			10:00 - 11:00		Check on BOTTOM
	WT. OF STRING	75000	LBS.	TYPE			11:00 - 12:00		PULL OUT
	DRILLER	<i>G Louance</i>							

DATE *March 1/67*

TWP. <i>K9</i>	RGE. <i></i>	W. <i></i>	WELL NAME <i>SHELL PEEL RIVER No 7</i>	No. <i></i>	PROVINCE <i></i>							
PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER	
NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM			TO
1.	<i>FMSCO</i>	<i>D300</i>				<i>14</i>						
2.												
3.												

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD		
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC
													<i>2</i>	<i>4</i>	<i>6</i>
														<i>9.7</i>	<i>9.7</i>
														<i>70</i>	<i>70</i>
														<i>5.4</i>	<i>5.4</i>
DEVIATION RECORD:												FLTR CK	<i>3/32</i>	<i>3/32</i>	
REMARKS												PH	<i>10.5</i>	<i>10.5</i>	
<i>12:00 - 12:15 P.I.G. SERVICE</i> <i>12:15 - 1:00 Lay Down SQUARE COLLAR + SCAMPS</i> <i>1:00 - 3:00 RUN IN</i> <i>3:00 - 8:00 WAIT ON SCHLUMBERGER</i>												SD. CONT			
MUD & CHEMICALS ADDED												TYPE	AMT	TYPE	AMT
														<i>CAUSTIC</i>	<i>2 SKS</i>

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD		
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC
													<i>8</i>	<i>10</i>	<i>12</i>
														<i>9.7</i>	<i>9.7</i>
														<i>70</i>	<i>70</i>
														<i>5.4</i>	<i>5.4</i>
DEVIATION RECORD:												FLTR CK	<i>3/32</i>	<i>3/32</i>	
REMARKS												PH	<i>10.5</i>	<i>10.5</i>	
<i>8:00 - 3:30 WAIT ON SCHLUMBERGER.</i> <i>3:30 - 4:00 Pull Out</i>												SD. CONT			
MUD & CHEMICALS ADDED												TYPE	AMT	TYPE	AMT

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD		
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC
DEVIATION RECORD:												FLTR CK			
REMARKS												PH			
<i>4:00 - 5:30 Pull Out</i> <i>5:30 - 7:30 Run up to LOG + LOG</i> <i>7:30 - 10:00 Run In + CLEAN HOLE @ 4750</i> <i>10:00 - 11:00 Circle on Bottom</i> <i>11:00 - 12:00 Pull Out</i>												SD. CONT			
MUD & CHEMICALS ADDED												TYPE	AMT	TYPE	AMT
												<i>GEL</i>	<i>15</i>	<i>SAP</i>	

DAILY DRILLING REPORT

REPORT NO.

DATE *F 2 28/67*

OPERATOR SHELL CANADA LIMITED		LOCATION <i>R JT</i>	LSD.	SEC.	TWP. <i>K9</i>	RGE.	W.	WELL NAME <i>SHELL DELK...</i>
CONTRACTOR <i>REGENT DRIG GG LTD 21</i>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		
OPERATOR'S REPRESENTATIVE <i>RB Cum...</i>		CONTRACTOR'S TOOL PUSHER			NO. MANUFACTURER TYPE STROKE LENGTH			CASING & LINER RECORD
					1. <i>FMSCO</i> <i>D300</i> <i>14</i>			
					2.			
					3.			

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	<i>3 1/2</i>		
REAMING	<i>1 1/4</i>		
CIRCULATING	<i>3 1/8</i>	<i>3</i>	
TRIPS		<i>2</i>	
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER <i>See Log</i>		<i>3</i>	
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS			<i>4</i>

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.	SIZE					DEPTH	DEV.
<i>64</i>	STANDS	DP	<i>3950.47</i> FT.	RUN NO.	<i>27</i>						
<i>1</i>	SINGLS.	DP	<i>315</i> FT.	SIZE	<i>6 3/4</i>	<i>3 1/2</i>		<i>5203</i>	<i>5027</i>		<i>20 FT</i>
<i>34</i>	D.C.	ID	<i>982.53</i> FT.	MFG.	<i>SFC</i>						
	OD			TYPE	<i>H7UG-J</i>						
<i>2</i>	RMR BODY	OD	<i>11.11</i> FT.	NOZ.	NO. <i>3</i>						
	STB BODY	OD		SIZE	<i>11</i>			<i>5203</i>	<i>21</i>		
	SUBS	OD		SER. NO.	<i>979724</i>			<i>1 1/4</i>	<i>12:00</i>	<i>1:15</i>	<i>REAMING</i>
	BIT OR C.B.			DEPTH OUT				<i>3 1/2</i>	<i>1:15</i>	<i>4:45</i>	<i>IRKLG</i>
<i>1</i>	Sq. D.C.		<i>30.32</i> FT.	CUMULATIVE HOURS RUN				<i>3 1/4</i>	<i>4:45</i>	<i>5:00</i>	<i>CIRCULATING</i>
	KELLY DOWN		<i>17.00</i> FT.	COND. OF BIT							
	TOTAL		<i>50.27</i> FT.	REAMER CUTTER NO.							
	WT. OF STRING		<i>75000</i> LBS.	TYPE							
DRILLER <i>R Gumsalley</i>											

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS. WO/D.P.:			
HRS. STANDBY:			

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.	SIZE					DEPTH	DEV.
<i>64</i>	STANDS	DP		RUN NO.	<i>27</i>						
<i>1</i>	SINGLS.	DP	<i>3986.04</i> FT.	SIZE	<i>6 3/4</i>						
<i>34</i>	D.C.	ID	<i>982.53</i> FT.	MFG.	<i>SFC</i>						
	OD			TYPE	<i>H7UG-J</i>						
<i>2</i>	RMR BODY	OD	<i>11.11</i> FT.	NOZ.	NO. <i>3</i>						
	STB BODY	OD		SIZE	<i>11</i>						
	SUBS	OD		SER. NO.	<i>979724</i>						
	BIT OR C.B.			DEPTH OUT	<i>5027</i>			<i>8 Hrs</i>			<i>Circ To Log</i>
<i>1</i>	Sq. D.C.		<i>30.32</i> FT.	CUMULATIVE HOURS RUN	<i>3 1/2</i>						
	KELLY DOWN		<i>17.00</i> FT.	COND. OF BIT	<i>6</i>						
	TOTAL		<i>50.27</i> FT.	REAMER CUTTER NO.							
	WT. OF STRING		<i>76000</i> LBS.	TYPE							
DRILLER <i>Geo Louance</i>											

WIRE LINE RECORD	
REEL NO	
NO OF LINES SIZE	
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS	

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
	STANDS	DP	FT.	RUN NO.	SIZE					DEPTH	DEV.
<i>64</i>	STANDS	DP		RUN NO.							
<i>1</i>	SINGLS.	DP	<i>3986.04</i> FT.	SIZE							
<i>34</i>	D.C.	ID	<i>982.53</i> FT.	MFG.							
	OD			TYPE							
<i>2</i>	RMR BODY	OD	<i>11.11</i> FT.	NOZ.	NO.						
	STB BODY	OD		SIZE							
	SUBS	OD		SER. NO.							
	BIT OR C.B.			DEPTH OUT				<i>400-700</i>			<i>Circ To Log</i>
<i>1</i>	Sq. D.C.		<i>30.32</i> FT.	CUMULATIVE HOURS RUN				<i>700-400</i>			<i>Pull Out</i>
	KELLY DOWN		<i>17.00</i> FT.	COND. OF BIT				<i>900-1200</i>			<i>W.M.T. on Shell Canada</i>
	TOTAL		<i>50.27</i> FT.	REAMER CUTTER NO.							
	WT. OF STRING		<i>75000</i> LBS.	TYPE							
DRILLER <i>Geo Louance</i>											

DATE *F 3 28/67*

TWP. <i>K9</i>	RGE.	W.	WELL NAME <i>SHELL DECKWICK NO 7</i>	No.	PROVINCE		
PUMPS			CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH	SIZE	WT. & GR		
1.	<i>FMSCO</i>	<i>D300</i>	<i>14</i>	<i>9 3/8</i>	<i>0</i>	<i>562</i>	
2.							
3.							

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
<i>3 1/2</i>		<i>5203</i>	<i>5027</i>	<i>20 FT</i>	<i>60</i>	<i>40</i>	<i>1200</i>	<i>5" 54</i>			TIME <i>12</i>	
											WEIGHT <i>9.6</i>	
											VISC <i>60</i>	
											W.L.C.C.	
DEVIATION RECORD:											FLTR. CK	
		DEPTH <i>5203</i>	DEV. <i>21</i>	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	PH	
REMARKS											SD CONT	
<i>1 1/4 12:00 1:15 KIRKAWING</i>												
<i>3 1/2 1:15 4:45 DRNG</i>												
<i>3 1/4 4:45 800 CIRCULATING AND CONDITION MUD</i>												
MUD & CHEMICALS ADDED												
TYPE		AMT		TYPE		AMT						
<i>PELTEX</i>		<i>10 SALS</i>		<i>CAUSTIC</i>		<i>2 SALS</i>						
<i>GEL</i>		<i>10 SALS</i>										

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
		<i>5027</i>					<i>1700</i>	<i>5" 52</i>			TIME <i>12</i>	<i>2</i>
											WEIGHT <i>9.6</i>	<i>9.6</i>
											VISC <i>65</i>	<i>65</i>
											W.L.C.C.	<i>48</i>
DEVIATION RECORD:											FLTR. CK	<i>1/2</i>
		DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	PH	<i>10.5</i>
REMARKS											SD CONT	
<i>8 Hrs Circ To Log</i>												
<i>MEASURE PIPE 3954-17</i>												
<i>BOARD MEASURE 3952-47</i>												
<i>D.I.F. 3.70</i>												
<i>Correction made.</i>												
MUD & CHEMICALS ADDED												
TYPE		AMT		TYPE		AMT						

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
							<i>1200</i>	<i>5" 52</i>			TIME <i>4</i>	<i>6</i>
											WEIGHT <i>9.6</i>	<i>9.6</i>
											VISC <i>60</i>	<i>64</i>
											W.L.C.C.	
DEVIATION RECORD:											FLTR. CK	
		DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	PH	
REMARKS											SD CONT	
<i>400-700 Circ To Log</i>												
<i>700-900 Pull Out</i>												
<i>900-1200 W.M.T on Self Lin merger</i>												
MUD & CHEMICALS ADDED												
TYPE		AMT		TYPE		AMT						

DAILY DRILLING REPORT

REPORT NO.

DATE *F.S. 27/67*

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>SHELL PEEL KINGS</i>	
CONTRACTOR <i>REGENT DRLG 66 LTO 21</i>		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>W.B. P...</i>		CONTRACTOR'S TOOL PUSHER <i>R. M...</i>			TYPE THD	NO.	MANUFACTURER	TYPE	STROKE LENGTH
						1.	<i>IMSCO</i>	<i>D300</i>	<i>14</i>
						2.			
						3.			

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.						
<i>2</i>	<i>8</i>	<i>2</i>		<i>63</i>	DP	<i>3889.39</i>	SIZE	<i>25 26</i>		<i>4932</i>	<i>4950</i>	<i>18 ft</i>	
<i>1 1/2</i>				<i>34</i>	ID	<i>982.53</i>	MFG.	<i>SEC SEC</i>					
		<i>1</i>			OD		TYPE	<i>H706-J/H706-J</i>					
<i>4</i>	<i>4 1/2</i>			<i>2</i>	RMR BODY	<i>11.11</i>	NOZ.	<i>NO. 3</i>	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH
		<i>1/4</i>			STB BODY		SIZE	<i>11 11</i>					
		<i>1/4</i>			OD								
					SUBS		SER. NO.	<i>905720 905720</i>		<i>12 00</i>	<i>230</i>	<i>DRLG</i>	
					BIT OR C.B.		DEPTH OUT	<i>4950</i>		<i>4</i>	<i>2 30</i>	<i>6:50 TRIP FOR BIT 2</i>	
				<i>1</i>	SQ D.C.	<i>30.32</i>	CUMULATIVE HOURS RUN	<i>4 1/4</i>		<i>1 1/2</i>	<i>6:30</i>	<i>8:00 REAMING</i>	
					KELLY DOWN	<i>3708</i>	COND. OF BIT						
					TOTAL	<i>4950 FT.</i>	REAMER CUTTER NO.						
					WT. OF STRING	<i>7500 LBS.</i>	TYPE						
					DRILLER			<i>R. G. Gusselley</i>					

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.						
				<i>64</i>	DP	<i>3950.47</i>	SIZE	<i>26</i>		<i>4950</i>	<i>4993</i>		
				<i>34</i>	ID	<i>982.53</i>	MFG.	<i>SEC</i>					
					OD		TYPE	<i>H706-J</i>					
				<i>2</i>	RMR BODY	<i>11.11</i>	NOZ.	<i>NO. 3</i>	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH
					STB BODY		SIZE	<i>11</i>					
					OD								
					SUBS		SER. NO.	<i>905720</i>		<i>DRLG</i>	<i>8:00 - 4:00</i>		
					BIT OR C.B.		DEPTH OUT	<i>1</i>					
				<i>1</i>	SQ D.C.	<i>30.32</i>	CUMULATIVE HOURS RUN	<i>8</i>					
					KELLY DOWN	<i>18.5</i>	COND. OF BIT						
					TOTAL	<i>4993 FT.</i>	REAMER CUTTER NO.						
					WT. OF STRING	<i>7</i>	LBS.						
					DRILLER			<i>G. Jovane</i>					

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.						
				<i>64</i>	DP	<i>3950.47</i>	SIZE	<i>26 27</i>		<i>4493</i>	<i>5003</i>		
				<i>34</i>	ID	<i>982.53</i>	MFG.	<i>SEC SEC</i>					
					OD		TYPE	<i>H706-J H706-J</i>					
				<i>2</i>	RMR BODY	<i>11.11</i>	NOZ.	<i>NO. 3</i>	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH
					STB BODY		SIZE	<i>11</i>		<i>5000</i>	<i>21°</i>		
					OD								
					SUBS		SER. NO.	<i>905720 979720</i>					
					BIT OR C.B.		DEPTH OUT	<i>5003</i>		<i>400-600</i>		<i>DRILL 6 3/4 HOLE</i>	
				<i>1</i>	SQ D.C.	<i>30.32</i>	CUMULATIVE HOURS RUN	<i>10</i>		<i>600-700</i>		<i>CIRC</i>	
					KELLY DOWN	<i>28.5</i>	COND. OF BIT			<i>700-715</i>		<i>TOTCU</i>	
					TOTAL	<i>5003 FT.</i>	REAMER CUTTER NO.			<i>715-1000</i>		<i>MEASURE OUT</i>	
					WT. OF STRING	<i>7600</i>	LBS.			<i>1000</i>	<i>1000</i>	<i>SET RIG & CHECK BOP</i>	
					DRILLER			<i>G. Jovane</i>		<i>1000</i>	<i>1200</i>	<i>RUN IN</i>	

DATE *F.S. 27/67*

TWP. <i>K9</i>	RGE. <i></i>	W. <i></i>	WELL NAME <i>SHELL HILL RIVER NO. 7</i>	No. <i></i>	PROVINCE <i></i>				
PUMPS			CASING & LINER RECORD	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE		STROKE LENGTH	FROM	TO	FROM		
1.	<i>IMSCO</i>	<i>A300</i>	<i>14</i>						
2.									
3.									

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME						
<i>4 3/4</i>		<i>4932</i>	<i>4950</i>	<i>18 ft</i>	<i>65</i>	<i>35</i>	<i>1200</i>	<i>5"</i>	<i>54</i>				<i>12</i>	<i>2</i>	<i>6</i>				
													<i>WEIGHT</i>	<i>9.5</i>					
													<i>VISC</i>	<i>40</i>					
													<i>W.L.C.C.</i>						
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH <i>10.5</i>						
<i>2 1/2 12:30 2:30 DRLG</i> <i>4 2:30 6:30 TRIP FOR BIT 25</i> <i>1 1/2 6:30 8:00 REAMING</i>													SD. CONT						
MUD & CHEMICALS ADDED													TYPE AMT. TYPE AMT. <i>FILTR 10 SINS</i> <i>CAUSTIC 2 SKD</i>						

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME						
<i>8</i>		<i>4950</i>	<i>4993</i>		<i>65</i>	<i>35</i>	<i>1200</i>	<i>5"</i>	<i>54</i>				<i>8</i>	<i>10</i>	<i>2</i>				
													<i>WEIGHT</i>	<i>9.4</i>	<i>9.4</i>	<i>9.5</i>			
													<i>VISC</i>	<i>42</i>	<i>40</i>	<i>97</i>			
													<i>W.L.C.C.</i>			<i>56</i>			
DEVIATION RECORD:													FLTR. CK <i>7/32</i>						
REMARKS													PH <i>10.15</i>						
<i>DRLG 8:00 - 400</i>													SD. CONT						
MUD & CHEMICALS ADDED													TYPE AMT. TYPE AMT. <i>GEL 33 SDV</i>						

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME						
<i>7 1/4</i>	<i>2</i>	<i>4993</i>	<i>5003</i>		<i>68</i>	<i>40</i>	<i>1200</i>	<i>5"</i>	<i>54</i>				<i>4</i>	<i>6</i>					
													<i>WEIGHT</i>	<i>9.5</i>	<i>9.5</i>				
													<i>VISC</i>	<i>47</i>	<i>48</i>				
													<i>W.L.C.C.</i>						
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
<i>400-608 DRILL 6 3/4 HOLE</i>													SD. CONT						
<i>600-700 CIRC</i>																			
<i>700-715 TOTCU</i>																			
<i>715-1000 MEASURE OUT</i>																			
<i>1000-1015 SER RIG & CHECK BOP'S</i>																			
<i>1015-1030 RUN IN</i>																			
MUD & CHEMICALS ADDED													TYPE AMT. TYPE AMT. <i>GEL 12.5 AX</i>						

DAILY DRILLING REPORT

REPORT NO.

DATE *F.S. 27/67*

OPERATOR SHELL CANADA LIMITED		LOCATION	LS.D.	SEC.	TWP.	RGE.	W	WELL NAME <i>SHELL PILL KINGS</i>
CONTRACTOR <i>LEGENT DRLG 66 LTO 21</i>		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>AB Runk</i>		CONTRACTOR'S TOOL PUSHER <i>D. Morrison</i>		TYPE THD		1. <i>IMSCO</i>	TYPE <i>D300</i>	STROKE LENGTH <i>14</i>

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	<i>2 1/2</i>	<i>8</i>	<i>2</i>
REAMING	<i>1 1/2</i>		
CIRCULATING			<i>1</i>
TRIPS	<i>4</i>	<i>4 1/2</i>	
DEVIATION SURVEY			<i>1/4</i>
TEST B.O.P.			<i>1/4</i>
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER			
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	<i>8</i>	<i>9 1/2</i>	<i>8</i>

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
<i>63</i>	SINGLS.	DP	<i>3889.39</i>	SIZE	<i>25</i>	<i>26</i>	<i>4932</i>	<i>4950</i>	<i>18 ft</i>
	ID			MFG.	<i>SEC</i>	<i>SEC</i>			
<i>34</i>	D.C.	OD	<i>982.53</i>	TYPE	<i>H706-J/1206-J</i>				
<i>2</i>	RMR BODY	OD	<i>11.11</i>	NO.	<i>3</i>	<i>3</i>			
	STB BODY	OD		NOZ.	<i>11</i>	<i>11</i>			
	SUBS	OD		SER. NO.	<i>905720</i>	<i>905720</i>	<i>2 1/2</i>	<i>12 00</i>	<i>230 DRLG</i>
	BIT OR C.B.			DEPTH OUT	<i>4950</i>		<i>4</i>	<i>2 30</i>	<i>6:50 TRIP FOR BIT 2</i>
<i>1</i>	SQ D.C.		<i>30.32</i>	CUMULATIVE HOURS RUN	<i>4944</i>		<i>1 1/2</i>	<i>6:30</i>	<i>8:00 REAMING</i>
	KELLY DOWN		<i>3700</i>	COND. OF BIT					
	TOTAL		<i>4950</i>	REAMER CUTTER NO.					
	WT. OF STRING		<i>7500</i>	LBS.					
	DRILLER	<i>R. G. Gussalley</i>							

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS.			
OPERATOR'S TIME:			
HRS. W/D.P.			
HRS. WO/D.P.			
HRS. STANDBY			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
<i>64</i>	SINGLS.	DP	<i>3950.47</i>	SIZE	<i>26</i>	<i>26</i>	<i>4950</i>	<i>4993</i>	
	ID			MFG.	<i>SEC</i>	<i>SEC</i>			
<i>34</i>	D.C.	OD	<i>982.53</i>	TYPE	<i>H706-J</i>				
<i>2</i>	RMR BODY	OD	<i>11.11</i>	NO.	<i>3</i>	<i>3</i>			
	STB BODY	OD		NOZ.	<i>11</i>	<i>11</i>			
	SUBS	OD		SER. NO.	<i>905720</i>				
	BIT OR C.B.			DEPTH OUT	<i>1</i>				
<i>1</i>	SQ D.C.		<i>30.32</i>	CUMULATIVE HOURS RUN	<i>8</i>				
	KELLY DOWN		<i>18.57</i>	COND. OF BIT					
	TOTAL		<i>4993</i>	REAMER CUTTER NO.					
	WT. OF STRING		<i>7</i>	LBS.					
	DRILLER	<i>G. Jovanovic</i>							

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
<i>64</i>	SINGLS.	DP	<i>3950.47</i>	SIZE	<i>26</i>	<i>27</i>	<i>4993</i>	<i>5003</i>	
	ID			MFG.	<i>SEC</i>	<i>SEC</i>			
<i>34</i>	D.C.	OD	<i>982.53</i>	TYPE	<i>H706-J</i>				
<i>2</i>	RMR BODY	OD	<i>11.11</i>	NO.	<i>3</i>	<i>3</i>			
	STB BODY	OD		NOZ.	<i>11</i>	<i>11</i>			
	SUBS	OD		SER. NO.	<i>905720</i>	<i>979724</i>			
	BIT OR C.B.			DEPTH OUT	<i>5003</i>		<i>400-600</i>		<i>Drill 6 3/4 Hole</i>
<i>1</i>	SQ D.C.		<i>30.32</i>	CUMULATIVE HOURS RUN	<i>10</i>		<i>600-700</i>		<i>Circ</i>
	KELLY DOWN		<i>28.57</i>	COND. OF BIT			<i>700-715</i>		<i>TOTCU</i>
	TOTAL		<i>5003</i>	REAMER CUTTER NO.			<i>715-1000</i>		<i>MEASURE OUT</i>
	WT. OF STRING		<i>76000</i>	LBS.			<i>1000</i>	<i>1000</i>	<i>SEE RIG & CHECK RIG</i>
	DRILLER	<i>G. Jovanovic</i>							

DATE *F.S. 27/67*

TWP. *K9* RGE. *W* WELL NAME *SHELL PEEL RIVER NO. 7* No. *107* PROVINCE

NO.	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE	WT. & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
							FROM	TO	FROM	TO		
1.	<i>IMSCO</i>	<i>A300</i>	<i>14</i>									
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WT	VISC	W.L.C.C.			
<i>4 1/2</i>		<i>4932</i>	<i>4950</i>	<i>18 ft</i>	<i>65</i>	<i>35</i>	<i>1200</i>	<i>5"</i>	<i>54</i>				<i>12</i>	<i>2</i>	<i>6</i>	<i>9.5</i>	<i>40</i>		
DEVIATION RECORD: DEPTH <i>2 1/2</i> DEV. <i>12 00</i> DIRECTION <i>230</i> DEPTH <i>230</i> DEV. <i>DRLg</i> DIRECTION <i>TRIN FOR BIT 25</i> DEPTH <i>4</i> DEV. <i>2 30</i> DIRECTION <i>6:50</i> DEPTH <i>6:50</i> DEV. <i>TRIN FOR BIT 25</i> DIRECTION <i>REAMING</i> DEPTH <i>1 1/2</i> DEV. <i>6:30</i> DIRECTION <i>8:00</i> DEPTH <i>8:00</i> DEV. <i>REAMING</i> DIRECTION													FLTR. CK	PH <i>10.5</i>	SD. CONT				
REMARKS													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT.			
															<i>FELTIX 10 SLS</i>				
															<i>CAUSTIC 2 SKD</i>				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WT	VISC	W.L.C.C.			
<i>8</i>		<i>4950</i>	<i>4993</i>		<i>65</i>	<i>35</i>	<i>1200</i>	<i>5"</i>	<i>54</i>				<i>8</i>	<i>10</i>	<i>2</i>	<i>9.4</i>	<i>42</i>	<i>9.5</i>	<i>97</i>
DEVIATION RECORD: DEPTH <i>8:00</i> DEV. <i>400</i> DIRECTION <i>DRLg</i> DEPTH <i>8:00</i> DEV. <i>400</i> DIRECTION													FLTR. CK	PH <i>10.5</i>	SD. CONT				
REMARKS													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT.			
															<i>GEL 33 SOLV</i>				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WT	VISC	W.L.C.C.			
<i>2</i>		<i>4993</i>	<i>5003</i>		<i>60</i>	<i>40</i>	<i>1200</i>	<i>5"</i>	<i>54</i>				<i>4</i>	<i>6</i>		<i>9.5</i>	<i>47</i>	<i>9.5</i>	<i>48</i>
DEVIATION RECORD: DEPTH <i>5000</i> DEV. <i>210</i> DIRECTION <i>SOUND</i> DEPTH <i>5000</i> DEV. <i>210</i> DIRECTION													FLTR. CK	PH	SD. CONT				
REMARKS													MUD & CHEMICALS ADDED						
<i>400-600</i>													TYPE	AMT	TYPE	AMT.			
<i>600-700</i>																			
<i>700-715</i>																			
<i>715-1000</i>																			
<i>1000-1010</i>																			
<i>1010-1200</i>																			
<i>Drill 6 3/4" Hole</i> <i>Circ</i> <i>TOTCO</i> <i>MEASURE OUT</i> <i>SEE RIG & CHECK ROP'S</i> <i>RUN IN</i>																			
															<i>GEL 12 SK</i>				

DAILY DRILLING REPORT

REPORT NO.

DATE Feb 26/67

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD	SEC.	TWP.	RGE.	W.	WELL NAME SHELL FIELD
CONTRACTOR REGENT 4466 LTD		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE A.S. Campbell		CONTRACTOR'S TOOL PUSHER		TYPE THD	NO. MANUFACTURER		TYPE	STROKE LENGTH

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL		2 1/2	3 1/4
REAMING		1 1/2	1
CIRCULATING			
TRIPS		3 1/4	3 3/4
DEVIATION SURVEY			
TEST B.O.P.			
CUT OFF DRILL LINE			
REPAIR RIG		1	
CORING			
WIRE LINE LOGGING			
OTHER		3/4	
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS		8	8

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.	SIZE					
34	D.C.	ID	982.53	23	6 3/4			4835		
2	RMR BODY	OD	11.11 FT.							
	STB BODY	OD								
	SUBS	OD								
	BIT OR C.B.									
1	Sq P.C.		30.2 FT.							
	KELLY DOWN									
	TOTAL									
	WT. OF STRING		LBS							
DRILLER K. Gonsalves										

MORNING TOUR			
DRILLING ACTUAL		2 1/2	3 1/4
REAMING		1 1/2	1
CIRCULATING			
TRIPS		3 1/4	3 3/4
DEVIATION SURVEY			
TEST B.O.P.			
CUT OFF DRILL LINE			
REPAIR RIG		1	
CORING			
WIRE LINE LOGGING			
OTHER		3/4	
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS		8	8

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.	SIZE					
67	D.C.	ID	3857.26	24	6 3/4			4917	4917	
34	RMR BODY	OD	11.11 FT.							
2	STB BODY	OD								
	SUBS	OD								
	BIT OR C.B.									
1	Sq P.C.		30.2 FT.							
	KELLY DOWN									
	TOTAL									
	WT. OF STRING		LBS							
DRILLER G. Lawrence										

DAY TOUR			
DRILLING ACTUAL		2 1/2	3 1/4
REAMING		1 1/2	1
CIRCULATING			
TRIPS		3 1/4	3 3/4
DEVIATION SURVEY			
TEST B.O.P.			
CUT OFF DRILL LINE			
REPAIR RIG		1	
CORING			
WIRE LINE LOGGING			
OTHER		3/4	
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS		8	8

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.	SIZE					
67	D.C.	ID	3884.39	24	6 3/4			4917	4932	
34	RMR BODY	OD	11.11 FT.							
2	STB BODY	OD								
	SUBS	OD								
	BIT OR C.B.									
1	Sq P.C.		30.2 FT.							
	KELLY DOWN									
	TOTAL									
	WT. OF STRING		LBS							
DRILLER G. Lawrence										

EVENING TOUR			
DRILLING ACTUAL		2 1/2	3 1/4
REAMING		1 1/2	1
CIRCULATING			
TRIPS		3 1/4	3 3/4
DEVIATION SURVEY			
TEST B.O.P.			
CUT OFF DRILL LINE			
REPAIR RIG		1	
CORING			
WIRE LINE LOGGING			
OTHER		3/4	
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS		8	8

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.	SIZE					
67	D.C.	ID	3884.39	24	6 3/4			4917	4932	
34	RMR BODY	OD	11.11 FT.							
2	STB BODY	OD								
	SUBS	OD								
	BIT OR C.B.									
1	Sq P.C.		30.2 FT.							
	KELLY DOWN									
	TOTAL									
	WT. OF STRING		LBS							
DRILLER G. Lawrence										

DATE Feb 26/67

TWP. K9	RGE.	W.	WELL NAME SHELL PEEL LINE No 7	No.	PROVINCE
PUMPS			CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO
NO.	MANUFACTURER	TYPE	STROKE LENGTH		
1.	FMSCO	D300	14		
2.					

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE S P M	PUMP NO 2 LINER SIZE S P M	METHOD PUMPS RUN	MUD RECORD				
		4835				65		5.54			TIME	12	2		
											WEIGHT	9.5	9.5		
											VISC	59	59		
											W.L.C.C.				
											FLTR CK				
											PH	9.5	10		
											SD. CONT				
DEVIATION RECORD:												REMARKS			
12:00 12:30												SEAMING			
12:30												DRAG			
												MUD & CHEMICALS ADDED			
												TYPE	AMT	TYPE	AMT
												FELTEX	10 SKS		
												CAUSTIC	3 SKS		
												GEL	10 SKS		

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE S P M	PUMP NO 2 LINER SIZE S P M	METHOD PUMPS RUN	MUD RECORD				
2 1/2		4902	4917			60	4	1200	5	27	TIME	7			
											WEIGHT	91			
											VISC	40			
											W.L.C.C.				
											FLTR CK				
											PH				
											SD. CONT	10.5			
DEVIATION RECORD:												REMARKS			
800-900												REPAIR DRAGS			
900-1030												FINISH PULLING DOT			
1030-1100												REPLACE BOARDER CLEAN SECTION TANK			
1100-1200												RUN IN			
1200-1300												MUDS LUBRICANT REAM TO 1200			
1300-400												DRILL 2 1/2 HLL			
												MUD & CHEMICALS ADDED			
												TYPE	AMT	TYPE	AMT
												GEL	8 SKS		

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE S P M	PUMP NO 2 LINER SIZE S P M	METHOD PUMPS RUN	MUD RECORD				
3 1/4		4917	4932			60	4	1200	5	27	TIME	4	10		
											WEIGHT	74	74		
											VISC	40	45		
											W.L.C.C.				
											FLTR CK				
											PH				
											SD. CONT				
DEVIATION RECORD:												REMARKS			
400-500												DRILL			
500-800												TRIP FOR B.T			
800-940												REAM CEMENT REAM TO 1200			
940-1200												DRILL 2 1/2 HLL			
												MUD & CHEMICALS ADDED			
												TYPE	AMT	TYPE	AMT

DAILY DRILLING REPORT

REPORT NO.

DATE FEB 25/67

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>Shell P</i>
CONTRACTOR <i>RECENT PELL 66 LTD</i>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	CD	PUMPS		CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>MS Cumbe</i>		CONTRACTOR'S TOOL PUSHER <i>B WATSON</i>		TYPE THD.	NO. MANUFACTURER TYPE STROKE LENGTH		RECORD	

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)					
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.										
				60		702.12	21	22									
		3/4			SNGLS.	DP	FT.	SIZE									
		5/4		34	D.C.	982.53		6 3/4	6 3/4								
	1 1/2	1			ID			SEC	SEC								
				2	RMR BODY	11.11		NO. 3	3								
	4/4				STB BODY			SIZE 11	11								
					SUBS	OD		SER. NO. 905691	905690								
					BIT OR C.B.			DEPTH OUT 4755									
				1	59 D.C.	30.32		CUMULATIVE HOURS RUN 5									
					KELLY DOWN	29.92		COND. OF BIT									
					TOTAL	4755		REAMER CUTTER NO.									
					WT. OF STRING	75000		TYPE									
					DRILLER												

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)					
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.										
				61		3765.2		22									
					SNGLS.	DP		SIZE									
				34	D.C.	982.53		MFG. 6 3/4	SEC								
					ID			TYPE									
				2	RMR BODY	11.11		NO. 4706 J									
					STB BODY			SIZE 3									
					SUBS	OD		SER. NO. 11									
					BIT OR C.B.			DEPTH OUT 405690									
				1	59 D.C.	30.32		CUMULATIVE HOURS RUN									
					KELLY DOWN			COND. OF BIT									
					TOTAL	26		REAMER CUTTER NO.									
					WT. OF STRING	4816		TYPE									
					DRILLER												

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)					
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.										
				61		3795.89		23									
					SNGLS.	DP		SIZE									
				1	D.C.	982.53		MFG. 6 3/4	SEC								
					ID			TYPE									
				5	RMR BODY	11.11		NO. 4706 J									
					STB BODY			SIZE 3									
					SUBS	OD		SER. NO. 11									
					BIT OR C.B.			DEPTH OUT 405715									
				1	59 D.C.	30.32		CUMULATIVE HOURS RUN 4									
					KELLY DOWN	29.92		COND. OF BIT									
					TOTAL	4835		REAMER CUTTER NO. 7-7-1									
					WT. OF STRING	75000		TYPE									
					DRILLER												

REEL NO		NO. OF LINES		SIZE
FEET SLIPPED		FEET CUT OFF		PRESENT LENGTH
TON MI. OF TRIPS SINCE LAST CUT		CUMULATIVE TON MI. OF TRIPS		
NO. OF DAYS FROM SPUD		CUMULATIVE ROTATING HRS		

G. Torrance

DATE FEB 25/67

TWP. 159	RGE.	W.	WELL NAME Shell Pad	No. 7	PROVINCE Yukon		
PUMPS			CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH	SIZE	WT. & GR.		
1.	FUSCO	D300	14				
2.							
3.							

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD				
2											TIME	12			
14							1100	5	57	5	WEIGHT	9.0			
CC											VISC	38			
06-J											W.L.-C.C.	6.1			
DEVIATION RECORD:											FLTR CK	2.22			
REMARKS											PH	1.5			
5690											SD. CONT				
574											MUD & CHEMICALS ADDED				
12:00 12:15 SPINNING											TYPE	AMT	TYPE	AMT	
12:15 2:30 PULL OUT															
2:30 3:15 CLEAN MUD PUMP + CLEAN LINES															
3:15 5:30 RUN IN															
5:30 6:30 BREAK CIRC. AND CLEAN 20'															
6:30 8:00 CIRCULATING DUE TO POWER FAILURE															

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD				
574		4755	4816				60	40	1700	5	54	TIME	8	10	2
DEVIATION RECORD:											WEIGHT	9.7	9.7	9.3	
REMARKS											VISC	40	40	40	
1 8:00 9:00 CIRC. DUE TO POWER FAILURE											W.L.-C.C.	5.7	5.4		
4 9:00 1:00 Drill 6 3/4" Hole											FLTR CK	3.0	2.2		
1 1/4 1:00 2:00 WORK ON ELECTRICAL SYSTEM (CIRCUIT)											PH	10.0	10.0		
1 3/4 2:00 4:00 DRILL 6 3/4" Hole											SD. CONT				
											MUD & CHEMICALS ADDED				
											TYPE	AMT	TYPE	AMT	
											WATER	34	Steam		

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
3											TIME	4	6	
3 3/4		4816	4835				65	40	1700	5	54	WEIGHT	9.3	9.3
DEVIATION RECORD:											VISC	40	42	
REMARKS											W.L.-C.C.			
400 - 7:15 DRILL 6 3/4" Hole											FLTR CK	7.52		
7:15 - 7:30 Totco											PH	10		
7:30 - 9:15 PULL OUT											SD. CONT			
9:15 - 9:30 SER. Rig + CHECK BOP'S											MUD & CHEMICALS ADDED			
9:30 - 11:00 Run In											TYPE	AMT	TYPE	AMT
11:00 12:00 Break Circ + Clean 20' to B.T.M.											Geo	100	SAL	
											Perfor	5	SAL	
											2000	50	Flgs	
											9	400	Water	

DAILY DRILLING REPORT

REPORT NO.

DATE *FEL 124/67*

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>SHELL PEEL R</i>
CONTRACTOR <i>REGENT DRAG 66 LTD</i>	RIG No. <i>21</i>	DRILL PIPE STRING NO. SIZE <i>2 1/2</i>	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>MS</i>		CONTRACTOR'S TOOL PUSHER			NO.	MANUFACTURER	TYPE	STROKE LENGTH
					1.	<i>EMSCO</i>	<i>D300</i>	<i>14</i>
					2.			
					3.			

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	<i>1 1/4</i>	<i>4 1/2</i>	<i>5</i>
REAMING	<i>1</i>	<i>2</i>	
CIRCULATING			
TRIPS	<i>5</i>	<i>2 1/2</i>	<i>1</i>
DEVIATION SURVEY		<i>1/4</i>	
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER	<i>1 3/4</i>		
FISHING			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
<i>59</i>	STANDS	DP	<i>3671.52</i> FT.	RUN NO. <i>19 20</i>					
	SINGLS.	DP	FT.	SIZE	<i>6 3/4</i>	<i>1 1/4</i>	<i>4701</i>	<i>4100</i>	<i>4</i>
	ID			MFG.	<i>SEC</i>	<i>SEC</i>			
<i>34</i>	D.C.	OD	<i>982.53</i> FT.	TYPE	<i>H7UG-J/H7UG-J</i>				
<i>2</i>	RMR BODY	OD	<i>11.1</i> FT.	NOZ. NO.	<i>2 1 3</i>	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION
	STB BODY	OD	FT.	SIZE	<i>11 10 11</i>				
	SUBS	OD	FT.	SER. NO.	<i>905719</i>		<i>1/4 12:00</i>	<i>12 15</i>	<i>Only</i>
	BIT OR C.B.		FT.	DEPTH OUT	<i>90444</i>		<i>1/4 12:15</i>	<i>12 30</i>	<i>Service Rig</i>
<i>1</i>	Sq. D.C.		<i>30.32</i> FT.	CUMULATIVE HOURS RUN	<i>4708</i>		<i>1 12:30</i>	<i>1:30</i>	<i>Only</i>
	KELLY DOWN		<i>1360</i> FT.	COND. OF BIT	<i>9</i>		<i>2 1:30</i>	<i>2:30</i>	<i>Full out</i>
	TOTAL		<i>4708.48</i> FT.	REAMER CUTTER NO.			<i>1 1/2 2:30</i>	<i>5:00</i>	<i>Clearing Tank</i>
	WT. OF STRING		<i>75000</i> LBS.	TYPE			<i>3 5:00</i>	<i>8:00</i>	<i>Run in and B</i>
DRILLER <i>R Gumsalley</i>									

MORNING TOUR			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	<i>9</i>	<i>8</i>	<i>8</i>

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
<i>59</i>	STANDS	DP	FT.	RUN NO.	<i>20</i>				
<i>1</i>	SINGLS.	DP	<i>3671.52</i> FT.	SIZE	<i>6 3/4</i>	<i>4 1/4</i>	<i>4708</i>	<i>4720</i>	
	ID			MFG.	<i>SEC</i>				
<i>34</i>	D.C.	OD	<i>982.53</i> FT.	TYPE	<i>H7UG-J</i>				
<i>2</i>	RMR BODY	OD	<i>11.1</i> FT.	NOZ. NO.	<i>5</i>	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION
	STB BODY	OD	FT.	SIZE	<i>11</i>		<i>4700</i>	<i>20°</i>	
	SUBS	OD	FT.	SER. NO.	<i>905719</i>		<i>1 8:00</i>	<i>9:00</i>	<i>Drilling 50 ft</i>
	BIT OR C.B.		FT.	DEPTH OUT	<i>4711</i>		<i>9:00</i>	<i>1:15</i>	<i>Only 6 3/4</i>
<i>1</i>	Sq. D.C.		<i>30.32</i> FT.	CUMULATIVE HOURS RUN	<i>2 3/4</i>		<i>1:15</i>	<i>4:00</i>	<i>TRIP FOR BIT</i>
	KELLY DOWN		<i>2453</i> FT.	COND. OF BIT					
	TOTAL		<i>4720</i> FT.	REAMER CUTTER NO.					
	WT. OF STRING		<i>75000</i> LBS.	TYPE					
DRILLER <i>Geo Louance</i>									

DAY TOUR			
TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS.			
OPERATOR'S TIME:			
HRS. W/D.P.			
HRS. WO/D.P.			
HRS. STANDBY			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
<i>60</i>	STANDS	DP	<i>3702.12</i> FT.	RUN NO.	<i>21</i>				
	SINGLS.	DP	FT.	SIZE	<i>6 3/4</i>	<i>5</i>	<i>4720</i>	<i>4755</i>	
	ID			MFG.	<i>SEC</i>				
<i>34</i>	D.C.	OD	<i>982.53</i> FT.	TYPE	<i>H7UG-J</i>				
<i>2</i>	RMR BODY	OD	<i>11.1</i> FT.	NOZ. NO.	<i>5</i>	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION
	STB BODY	OD	FT.	SIZE	<i>11</i>				
	SUBS	OD	FT.	SER. NO.	<i>905691</i>		<i>1 4:00-5:00</i>	<i>FINISH</i>	<i>Revised 11</i>
	BIT OR C.B.		FT.	DEPTH OUT	<i>2</i>		<i>5:00-7:00</i>	<i>BREAK</i>	<i>circ & clean</i>
<i>1</i>	Sq. D.C.		<i>30.32</i> FT.	CUMULATIVE HOURS RUN	<i>5</i>		<i>7:00-12:00</i>	<i>DRILL</i>	
	KELLY DOWN		<i>28.92</i> FT.	COND. OF BIT					
	TOTAL		<i>4755</i> FT.	REAMER CUTTER NO.					
	WT. OF STRING		<i>75000</i> LBS.	TYPE					
DRILLER <i>Geo Louance</i>									

EVENING TOUR			
NO. OF LINES	SIZE		
FEET SLIPPED			
FEET CUT OFF			
PRESENT LENGTH			
TON MI. OF TRIPS SINCE LAST CUT			
CUMULATIVE TON MI. OF TRIPS			
NO. OF DAYS FROM SPUD			
CUMULATIVE ROTATING HRS			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
<i>60</i>	STANDS	DP	<i>3702.12</i> FT.	RUN NO.	<i>21</i>				
	SINGLS.	DP	FT.	SIZE	<i>6 3/4</i>	<i>5</i>	<i>4720</i>	<i>4755</i>	
	ID			MFG.	<i>SEC</i>				
<i>34</i>	D.C.	OD	<i>982.53</i> FT.	TYPE	<i>H7UG-J</i>				
<i>2</i>	RMR BODY	OD	<i>11.1</i> FT.	NOZ. NO.	<i>5</i>	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION
	STB BODY	OD	FT.	SIZE	<i>11</i>				
	SUBS	OD	FT.	SER. NO.	<i>905691</i>		<i>1 4:00-5:00</i>	<i>FINISH</i>	<i>Revised 11</i>
	BIT OR C.B.		FT.	DEPTH OUT	<i>2</i>		<i>5:00-7:00</i>	<i>BREAK</i>	<i>circ & clean</i>
<i>1</i>	Sq. D.C.		<i>30.32</i> FT.	CUMULATIVE HOURS RUN	<i>5</i>		<i>7:00-12:00</i>	<i>DRILL</i>	
	KELLY DOWN		<i>28.92</i> FT.	COND. OF BIT					
	TOTAL		<i>4755</i> FT.	REAMER CUTTER NO.					
	WT. OF STRING		<i>75000</i> LBS.	TYPE					
DRILLER <i>Geo Louance</i>									

DATE **FEB 124/67**

TWP. K9	RGE. W.	WELL NAME SHELL HELL RIVER NO 7	No.	PROVINCE		
PUMPS		CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH			
1.	EMSCO	D300	14			
2.						
3.						

HRS. DRILD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD					
0											TIME	12				
1/4	11/4	4707	4708	4	65	3600	1150	5"			WEIGHT	9.4				
											VISC	37				
											W.L.C.C.					
DEVIATION RECORD:											FLTR CK					
REMARKS											PH	9.5				
1/4	12:00	12:15	Daly													
1/4	12:15	12:30	SERVICE Rig													
1	12:30	1:30	Daly													
2	1:30	2:30	pullout													
1/2	3:30	5:00	CLEAN MUD TANK + RE-PLUG ONE WITH REAMER													
3	5:00	7:00	RUN IN AND BREAK CIRC													
DEVIATION RECORD:											SD. CONT					
MUD & CHEMICALS ADDED											TYPE	AMT	TYPE	AMT		

HRS. DRILD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD				
4 1/4		4708	4720		65	40	1150	5	54		TIME	8	10	12	
											WEIGHT	9.4	17	9.3	
											VISC	7	58	38	
											W.L.C.C.				
DEVIATION RECORD:											FLTR CK				
REMARKS											PH	9.5	9.5		
1	8:00	9:00	N. 1/4 50 FT hole												
4 1/4	9:00	1:15	Daly 6 3/4 Hole												
2 3/4	1:15	4:00	TRIP FOR BIT												
DEVIATION RECORD:											SD. CONT				
MUD & CHEMICALS ADDED											TYPE	AMT	TYPE	AMT	

HRS. DRILD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
5		4720	4755		60	40	1200	5	54		TIME	6	8	10
											WEIGHT	9.3	9.3	9.3
											VISC	38	43	40
											W.L.C.C.	7.0		
DEVIATION RECORD:											FLTR CK			
REMARKS											PH			
1	4:00-5:00	FINISH RUNNING 1 1/2												
2	5:00-7:00	BREAK CIRC & RUN 30' TO BTM.												
5	7:00-12:00	DRILL												
DEVIATION RECORD:											SD. CONT			
MUD & CHEMICALS ADDED											TYPE	AMT	TYPE	AMT

DAILY DRILLING REPORT

REPORT NO.

DATE

FIL 23/67

OPERATOR SHELL CANADA LIMITED		LOCATION LSD A Y T W P K R G E W		WELL NAME SHELL PEEL	
CONTRACTOR REGENT DRILLING		RIG No. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT TYPE THD	OD
OPERATOR'S REPRESENTATIVE R.B. Cummins		CONTRACTOR'S TOOL PUSHER		PUMPS	
				NO.	MANUFACTURER
				1	Emasco
				2	D300 14
				3	

TIME DISTRIBUTION—HOURS				NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)
MORN	DAY	EVE			STANDS	DP	FT	RUN NO	SIZE					
5	2 1/4	7 1/4		34	D.C. 5"	982.53 FT	18	6 3/4		5	4615	4637		
				2	RMR BODY	11.11 FT		HEW						
					STB BODY			4046						
					SUBS									
					BIT OR C.B.									
					TOTAL									
					WT. OF STRING									
MORNING TOUR				1/4 12:00 = 12:15 PULL OUT 1/2 12:15 = 12:45 SER. BIG CLEAN 1 1/2 12:45 = 2:15 RUN IN, 3/4 2:15 = 3:00 BEAM TO BTM 5 3:00 = 8 DRILL 6 3/4" HOLE										
				DRILLER David Tichkowsky										

TIME DISTRIBUTION—HOURS				NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)
MORN	DAY	EVE			STANDS	DP	FT	RUN NO	SIZE					
				58		3610.54 FT	18	6 3/4		2 3/4	4637	4647		
				34	D.C. 5"	982.53 FT		HEW						
				2	RMR BODY	11.11 FT		4046						
					STB BODY									
					SUBS									
					BIT OR C.B.									
					TOTAL									
					WT. OF STRING									
DAY TOUR				2:00 9:15 Drill 6 3/4" HOLE 7:30 7:30 SER. BIG 9:30 11:00 Drill 6 3/4" HOLE 11:20 1:00 PULL OUT 1:00 1:45 Run Drill COLLARS 1:45 2:30 SER. CUT 300' HOLE 3:00 4:00 200 IN										
				DRILLER Ken Louance										

TIME DISTRIBUTION—HOURS				NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)
MORN	DAY	EVE			STANDS	DP	FT	RUN NO	SIZE					
				34		3640.58 FT	19	6 3/4		7 3/4	4647	4704		
				34	D.C. 5"	982.53 FT		HEW						
				2	RMR BODY	11.11 FT		4046						
					STB BODY									
					SUBS									
					BIT OR C.B.									
					TOTAL									
					WT. OF STRING									
EVENING TOUR				4:00 4:05 7:30 11:00 CLEAN IS TO NOT Drill 6 3/4" HOLE										
				DRILLER Ken Louance										

DATE **FEB 23/67**

TWP. **K** RGE. **9** W. **9** WELL NAME **SHELL PEEL RIVER** No. **49** PROVINCE **YUKON**

OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH FROM	SET TO	PERFORATIONS		CEMENT USED	OTHER
	NO	MANUFACTURER	TYPE						STROKE LENGTH	FROM		
1	Emsco	D300	14									
2												
3												

HRS DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R P M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD											
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT	VISC	W L C C	FLTR CK	PH						
5		4615	4637				800	5	54				300	100	600									

REMARKS
1/4 12:00 = 12:15 PULL OUT
2 12:15 = 12:45 SER RIG. CLEAN TANK, CHECK REAMERS AND B.O.P'S.
1/2 12:45 = 2:15 RUN IN,
3/4 2:15 = 3:00 BEAM TO BTM 20 FT,
5 3:00 = 8 DRILL 6 3/4" HOLE

MUD & CHEMICALS ADDED
 TYPE AMT TYPE AMT
GEL 21 SKS
PEATEX 2 SKS

HRS DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R P M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD											
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT	VISC	W L C C	FLTR CK	PH						
2 3/4		4637	4647			40	40	800	5	54			8	10										

REMARKS
9:00 - 9:15 Drill 6 3/4" Hole
9:15 - 9:30 SER RIG
9:30 - 11:00 Drill 6 3/4" Hole
11:00 - 1:00 PULL OUT
1:00 - 1:45 Run Drill Collars IN
1:45 - 3:15 SPLIT CUT 300' DRILL LINE
3:15 - 4:00 RUN IN

MUD & CHEMICALS ADDED
 TYPE AMT TYPE AMT
PEATEX 8 SKS
GEL 8 SKS
1/2 clean water

HRS DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R P M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD											
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT	VISC	W L C C	FLTR CK	PH						
7 3/4		4647	4704			5036	1150	9					6	8	10									

REMARKS
4:00 - 4:15 CLEAN IS TO BOTTOM
9:15 - 12:00 Drill 6 3/4" Hole

MUD & CHEMICALS ADDED
 TYPE AMT TYPE AMT
PEATEX 10 SKS
GEL 10 SKS
1/2 clean water

DAILY DRILLING REPORT

REPORT NO.

DATE

FEB 13, 1967

OPERATOR SHELL CANADA LIMITED	LOCATION R	LS.D. 47	SEC. K	TWP. 9	RGE. W.	WELL NAME SHELL TEL
---	----------------------	--------------------	------------------	------------------	-------------------	-------------------------------

CONTRACTOR REGENT DRILLING LTD	RIG No. 21	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
--	----------------------	------------------------------	------------	----	-------	--	--	-----------------------

OPERATOR'S REPRESENTATIVE <i>[Signature]</i>	CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>	NO.	MANUFACTURER	TYPE	STROKE LENGTH
		1.	EMSCO	D.300	14
		2.			
		3.			

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	8	5 1/2	7 1/2
REAMING			
CIRCULATING			
TRIPS		1 1/2	2
DEVIATION SURVEY		1/4	
TEST B.O.P.			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING SER		1/4	
WIRE LINE LOGGING			
OTHER			
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	9 1/2	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
32	STANDS DP	228.29	FT.	RUN NO.	7				
	SNGLS. DP		FT.	SIZE	6 3/4				
	D.C. ID			MFG.	Reed				
34	D.C. ID			MFG.	Reed				
	RMR BODY OD	982.53	FT.	TYPE	SC46				
2	RMR BODY OD	11.11	FT.	NOZ. NO.	3				
	STB BODY OD		FT.	SIZE	10				
	SUBS OD		FT.	SER. NO.	RR41281				
	BIT OR C.B.		FT.	DEPTH OUT					
1	S.O.D.C.	30.32	FT.	CUMULATIVE HOURS RUN					
	KELLY DOWN	22.11	FT.	COND. OF BIT					
	TOTAL	3330	FT.	REAMER CUTTER NO.					
	WT. OF STRING	6500	LBS.	TYPE					
	DRILLER	<i>Geo Torrance</i>							

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS.			
OPERATOR'S TIME:			
HRS. W/D.P.			
HRS. WO/D.P.			
HRS. STANDBY			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
38	STANDS DP	4344.53	FT.	RUN NO.	7				
	SNGLS. DP		FT.	SIZE	6 3/4				
	D.C. ID			MFG.	Reed				
34	D.C. ID			MFG.	Reed				
	RMR BODY OD	982.53	FT.	TYPE	SC46				
2	RMR BODY OD	11.11	FT.	NOZ. NO.	3				
	STB BODY OD		FT.	SIZE	10				
	SUBS OD		FT.	SER. NO.	RR41281				
	BIT OR C.B.		FT.	DEPTH OUT	3406				
1	S.O.D.C.	30.32	FT.	CUMULATIVE HOURS RUN	37 1/2				
	KELLY DOWN	38.00	FT.	COND. OF BIT	4 1/2				
	TOTAL	3406.79	FT.	REAMER CUTTER NO.					
	WT. OF STRING	6900	LBS.	TYPE					
	DRILLER	<i>Dave Tichonowky</i>							

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FELT CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
110	STANDS DP	2167.52	FT.	RUN NO.	8				
	SNGLS. DP		FT.	SIZE	6 3/4				
	D.C. ID			MFG.	Reed				
34	D.C. ID			MFG.	Reed				
	RMR BODY OD	932.53	FT.	TYPE	SC46				
2	RMR BODY OD	11.11	FT.	NOZ. NO.	3				
	STB BODY OD		FT.	SIZE	10				
	SUBS OD		FT.	SER. NO.	RR41281				
	BIT OR C.B.		FT.	DEPTH OUT					
1	S.O.D.C.	30.32	FT.	CUMULATIVE HOURS RUN	7				
	KELLY DOWN	1500	FT.	COND. OF BIT	N				
	TOTAL	3507.94	FT.	REAMER CUTTER NO.					
	WT. OF STRING	6900	LBS.	TYPE					
	DRILLER	<i>Dave Tichonowky</i>							

DATE Feb 13, 1967

TWP. K RGE. 9 W. WELL NAME SHELL PEG L RIVER No. 7 PROVINCE Yukon

NO.	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	MANUFACTURER	TYPE	STROKE LENGTH				FROM	TO	FROM	TO		
1.	EMSCO	D-300	14.									
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD										
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC								
8		3194	3330		40	40	1100	5	54				12	2	6	8.9	8.9	8.9	28	28	28		
DEVIATION RECORD:													FLTR. CK.										
REMARKS													PH	10.5			10.5						
1200 - 800 DRILL													SD. CONT.										
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT							
													PELTEX	8 SAKS									
													CAUSTIC	1 SAK									

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD										
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC								
5 3/4		3330	3406		40	40	1100	5	54				8	12	2	8.9	8.9	8.9	28	28	28		
DEVIATION RECORD:													FLTR. CK.										
REMARKS													PH				10.5						
800 1 1/2 DRILL													SD. CONT.										
1/4 1 1/2 TOTAL													MUD & CHEMICALS ADDED										
1 1/4 200 - 3' 15" PULL OUT													TYPE	AMT	TYPE	AMT							
SER AIR CHECK													PELTEX	6 SAKS									
3 1/4 3' 15" - 3' 30" BEAMER AND B.D.P'S																							
3 1/2 3' 30" - 4' 00" RUN IN																							

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD										
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC								
7 1/2		3406	3507		40	40	1100	5	54				4	7	2	8.9	8.9	8.9	28	28	28		
DEVIATION RECORD:													FLTR. CK.										
REMARKS													PH	10			10.1	10					
H 00 - H 30 RUN IN													SD. CONT.										
H 30 - 12 00 DRILL 6 3/4' HOLE													MUD & CHEMICALS ADDED										
													TYPE	AMT	TYPE	AMT							
													PELTEX	6 SAKS									

DAILY DRILLING REPORT

REPORT NO.

DATE

FEB 12

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	
CONTRACTOR REGENT DRILLING LTD.		RIG No.	DRILL PIPE STRIP NO. & SIZE	TOOL JOINT	OD	PUMPS			
OPERATOR'S REPRESENTATIVE <i>RPS</i>		CONTRACTOR'S TOOL PUSHER <i>R. M. H. H. H.</i>			MANUFACTURER			TYPE	STROKE LENGTH
					EMSCO			D. 300	14

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	6	5 3/4	
REAMING			
CIRCULATING			
TRIPS	1 3/4	1 3/4	
DEVIATION SURVEY	1/4		
TEST B.O.P.			
CUT OFF DRILL LINE			
REPAIR RIG		3/4	
CORING			
WIRE LINE LOGGING			
OTHER		1/4	1/4
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	8

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
3	STANDS DP	1909	50 FT.	RUN NO. 6					
	SINGLS. DP		FT.	SIZE 6 3/4	6		2902	2968	
	D.C. ID	2 1/4		MFG. K&C.					
34	5" OD	982	53 FT.	TYPE H706-J					
2	RMR BODY OD	11	11 FT.	NO. NO. 3					
	STB BODY OD		FT.	SIZE 10					
	SUBS OD		FT.	SER. NO. 9056 97	12 00	6 00			DR LG.
	BIT OR C.B.		FT.	DEPTH OUT 2968	6 00	6 15			TOT CO
1	SQDC	30	32 FT.	CUMULATIVE HOURS RUN 8 1/2	6 15	8 00			PULL OUT
	KELLY DOWN	30	4.5 FT.	COND. OF BIT 3-7-1					
	TOTAL	2968	FT.	REAMER CUTTER NO.					
	WT. OF STRING	6800	LB.	TYPE					
DRILLER <i>Geo. Lavance</i>									

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS. WO/D.P.:			
HRS. STANDBY:			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
33	STANDS DP	2003	70 FT.	RUN NO. 7					
	SINGLS. DP		FT.	SIZE 6 3/4	5 3/4		2968	3053	
	D.C. ID	4 1/4		MFG. Reed					
34	5" OD	992	53 FT.	TYPE SC-46-J					
2	RMR BODY OD	11	11 FT.	NO. NO. 3					
	STB BODY OD		FT.	SIZE 10					
	SUBS OD		FT.	SER. NO. 12187 4281					
1	SQDC	30	32 FT.	CUMULATIVE HOURS RUN 8 30	8 30	12 15			SER RIG SET UP BR
	KELLY DOWN	26	00 FT.	COND. OF BIT	8 30	12 15			RUN TO
	TOTAL	3053	69 FT.	REAMER CUTTER NO.	12 15	1 30			BRILL
	WT. OF STRING	6800	LB.	TYPE	1 30	1 30			WORK ON PUMP
DRILLER <i>David T. ...</i>									

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT.	RUN NO.	SIZE					
34	STANDS DP	2128	09 FT.	RUN NO. 7					
	SINGLS. DP		FT.	SIZE 6 3/4	1 3/4		3053	3174	
	D.C. ID	5"		MFG. ...					
2	RMR BODY OD	11	11 FT.	NO. NO. 3					
	STB BODY OD		FT.	SIZE 10					
	SUBS OD		FT.	SER. NO. 15B 7...					
1	SQDC	30	35 FT.	CUMULATIVE HOURS RUN 11 1/2	11 1/2	1 00			SKILL 6 3/4 HOLE
	KELLY DOWN	41	00 FT.	COND. OF BIT	11 1/2	1 15			SER RIG
	TOTAL	3174	08 FT.	REAMER CUTTER NO.	11 1/2	1 30			SKILL 6 3/4 HOLE
	WT. OF STRING	18000	LB.	TYPE					
DRILLER <i>David T. ...</i>									

DATE FEB 12

TWP. K-9 RGE. W. WELL NAME SHELL PEEL RIVER No. 7 PROVINCE Yukon

OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
	1.	EMSCO	D. 300	14.	9 7/8	56# 155	0	562			400	
	2.											
	3.											

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	W.L.C.C.				
6		2902	2968		60	40	1100	5	54				12	2	6				
													WEIGHT	8.9	8.8	8.8			
													VISC	28					
													FLTR. CK						
													PH			9.5			
													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT.			
													PELTEN	12	SAX.				
													CAUSTIC	100	lbs				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	W.L.C.C.				
5 3/4		2968	3053		40	40	1100	5	51				10	12 00	2 00				
													WEIGHT	8.8	8.9	8.7			
													VISC	28	28	28			
													FLTR. CK						
													PH			9.5			
													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT.			
													PELTEN	6	SAX				
													CAUSTIC	2	SAX				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	W.L.C.C.				
7 3/4		3053	3174		110	110	1100	5	51				11	6 00					
													WEIGHT	3.7	3.7	3.7			
													VISC	23	28	28			
													FLTR. CK						
													PH			10	10.5	10.5	
													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT.			
													PELTEN	6	SAX				

11 3/4 H⁰⁰ = 9'15" DRILL 6 3/4" HOLE
 3/4 7'15" = 8'30" SER RIG
 3 3/4 8'30" = 12'00" DRILL 6 3/4" HOLE

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>Shell Pool</i>
CONTRACTOR <i>Regent Only</i>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>HB Cumber</i>				TYPE THD. 1 1/2"		1. <i>Emilio</i>	TYPE <i>D-200</i>	STROKE LENGTH <i>14</i>

TIME DISTRIBUTION—HOURS			
	MORNING	AFTERNOON	EVENING
DRILLING ACTUAL	7 3/4	4 1/2	5
REAMING			
CIRCULATING			
TRIPS		2 1/2	2 1/2
DEVIATION SURVEY		1/2	1/2
TEST B.O.P.	1/4		
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			1/2
WIRE LINE LOGGING			
OTHER			1/2

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.	4					
1	SINGLS.	DP	1630.46	FT.	SIZE	6 3/4		2409	2690	
	D.C.	ID			MFG.	SEC.				
34		OD	982.53	FT.	TYPE	MYN-J				
2	RMR BODY	OD	11.11	FT.	NOZ.	NO. 3				
	STB BODY	OD		FT.	SIZE	10				
	SUBS	OD		FT.	SER. NO.	905789		8200	1215	SEA RIG
	BIT OR C.B.			FT.	DEPTH OUT			1215	800	DRILL
1	S.G. D.C.		30.32	FT.	CUMULATIVE HOURS RUN					
	KELLY DOWN		35.58	FT.	COND. OF BIT					
	TOTAL		2690	FT.	REAMER CUTTER NO.					
	WT. OF STRING			LBS.	TYPE					
DRILLER <i>Geo Louance</i>										

MORNING TOUR			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	3

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.	4					
21	SINGLS.	DP	1786.41	FT. <td>SIZE</td> <td>6 3/4</td> <td></td> <td>2610</td> <td>2828</td> <td></td>	SIZE	6 3/4		2610	2828	
	D.C.	ID			MFG.	SEC SEC				
34		OD	982.53	FT. <td>TYPE</td> <td>MYN-J</td> <td></td> <td></td> <td></td> <td></td>	TYPE	MYN-J				
2	RMR BODY	OD	11.11	FT.	NOZ.	NO. 3				
	STB BODY	OD		FT.	SIZE	10		2675	4 1/2	
	SUBS	OD		FT.	SER. NO.	739 705677				
	BIT OR C.B.			FT.	DEPTH OUT	2828 IN				
1	S.G. D.C.		3032	FT.	CUMULATIVE HOURS RUN	11				
	KELLY DOWN		18.00	FT.	COND. OF BIT	3-3-1				
	TOTAL		2828	FT.	REAMER CUTTER NO.					
	WT. OF STRING		66000	LBS.	TYPE					
DRILLER <i>David Tishkovsky</i>										

DAY TOUR			
TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS.			
OPERATOR'S TIME:			
HRS. W/D.P.			
HRS. WO/D.P.			
HRS. STANDBY			
WIRE LINE RECORD			
REEL NO.			
NO. OF LINES		SIZE	
FEET SLIPPED			
FEET CUT OFF			
PRESENT LENGTH			
TON MI. or TRIPS SINCE LAST CUT			
CUMULATIVE TON MI. or TRIPS			
NO. OF DAYS FROM SPUD			
CUMULATIVE ROTATING HRS.			

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.	5					
20	SINGLS.	DP	1847.62	FT. <td>SIZE</td> <td>6 3/4</td> <td></td> <td>2828</td> <td>4902</td> <td></td>	SIZE	6 3/4		2828	4902	
	D.C.	ID			MFG.	SEC SEC				
34		OD	982.53	FT. <td>TYPE</td> <td>MYN-J</td> <td></td> <td></td> <td></td> <td></td>	TYPE	MYN-J				
2	RMR BODY	OD	11.11	FT.	NOZ.	NO. 3				
	STB BODY	OD		FT.	SIZE	10		2675	4 1/2	
	SUBS	OD		FT.	SER. NO.	905675 905697				
	BIT OR C.B.			FT.	DEPTH OUT	4368				
1	S.G. D.C.		3032	FT.	CUMULATIVE HOURS RUN	6 1/2				
	KELLY DOWN		31.00	FT.	COND. OF BIT	4-7-3				
	TOTAL		2902.58	FT.	REAMER CUTTER NO.					
	WT. OF STRING		66000	LBS.	TYPE					
DRILLER <i>David Tishkovsky</i>										

REMARKS

DRILL 6 3/4" HOLE 300-315

TOTCO 315-330

FULL OUT 330-1000

SEA RIG 7 B.O.P. 1000-1015

RUN IN 1015-1145

DRILL 6 3/4" HOLE 1145-1215

CLEAN TAINT 1215-1300

DRILL 6 3/4" HOLE 1300-1400

DATE 7 Feb 11. 1967.

TWP. K 9 RGE W. WELL NAME Shell Pond Run No. 7 PROVINCE Yukon.

NO.	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
							FROM	TO	FROM	TO		
1.	Emsco	D-iron	14		9 1/2	26.55	0	5.62				
2.												
3.												

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.		
7 3/4		2409	2690															
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
8200-12'5 SER RIG													SD. CONT					
12'5-800 DRILL																		
MUD & CHEMICALS ADDED													TYPE	AMT.	TYPE	AMT.		
													P.I.T.	6 SKS				

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.		
4 1/2		2610	2828		95	3.00	1050	5"	54									
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
1/4 DRILL 6 3/4" HOLE 300-8'5													SD. CONT					
1/4 TOTCO 3'5-3'30																		
1/4 PULL OUT 3'30-10'00																		
1/4 SER RIG AND BAR. 10'00-10'5																		
1/4 PUMP IN 10'5-11'45																		
1/4 DRILL 6 3/4" HOLE 11'45-12'45																		
1/4 CLEAN TANT 12'45-1'00																		
DRILL 6 3/4" HOLE 1'00-4'00																		
MUD & CHEMICALS ADDED													TYPE	AMT.	TYPE	AMT.		
													PELTEX	10	SKS			

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.		
5		2828	2902		95	3.70	1050	5"	54									
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
2 1/2 DRILL 6 3/4" HOLE 4'00-6'30													SD. CONT					
1/4 TOTCO 6'30-6'45																		
1/4 PULL OUT 6'45-9'00																		
1/4 SER RIG AND REAMERS 9'00-9'5																		
1/4 PUMP IN WITH BIT 9'5-9'30																		
2 1/2 DRILL 6 3/4" HOLE 9'30-12'00																		
MUD & CHEMICALS ADDED													TYPE	AMT.	TYPE	AMT.		
													PELTEX	20	SKS			
													CAUSTIC	2	SKS			

DAILY DRILLING REPORT

REPORT NO.

DATE

FEB 10.

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	
CONTRACTOR REGENT DRILLING CO LTD		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			
OPERATOR'S REPRESENTATIVE <i>W.S. Cummins</i>		CONTRACTOR'S TOOL PUSHER <i>R. Muffock</i>		TYPE THD. 1 F			CASING & LINER RECORD		

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	3 1/2	2 1/2	1 1/2
REAMING			
CIRCULATING			
TRIPS	3 1/2	2 1/2	1 1/2
DEVIATION SURVEY	1/4		1/2
TEST B.O.P	1/4		
CUT OFF DRILL LINE			
REPAIR RIG	1/2		
CORING			
WIRE LINE LOGGING			
OTHER			1/2
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	8

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
14	STANDS	DP	797.65	FT.	2	3			
	SINGLS.	DP		FT.	6 3/4	6 3/4	1738	1848	110'
	D.C.	ID		MFG.	SEC	SEC			
34	D.C.	OD	982.53	FT.	54	MYN-J			
2	RMR BODY	OD	11.11	FT.	NO. 3	3			
	STB BODY	OD		FT.	NO. 9 1/4	10			
	SUBS	OD		FT.	SER. NO. 825782	905786	12'00"	12'15"	SEC R.G.
	BIT OR C.B.			FT.	DEPTH OUT 1771		12'5"	1'5"	DRILL
1	SQ. O.C.		30.32	FT.	CUMULATIVE HOURS RUN 13 3/4		1'5"	1'30"	TOTCO
	KELLY DOWN		26.39	FT.	COND. OF BIT 8-8-1		1'30"	3'00"	PULL OUT JOINTS TIG
	TOTAL		1848	FT.	REAMER CUTTER NO.		3'00"	3'30"	WORK ON AIR COMPRESS
	WT. OF STRING		58000	LBS.	TYPE		3'30"	5'30"	RUN IN, WORK PLUGGET
	DRILLER						5'30"		DRILL

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
19	STANDS	DP	1137.01	FT.	5				
1	SINGLS.	DP		FT.	6 3/4		1848	2190	342'
	D.C.	ID		MFG.	SEC				
34	D.C.	OD	982.53	FT.	TYPE	MYN-J			
2	RMR BODY	OD	11.11	FT.	NO. 3	3			
	STB BODY	OD		FT.	NO. 10	10			
	SUBS	OD		FT.	SER. NO. 905786				
	BIT OR C.B.			FT.	DEPTH OUT IN		11'2"		DRILL 6 3/4" HOLE = 8'00"
1	SQ. O.C.		30.32	FT.	CUMULATIVE HOURS RUN 10		11'2"		SER RIG = 12'30"
	KELLY DOWN		30.00	FT.	COND. OF BIT		3'1"		DRILL 6 3/4" HOLE = 12'45"
	TOTAL		2190.70	FT.	REAMER CUTTER NO.		3'1"		GUN AND CLEAN TANK = 1'30"
	WT. OF STRING		68000	LBS.	TYPE		3'1"		DRILL 6 3/4" HOLE = 14'5"
	DRILLER								

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS.			
OPERATOR'S TIME:			
HRS. W/D.P.			
HRS. WO/D.P.			
HRS. STANDBY			

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS	DP	FT.	RUN NO.					
	STANDS	DP	1351.18	FT.	3	4			
	SINGLS.	DP		FT.	6 3/4	6 3/4	2190	2409	212'
	D.C.	ID		MFG.	SEC	SEC			
34	D.C.	OD	982.53	FT.	TYPE	MYN-J			
2	RMR BODY	OD	11.11	FT.	NO. 3	3			
	STB BODY	OD		FT.	NO. 10	10			
	SUBS	OD		FT.	SER. NO. 905786	905789	2'20"	3'0"	
	BIT OR C.B.			FT.	DEPTH OUT 2240 IN		1 1/2"		DRILL 6 3/4" HOLE 11'00" 5'30"
1	SQ. O.C.		30.32	FT.	CUMULATIVE HOURS RUN 11 1/2	3'	1 1/2"		TOTCO 5'30" 5'45"
	KELLY DOWN		31'00	FT.	COND. OF BIT 3-8-1		1 1/2"		PULL OUT HOLE TIGHT SWS: 7'00"
	TOTAL		2409.4	FT.	REAMER CUTTER NO.		1 1/2"		SER RIG CLEAN TANK 7'00" 7'30"
	WT. OF STRING		62000	LBS.	TYPE		1"		RUN IN 7'30" 8'30"
	DRILLER						1"		WORK PLUGGED 8'30" 9'00"
							3"		DRILL 6 3/4" HOLE 9'00" = 12'00"

DATE Feb 10.

TWP. - 11-9 RGE. W. WELL NAME SHELL PEEL RIVER No. 7. PROVINCE Yukon

PUMPS	NO.	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE		DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
						WT. & GR.	FROM	TO	FROM	TO			
	1.	EMSCO	D 300	14		12 1/2	1738	1848	502			400 SPS	
	2.												
	3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD				
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC		
3 1/2		1738	1848	110'	85	32	1050	5"	54				12	6			
DEVIATION RECORD:													FLTR. CK				
REMARKS													PH	10.5	10.5		
12 00 - 12 15 SER RIG.													SD. CONT				
12 15 - 1 15 DRILL																	
1 15 - 1 30 TO PCO																	
1 30 - 3 00 PULL OUT (JOINTS TIGHT)																	
3 00 - 3 30 WORK ON AIR COMPRESSOR																	
3 30 - 5 30 RUN IN, WORK PLUGGED BIT, REAM BRIDGE @ 1530																	
5 30 DRILL																	
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT	
													CAUSTIC	350 lbs	SPS	1 SK	
													PELTEX	300 lbs		1 SKS	

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD				
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC		
7 1/2		1848	2190	342'	90	35	1050	5"	54				8	10	12		
DEVIATION RECORD:													FLTR. CK				
REMARKS													PH			10.5	
1 1/2 DRILL 6 3/4" HOLE = 800 = 12 30													SD. CONT				
1/4 SER RIG = 12 30 - 12 45																	
3/4 DRILL 6 3/4" HOLE = 12 45 = 1 30																	
1/4 GUN AND CLEAN TANK = 1 30 - 1 45																	
2 1/4 DRILL 6 3/4" HOLE = 1 45 = 1 45																	
8 HRS																	
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT	
													PELTEX	15	SPS	250 SKS	
													CAUSTIC	2	SPS	200 lbs	

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD				
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC		
1 1/2		2190	2409	212'	70	35	1050	5"	54				4		10		
DEVIATION RECORD:													FLTR. CK				
REMARKS													PH	10.5	10.5		
1 1/2 DRILL 6 3/4" HOLE 1100 = 5 30													SD. CONT				
1/4 TO PCO 5 30 = 5 45																	
1/4 PULL OUT HOLE TIGHT SPS = 7 00																	
1/2 SER RIG CLEAN TANK 7 00 = 7 30																	
1 RUN IN 7 30 = 8 30																	
1/2 WORK PLUGGED 8 30 = 9 00																	
3 DRILL 6 3/4" HOLE 9 00 = 12 00																	
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT	
													PELTEX	10 SKS			

4 DATE FEB 9/67 TWP. RGE. W. WELL NAME No. PROVINCE

T = K₁ = 9 PUMPS SHELL PEEL LUBER 7 YUKON

NO.	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE	WT. & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
							FROM	TO	FROM	TO		
1.	EMSCO	D 300	14		9 3/8	36" JSS	20	562			400 SXS	
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WEIGHT	VISC	W.L.C.C.			
1 1/4		918	1029	111	160	20	350	5"	54			S	12	8.8	28				

DEVIATION RECORD: DEPTH 1020 DEV 1/8 DIRECTION

REMARKS: 1/4 1020-1215 SERVICE RIG. 1/4 1215-130 DRILL 6 3/4 HOLE. 130 DRIP SURVEY, PULLOUT THAW OUTHYDRAMATIC. CONTINUABLE TO BREAK CIRC. PULLOUT UNPLUGCAUSTIC. LIMER. PARTLY SQ. D.C.

MUD & CHEMICALS ADDED: TYPE AMT TYPE AMT. 2 SXS.

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WEIGHT	VISC	W.L.C.C.			
5 1/4		1029	1370	341	160	30	400	5"	54			S							

DEVIATION RECORD: DEPTH 1020 DEV 1/8 DIRECTION

REMARKS: 1 1/2 800-930 RUN IN. 1 3/4 930-1000 BREAK CIRC. CLEAN 30' TO BOTT. 10 10:45 11:15 DRAWN SHAKER TANK.

MUD & CHEMICALS ADDED: TYPE AMT TYPE AMT. DELTEX 20 SXS. CAUSTIC 6 SXS. 1 INCH STREAM WATER.

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WEIGHT	VISC	W.L.C.C.			
7 1/2		1370	1738	346	160	35	450	5"	54			S	12	7.8	28				

DEVIATION RECORD: DEPTH 1020 DEV 1/8 DIRECTION

REMARKS: 2 1/2 6:00 6:30 CLEAN NO 1 AND NO 2 SHAKER TANK. 3 1/2 6:30 12:00 Only.

MUD & CHEMICALS ADDED: TYPE AMT TYPE AMT. 10 SXS.

8 HRS

DAILY DRILLING REPORT

REPORT NO. 3

DATE Feb. 8/67

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME Shell Pit A	
CONTRACTOR Request Delay 1966	RIG No. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT		OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE MPS Cumbe		CONTRACTOR'S TOOL PUSHER M. Matheson			TYPE THD 3 1/2 IF	NO.	MANUFACTURER	TYPE	STROKE LENGTH
						1.	Emeco	D 300	14"
						2.			
						3.			

TIME DISTRIBUTION—HOURS			NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.					NO.	NO.	DEPTH
DRILLING ACTUAL	5	6					1							
REAMING							6 3/4							
CIRCULATING				D.C.	ID		SEC							
TRIPS		2	2		OD		53							
DEVIATION SURVEY				RMR BODY	OD	FT.	NO.		DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.
TEST B.O.P.				STB BODY	OD	FT.	NOZ.							
CUT OFF DRILL LINE				SUBS	OD	FT.	SER. NO.							
REPAIR RIG				BIT OR C.B.		FT.	DEPTH OUT							
CORING						FT.	CUMULATIVE HOURS RUN							
WIRE LINE LOGGING				KELLY DOWN		FT.	COND. OF BIT							
OTHER	3			TOTAL		FT.	REAMER CUTTER NO.							
FISHING				WT. OF STRING		LBS.	TYPE							
COMPLETING (A) PERFORATING				DRILLER										
(B) RUNNING TUBING	8			R. McGill										

TIME SUMMARY (OFFICE USE ONLY)			NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
CONTRACTOR'S TIME HRS:	OPERATOR'S TIME:	HRS. W/D.P.:		STANDS	DP	FT.	RUN NO.					NO.	NO.	DEPTH
							1							
				SNGLS.	DP	FT.	6 3/4		3	562	652		90 FT.	
				D.C.	ID		SEC.							
					OD	617.07	5-3							
				RMR BODY	OD	FT.	NOZ.	NO.						
				STB BODY	OD	FT.	SIZE							
				SUBS	OD	FT.	SER. NO.	794305						
				BIT OR C.B.		FT.	DEPTH OUT							
				WT SUB		FT.	CUMULATIVE HOURS RUN							
				KELLY DOWN		FT.	COND. OF BIT							
				TOTAL		662.05	REAMER CUTTER NO.							
				WT. OF STRING		LBS.	TYPE							
				DRILLER										
				MUNICIPAL 1/2 SAMS AND DRILL OUT FLOAT AND SHO Puff out Pick up 5g + RUMORS. LAY DOWN 5.98 12.1										

WIRE LINE RECORD			NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
REEL NO	NO OF LINES	SIZE		STANDS	DP	FT.	RUN NO.					NO.	NO.	DEPTH
							1							
				SNGLS.	DP	FT.	6 3/4		6	562	652		266 FT.	
				D.C.	ID		SEC							
					OD	836.30	53							
				RMR BODY	OD	FT.	NOZ.	NO.						
				STB BODY	OD	FT.	SIZE							
				SUBS	OD	30.32	SER. NO.	744305						
				BIT OR C.B.		FT.	DEPTH OUT							
				REAMERS		11.11	CUMULATIVE HOURS RUN	6						
				KELLY DOWN		41.00	COND. OF BIT							
				TOTAL		98.73	REAMER CUTTER NO.							
				WT OF STRING		46.00	LBS.	TYPE						
				DRILLER										
				R. Gumsalley										
				FREE OUT TO PICK UP SO AND RUN IN ONLY										

DATE Feb. 8/67
 TWP. RGE. W. WELL NAME Shell Pit River No. #7 PROVINCE

OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
F	1.	<u>Emeco</u>	<u>D 300</u>	<u>14"</u>	<u>9 7/8</u>	<u>55 3/8</u>	<u>0</u>	<u>562</u>			<u>400</u>	
	2.											
	3.											

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<u>12° - W.O.C. NIPPLE UP</u> <u>8° - 12°</u> <u>Pressure Test all BOP</u> <u>To 1400 # all OK.</u>													SD. CONT.						
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
3		562	652	90 ft.															
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<u>MINI TEST 1/2 SAMS AND HYDRIL 8:00 11:00</u> <u>DRILL OUT FLOAT AND SHOE 11:00 2:00</u> <u>Pull out Pick up Square DC.</u> <u>4 Runners.</u> <u>LAY DOWN 5.98 BIT SUB</u>													SD. CONT.						
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
6		562 652	918 918	266 ft.	180	20	250	5"	54										
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH	10.5	10.5	10.5			
<u>Full out Pick up SQUARE COLLAR 4:00 6:00</u> <u>AND RUN IN</u> <u>ONLY</u>													SD. CONT.						
MUD & CHEMICALS ADDED													TYPE	AMT	TYPE	AMT			
																	30 SKS PETA X		

2 DATE FEB. 7/67
 TWP. RGE. W. WELL NAME SHELL PEEL RIVER No. 7 PROVINCE YUKON

OD	PUMPS				CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE	STROKE LENGTH				FROM	TO	FROM	TO		
F	1.	ETMSCO	D-300	14		9 5/8 26 3/4	20	562			400 SKS.		
	2.												
	3.												

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION													FLTR CK	PH	SD. CONT			
12:00 12:15 Run To Run Casing 12:15 3:45 Run Casing 3:45 4:45 Circ. Casing 4:45 5:30 Run Cement 5:30 5:45 Displace Cement 5:45 8:00 W.O.C.													REMARKS Run 18 ft 9/8 - 36" - 555 Wash Casing 562' K.B. Run 400 SKS Construction Cement Hit Plug 1000# Float held OK. Plug Down 5:45 AM.					
MUD & CHEMICALS ADDED TYPE AMT TYPE AMT																		

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD			
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.
DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION													FLTR CK	PH	SD. CONT	
8:00 4:00 WORK OVER CEMENT													REMARKS PRESSURE TEST CASING BOWL 1800# and HELD			
MUD & CHEMICALS ADDED TYPE AMT TYPE AMT																

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD			
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.
DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION													FLTR CK	PH	SD. CONT	
4:00 12:00 W.O.C.													REMARKS W.O.C.			
MUD & CHEMICALS ADDED TYPE AMT TYPE AMT																

DAILY DRILLING REPORT

REPORT NO. 1

DATE FEB. 6/67

OPERATOR SHELL CANADA LIMITED		LOCATION YT	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME SHELL PEEL R	
CONTRACTOR REGENT DRDG. 1966		RIG NO. 21	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS			
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>			NO.	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD
					1.	FMSCO	D-300	14	19
					2.				
					3.				

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE	STANDS	DP	FT	RUN NO.						
5 1/2	7 1/4					1A						
			SINGLS.	DP	FT	SIZE		5 3/4	20	129		
			D.C.	ID	83.81	MFG.	SEC					
			OD		142.25	TYPE	S3					
			RMR BODY	OD		NOZ.	NO.					
			STB BODY	OD		NOZ.	NO.					
			STB BODY	OD	137	SIZE						
			SUBS	OD	295	SER. NO.	22327					
			BIT OR C.B.			DEPTH OUT						
						CUMULATIVE HOURS RUN	5 3/4					
			KELLY DOWN		41.10	COND. OF BIT						
			TOTAL		129.13	REAMER CUTTER NO.						
			WT. OF STRING		9,000	LBS.						
			DRILLER	<i>R. Moyle</i>								
			OTHER	<i>R. H. [Signature]</i>								
			FISHING									
			COMPLETING (A) PERFORATING									
			(B) RUNNING TUBING									
			(C) SWABBING									
			(D) TESTING									
			(E) ACIDIZING									
			(F) ADDITIONAL									
			TOTALS									
			TIME SUMMARY (OFFICE USE ONLY)									
			CONTRACTOR'S TIME HRS:									
			OPERATOR'S TIME:									
			HRS. W/D.P.:									
			HRS. VO/D.P.:									
			HRS. STANDBY									

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE	STANDS	DP	FT	RUN NO.						
						1A						
			SINGLS.	DP	FT	SIZE			129			
			D.C.	ID		MFG.	SEC					
			OD		429.05	TYPE	S3					
			RMR BODY	OD		NOZ.	NO.					
			STB BODY	OD	137	SIZE						
			SUBS	OD	295	SER. NO.	22327					
			BIT OR C.B.			DEPTH OUT						
						CUMULATIVE HOURS RUN	7					
			KELLY DOWN		41.10	COND. OF BIT						
			TOTAL		41.10	REAMER CUTTER NO.						
			WT. OF STRING		4,700	LBS.						
			DRILLER	<i>R. Moyle</i>								
			OTHER									
			FISHING									
			COMPLETING (A) PERFORATING									
			(B) RUNNING TUBING									
			(C) SWABBING									
			(D) TESTING									
			(E) ACIDIZING									
			(F) ADDITIONAL									
			TOTALS									
			TIME SUMMARY (OFFICE USE ONLY)									
			CONTRACTOR'S TIME HRS:									
			OPERATOR'S TIME:									
			HRS. W/D.P.:									
			HRS. VO/D.P.:									
			HRS. STANDBY									

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE	STANDS	DP	FT	RUN NO.						
						1A						
			SINGLS.	DP	FT	SIZE			474			
			D.C.	ID		MFG.	SEC					
			OD		514.78	TYPE	S3					
			RMR BODY	OD		NOZ.	NO.					
			STB BODY	OD	137	SIZE						
			SUBS	OD	295	SER. NO.	22327					
			BIT OR C.B.			DEPTH OUT						
						CUMULATIVE HOURS RUN	5 3/4					
			KELLY DOWN		41.00	COND. OF BIT						
			TOTAL		562.28	REAMER CUTTER NO.						
			WT. OF STRING		4,700	LBS.						
			DRILLER	<i>R. Gunsolley</i>								
			OTHER									
			FISHING									
			COMPLETING (A) PERFORATING									
			(B) RUNNING TUBING									
			(C) SWABBING									
			(D) TESTING									
			(E) ACIDIZING									
			(F) ADDITIONAL									
			TOTALS									
			TIME SUMMARY (OFFICE USE ONLY)									
			CONTRACTOR'S TIME HRS:									
			OPERATOR'S TIME:									
			HRS. W/D.P.:									
			HRS. VO/D.P.:									
			HRS. STANDBY									

DATE **FEB. 6/67**
 TWP. RGE. W. WELL NAME **SHELL PEEL RIVER YT** No. **K-9** PROVINCE **YUKON**

OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
	1	FMSCO	D300	14	19"		0	20			115 SAE	

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
5 3/4		20	129			160 3/4	2007 1/4											
DEVIATION RECORD: 30 3/4 DEPTH 60 DEV. 1 DIRECTION 90 3/4													FLTR. CK.					
REMARKS 1 1/2 1200-1300 RIG TO SPUD 1 1/4 645-800 DRILL 1/2 1300-3000 INSTALL DRALES, SURVEY 1 300-400 DRILL 1/4 400-415 SURVEY 2 415-615 DRILL (Hold up) 1/2 615-645 SURVEY WORK ON PUMP													PH					
													SD. CONT					
													MUD & CHEMICALS ADDED					
													TYPE	AMT.	TYPE	AMT.		

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
7		129	474			180	400		7 1/4									
DEVIATION RECORD: 150 DEPTH 1/2 DEV. 1/2 DIRECTION 200 DEPTH 1/2 DIRECTION 300 DEPTH 1/2													FLTR. CK.					
REMARKS 3/4 800-845 - DRILL 100 115 Survey 1/4 845-940 - SURVEY 115 420 Only 1/4 900-945 - DRILL 1/4 945-1000 - SURVEY 1 1/2 1000-1130 DRILL 1/4 1130-1145 SURVEY 1 1/4 1145-1200 Only													PH					
													SD. CONT					
													MUD & CHEMICALS ADDED					
													TYPE	AMT.	TYPE	AMT.		
															GEL	10 SAE		

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
4 1/4		474	62			140	500		7 1/4									
DEVIATION RECORD: 5 1/4 DEPTH 0177.150 DEPTH 150 DEV. 150 DIRECTION 150 DEPTH 150 DIRECTION 150													FLTR. CK.					
REMARKS 7.75 8.00 SURVEY 8.30 8.30 Only 8.30 900 Core 2 1/2 900 1150 Trip out & measure pipe 1 1/2 1150 1200 Rig up for CAS													PH					
													SD. CONT					
													MUD & CHEMICALS ADDED					
													TYPE	AMT.	TYPE	AMT.		
															GEL	10		
															GEL	65		
															GEL	65		

DAILY DRILLING REPORT

REPORT NO.

DATE *F-3.5*

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>SHELL PEEL RIVE</i>	
CONTRACTOR <i>REGENT DRLG 1966</i>	RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS				CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>RS Cummins</i>	CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>		TYPE THD.		NO.	MANUFACTURER <i>FMSCO</i>	TYPE <i>D 300</i>	STROKE LENGTH	
					1.				
					2.				
					3.				

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS
DRILLING ACTUAL	MORN	DAY	DP	FT.	RUN NO.	SIZE								
			SINGLS.											
REAMING			ID		MFG.									
CIRCULATING			D.C.	OD	FT.	TYPE								
TRIPS			RMR BODY	OD	FT.	NO.								
DEVIATION SURVEY			STB BODY	OD	FT.	NOZ. SIZE	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.		
TEST B.O.P.			SUBS	OD	FT.	SER. NO.								
CUT OFF DRILL LINE			BIT OR C.B.		FT.	DEPTH OUT								
REPAIR RIG					FT.	CUMULATIVE HOURS RUN								
CORING			KELLY DOWN		FT.	COND. OF BIT								
WIRE LINE LOGGING			TOTAL		FT.	REAMER CUTTER NO.								
OTHER			WT. OF STRING		LBS.	TYPE								
FISHING			DRILLER											
COMPLETING (A) PERFORATING					<i>8 hrs</i>									
(B) RUNNING TUBING														
(C) SWABBING														
(D) TESTING														
(E) ACIDIZING														
(F) ADDITIONAL														
TOTALS														
TIME SUMMARY (OFFICE USE ONLY)														
CONTRACTOR'S TIME HRS:														
OPERATOR'S TIME:														
HRS. W/D.P.:														
HRS WO/D.P.:														
HRS STANDBY														

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS
DRILLING ACTUAL	MORN	DAY	DP	FT.	RUN NO.	SIZE								
REAMING			SINGLS.											
CIRCULATING			ID		MFG.									
TRIPS			D.C.	OD	FT.	TYPE								
DEVIATION SURVEY			RMR BODY	OD	FT.	NO.	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.		
TEST B.O.P.			STB BODY	OD	FT.	NOZ. SIZE								
CUT OFF DRILL LINE			SUBS	OD	FT.	SER. NO.								
REPAIR RIG			BIT OR C.B.		FT.	DEPTH OUT								
CORING					FT.	CUMULATIVE HOURS RUN								
WIRE LINE LOGGING			KELLY DOWN		FT.	COND. OF BIT								
OTHER			TOTAL		FT.	REAMER CUTTER NO.								
FISHING			WT. OF STRING		LBS.	TYPE								
COMPLETING (A) PERFORATING			DRILLER		<i>8 90°-40° DRAG RAT HOLE W.O.</i>									
(B) RUNNING TUBING														
(C) SWABBING														
(D) TESTING														
(E) ACIDIZING														
(F) ADDITIONAL														
TOTALS														
TIME SUMMARY (OFFICE USE ONLY)														
CONTRACTOR'S TIME HRS:														
OPERATOR'S TIME:														
HRS. W/D.P.:														
HRS WO/D.P.:														
HRS STANDBY														

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS
DRILLING ACTUAL	MORN	DAY	DP	FT.	RUN NO.	SIZE								
REAMING			SINGLS.											
CIRCULATING			ID		MFG.									
TRIPS			D.C.	OD	FT.	TYPE								
DEVIATION SURVEY			RMR BODY	OD	FT.	NO.	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.		
TEST B.O.P.			STB BODY	OD	FT.	NOZ. SIZE								
CUT OFF DRILL LINE			SUBS	OD	FT.	SER. NO.								
REPAIR RIG			BIT OR C.B.		FT.	DEPTH OUT								
CORING					FT.	CUMULATIVE HOURS RUN								
WIRE LINE LOGGING			KELLY DOWN		FT.	COND. OF BIT								
OTHER			TOTAL		FT.	REAMER CUTTER NO.								
FISHING			WT. OF STRING		LBS.	TYPE								
COMPLETING (A) PERFORATING			DRILLER		<i>8 40°-120° W.O.C. NIPPLE U</i>									
(B) RUNNING TUBING														
(C) SWABBING														
(D) TESTING														
(E) ACIDIZING														
(F) ADDITIONAL														
TOTALS														
TIME SUMMARY (OFFICE USE ONLY)														
CONTRACTOR'S TIME HRS:														
OPERATOR'S TIME:														
HRS. W/D.P.:														
HRS WO/D.P.:														
HRS STANDBY														

DATE FEB. 5

TWP.	RGE.	W.	WELL NAME SHELL PEEL RIVER	No.	7	PROVINCE	YUKON
PUMPS			CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH	SIZE	WT. & GR		
1.	FMSCO	D 300					
2.							
3.							

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	PUMP NO. 1 S.P.M.	PUMP NO. 2 LINER SIZE	PUMP NO. 2 S.P.M.	METHOD PUMPS RUN	MUD RECORD											
DEVIATION RECORD:													DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR. CK	PH	SD. CONT.
		11200	300	LAY DOWN 4 1/2 KELLY & PICK UP 3 1/2 KELLY																				
		300	3.15	SERVICE RIG																				
		3.15	4.00	THAW OUT AIR LINES																				
		4.00	500	START UP PUMP MOTORS																				
		500	800	DRY FAT HOLE																				
REMARKS													MUD & CHEMICALS ADDED											
													TYPE	AMT	TYPE	AMT								
													CEMENT	115 SKS										
8 hrs																								

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	PUMP NO. 1 S.P.M.	PUMP NO. 2 LINER SIZE	PUMP NO. 2 S.P.M.	METHOD PUMPS RUN	MUD RECORD											
DEVIATION RECORD:													DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR. CK	PH	SD. CONT.
REMARKS													MUD & CHEMICALS ADDED											
													TYPE	AMT	TYPE	AMT								
8 80°-40° DRAG RAT HOLE W.O.C.																								

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	PUMP NO. 1 S.P.M.	PUMP NO. 2 LINER SIZE	PUMP NO. 2 S.P.M.	METHOD PUMPS RUN	MUD RECORD											
DEVIATION RECORD:													DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR. CK	PH	SD. CONT.
REMARKS													MUD & CHEMICALS ADDED											
													TYPE	AMT	TYPE	AMT								
8 40°-120° W.O.C. NIPPLE UP, MIX MUD																								
													CEL	46 SAT	CAUSTIC	4 SAT								

DAILY DRILLING REPORT

REPORT NO.

DATE FEB 4/67

OPERATOR SHELL CANADA LIMITED		LOCATION LSD.		SEC.	TWP.	RGE.	W.	WELL NAME SHELL PEEL	
CONTRACTOR REGENT DRIG 1966		RIG No. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER			NO.	MANUFACTURER	TYPE	STROKE LENGTH	
					1	EMSCO	D-300	14	
					2				
					3				

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD				FORMATION (SHOW CORE RECOVERY)					
	MORN	DAY	EVE	STANDS	DP	FT.	RUN NO.	HP. DRLD	CORE NO.	FROM	TO					
DRILLING ACTUAL				SNGLS.	DP	FT. <td>SIZE</td> <td>8</td> <td></td> <td>14</td> <td>16</td> <td colspan="5"></td>	SIZE	8		14	16					
REAMING				D.C.	ID		MFG.									
CIRCULATING					OD	FT. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	TYPE									
TRIPS				RMR BODY	OD	FT. <td>NO. NO.</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	NO. NO.									
DEVIATION SURVEY				STB BODY	OD	FT. <td>NOZ. SIZE</td> <td>DEVIATION RECORD:</td> <td></td> <td>DEPTH</td> <td>DEV</td> <td>DIRECTION</td> <td>DEPTH</td> <td>DEV</td>	NOZ. SIZE	DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV		
TEST B.O.P				SUBS	OD	FT. <td>SER. NO.</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	SER. NO.									
CUT OFF DRILL LINE				BIT OR C.B.		FT. <td>DEPTH OUT</td> <td></td> <td></td> <td>8</td> <td>12° 8°</td> <td colspan="4">D.R.G. CONDUCTOR HO</td>	DEPTH OUT			8	12° 8°	D.R.G. CONDUCTOR HO				
REPAIR RIG						FT. <td>CUMULATIVE HOURS RUN</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	CUMULATIVE HOURS RUN									
CORING				KELLY DOWN		FT. <td>COND. OF BIT</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	COND. OF BIT									
WIRE LINE LOGGING				TOTAL		FT. <td>REAMER CUTTER NO.</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	REAMER CUTTER NO.									
OTHER				WT. OF STRING		LBS. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	TYPE									
FISHING				DRILLER	R. Gunsalley											
COMPLETING (A) PERFORATING																
(B) RUNNING TUBING																
(C) SWABBING																
(D) TESTING																
(E) ACIDIZING																
(F) ADDITIONAL																
TOTALS																
TIME SUMMARY (OFFICE USE ONLY)																
CONTRACTOR'S TIME HRS:																
OPERATOR'S TIME:																
HRS. W/D.P.:																
HRS WO/D.P.:																
HRS STANDBY:																

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD				FORMATION (SHOW CORE RECOVERY)					
	MORN	DAY	EVE	STANDS	DP	FT.	RUN NO.	HRS. DRLD	CORE NO.	FROM	TO					
DRILLING ACTUAL				SNGLS.	DP	FT. <td>SIZE</td> <td>7 1/4</td> <td></td> <td>16</td> <td>18</td> <td colspan="5"></td>	SIZE	7 1/4		16	18					
REAMING				D.C.	ID		MFG.									
CIRCULATING					OD	FT. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	TYPE									
TRIPS				RMR BODY	OD	FT. <td>NO. NO.</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	NO. NO.									
DEVIATION SURVEY				STB BODY	OD	FT. <td>NOZ. SIZE</td> <td>DEVIATION RECORD:</td> <td></td> <td>DEPTH</td> <td>DEV</td> <td>DIRECTION</td> <td>DEPTH</td> <td>DEV</td>	NOZ. SIZE	DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV		
TEST B.O.P				SUBS	OD	FT. <td>SER. NO.</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	SER. NO.									
CUT OFF DRILL LINE				BIT OR C.B.		FT. <td>DEPTH OUT</td> <td></td> <td></td> <td>1/4</td> <td>8° 8.5</td> <td colspan="4">SER. RIG</td>	DEPTH OUT			1/4	8° 8.5	SER. RIG				
REPAIR RIG						FT. <td>CUMULATIVE HOURS RUN</td> <td></td> <td></td> <td>13 1/4</td> <td>8.5 - 10.0</td> <td colspan="4">DIG CONDUCTOR HOLES</td>	CUMULATIVE HOURS RUN			13 1/4	8.5 - 10.0	DIG CONDUCTOR HOLES				
CORING				KELLY DOWN		FT. <td>COND. OF BIT</td> <td></td> <td></td> <td>1/2</td> <td>10.0 - 10.3</td> <td colspan="4">THAW OUT AIR LINES</td>	COND. OF BIT			1/2	10.0 - 10.3	THAW OUT AIR LINES				
WIRE LINE LOGGING				TOTAL		FT. <td>REAMER CUTTER NO.</td> <td></td> <td></td> <td>5 1/2</td> <td>10.3 - 4.0</td> <td colspan="4">DIG CONDUCTOR HOLE</td>	REAMER CUTTER NO.			5 1/2	10.3 - 4.0	DIG CONDUCTOR HOLE				
OTHER				WT. OF STRING		LBS. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	TYPE									
FISHING				DRILLER	R. McGill											
COMPLETING (A) PERFORATING																
(B) RUNNING TUBING																
(C) SWABBING																
(D) TESTING																
(E) ACIDIZING																
(F) ADDITIONAL																
TOTALS																
TIME SUMMARY (OFFICE USE ONLY)																
CONTRACTOR'S TIME HRS:																
OPERATOR'S TIME:																
HRS. W/D.P.:																
HRS WO/D.P.:																
HRS STANDBY:																

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD				FORMATION (SHOW CORE RECOVERY)					
	MORN	DAY	EVE	STANDS	DP	FT.	RUN NO.	HRS. DRLD	CORE NO.	FROM	TO					
DRILLING ACTUAL				SNGLS.	DP	FT. <td>SIZE</td> <td></td> <td></td> <td>18</td> <td></td> <td colspan="5"></td>	SIZE			18						
REAMING				D.C.	ID		MFG.									
CIRCULATING					OD	FT. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	TYPE									
TRIPS				RMR BODY	OD	FT. <td>NO. NO.</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	NO. NO.									
DEVIATION SURVEY				STB BODY	OD	FT. <td>NOZ. SIZE</td> <td>DEVIATION RECORD:</td> <td></td> <td>DEPTH</td> <td>DEV</td> <td>DIRECTION</td> <td>DEPTH</td> <td>DEV</td>	NOZ. SIZE	DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV		
TEST B.O.P				SUBS	OD	FT. <td>SER. NO.</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	SER. NO.									
CUT OFF DRILL LINE				BIT OR C.B.		FT. <td>DEPTH OUT</td> <td></td> <td></td> <td>4.0</td> <td>8.0</td> <td colspan="4">DIG CONDUCTOR HOLE</td>	DEPTH OUT			4.0	8.0	DIG CONDUCTOR HOLE				
REPAIR RIG						FT. <td>CUMULATIVE HOURS RUN</td> <td></td> <td></td> <td>8:00</td> <td>12:00</td> <td colspan="4">Set in Conductor p</td>	CUMULATIVE HOURS RUN			8:00	12:00	Set in Conductor p				
CORING				KELLY DOWN		FT. <td>COND. OF BIT</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	COND. OF BIT									
WIRE LINE LOGGING				TOTAL		FT. <td>REAMER CUTTER NO.</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	REAMER CUTTER NO.									
OTHER				WT. OF STRING		LBS. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	TYPE									
FISHING				DRILLER												
COMPLETING (A) PERFORATING																
(B) RUNNING TUBING																
(C) SWABBING																
(D) TESTING																
(E) ACIDIZING																
(F) ADDITIONAL																
TOTALS																
TIME SUMMARY (OFFICE USE ONLY)																
CONTRACTOR'S TIME HRS:																
OPERATOR'S TIME:																
HRS. W/D.P.:																
HRS WO/D.P.:																
HRS STANDBY:																

DATE **FEB 4/67**

TWP. RGE. W. WELL NAME **SHELL PEEL RIVER** No. **7** PROVINCE **YUKON**

OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH FROM	SET TO	PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE						STROKE LENGTH	FROM		
	1.	EMSCO	D300	14								
	2.											
	3.											

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.		
8		14	16					7 1/4										
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
8 12°-8° D&G CONDUCTOR HOLE													SD. CONT.					
													MUD & CHEMICALS ADDED					
													TYPE	AMT.	TYPE	AMT.		

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.		
7 1/4		16	18															
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
1/4 8°-8.5° SER. RIG													SD. CONT.					
1 3/4 8.5°-10° DIG CONDUCTOR HOLE													MUD & CHEMICALS ADDED					
1/2 10°-10.3° THAW OUT AIR LINES													TYPE	AMT.	TYPE	AMT.		
5/2 10.3°-4° DIG CONDUCTOR HOLE																		

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.		
		18																
DEVIATION RECORD:													FLTR. CK.					
REMARKS													PH					
4°-8° DIG CONDUCTOR HOLE													SD. CONT.					
8:00-12:00 Set in Conductor pipe + Cement													MUD & CHEMICALS ADDED					
													TYPE	AMT.	TYPE	AMT.		

DAILY DRILLING REPORT

REPORT NO.

DATE Feb 3/67

OPERATOR SHELL CANADA LIMITED		LOCATION LSD.		SEC.	TWP.	RGE.	W.	WELL NAME SHELL PEEL RIVER
CONTRACTOR REGENT DRILL 1960		RIG No. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		
OPERATOR'S REPRESENTATIVE <i>M/S Kumber</i>		CONTRACTOR'S TOOL PUSHER		TYPE THD		NO.	MANUFACTURER	TYPE
						1.	EMSCO	D1300
						2.		14
						3.		

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)																																																																																																																																																		
	MORN	DAY	EVE	STANDS	DP	FT.	RUN NO																																																																																																																																																							
DRILLING ACTUAL				SNGLS.	DP	FT.	SIZE																																																																																																																																																							
REAMING				D.C.	ID		MFG.																																																																																																																																																							
CIRCULATING					OD	FT.	TYPE																																																																																																																																																							
TRIPS				RMR BODY	OD	FT.	NOZ. NO.																																																																																																																																																							
DEVIATION SURVEY				STB BODY	OD	FT.	SIZE	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.																																																																																																																																																	
TEST B.O.P.				SUBS	OD	FT.	SER. NO.																																																																																																																																																							
CUT OFF DRILL LINE				BIT OR C.B.		FT.	DEPTH OUT																																																																																																																																																							
REPAIR RIG						FT.	CUMULATIVE HOURS RUN																																																																																																																																																							
CORING				KELLY DOWN		FT.	COND. OF BIT																																																																																																																																																							
WIRE LINE LOGGING				TOTAL		FT.	REAMER CUTTER NO.																																																																																																																																																							
OTHER				WT. OF STRING		LBS.	TYPE																																																																																																																																																							
FISHING				DRILLER <i>Gene Tichkowsky</i>																																																																																																																																																										
COMPLETING (A) PERFORATING				<table border="1"> <thead> <tr> <th colspan="2">NO. DRILLING ASSEMBLY</th> <th colspan="2">BIT RECORD</th> <th>HRS. DRLD.</th> <th>CORE NO.</th> <th>FROM</th> <th>TO</th> <th colspan="3">FORMATION (SHOW CORE RECOVERY)</th> </tr> <tr> <th>STANDS</th> <th>DP</th> <th>FT.</th> <th>RUN NO</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>SNGLS.</td> <td>DP</td> <td>FT.</td> <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>D.C.</td> <td>ID</td> <td></td> <td>MFG.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>OD</td> <td>FT.</td> <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RMR BODY</td> <td>OD</td> <td>FT.</td> <td>NOZ. NO.</td> <td>DEVIATION RECORD:</td> <td>DEPTH</td> <td>DEV.</td> <td>DIRECTION</td> <td>DEPTH</td> <td>DEV.</td> <td></td> </tr> <tr> <td>STB BODY</td> <td>OD</td> <td>FT.</td> <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SUBS</td> <td>OD</td> <td>FT.</td> <td>SER. NO.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>BIT OR C.B.</td> <td></td> <td>FT.</td> <td>DEPTH OUT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>FT.</td> <td>CUMULATIVE HOURS RUN</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>KELLY DOWN</td> <td></td> <td>FT.</td> <td>COND. OF BIT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>TOTAL</td> <td></td> <td>FT.</td> <td>REAMER CUTTER NO.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>WT. OF STRING</td> <td></td> <td>LBS.</td> <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			STANDS	DP	FT.	RUN NO								SNGLS.	DP	FT.	SIZE								D.C.	ID		MFG.									OD	FT.	TYPE								RMR BODY	OD	FT.	NOZ. NO.	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.		STB BODY	OD	FT.	SIZE								SUBS	OD	FT.	SER. NO.								BIT OR C.B.		FT.	DEPTH OUT										FT.	CUMULATIVE HOURS RUN								KELLY DOWN		FT.	COND. OF BIT								TOTAL		FT.	REAMER CUTTER NO.								WT. OF STRING		LBS.	TYPE							
NO. DRILLING ASSEMBLY		BIT RECORD														HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)																																																																																																																																										
STANDS	DP	FT.	RUN NO																																																																																																																																																											
SNGLS.	DP	FT.	SIZE																																																																																																																																																											
D.C.	ID		MFG.																																																																																																																																																											
	OD	FT.	TYPE																																																																																																																																																											
RMR BODY	OD	FT.	NOZ. NO.	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.																																																																																																																																																					
STB BODY	OD	FT.	SIZE																																																																																																																																																											
SUBS	OD	FT.	SER. NO.																																																																																																																																																											
BIT OR C.B.		FT.	DEPTH OUT																																																																																																																																																											
		FT.	CUMULATIVE HOURS RUN																																																																																																																																																											
KELLY DOWN		FT.	COND. OF BIT																																																																																																																																																											
TOTAL		FT.	REAMER CUTTER NO.																																																																																																																																																											
WT. OF STRING		LBS.	TYPE																																																																																																																																																											
(B) RUNNING TUBING				1200 800 Drllg Conductor																																																																																																																																																										
(C) SWABBING				800 400 Drllg Conductor																																																																																																																																																										
(D) TESTING				400 1200 Drllg Conductor																																																																																																																																																										
(E) ACIDIZING																																																																																																																																																														
(F) ADDITIONAL																																																																																																																																																														
TOTALS																																																																																																																																																														

TIME SUMMARY (OFFICE USE ONLY)				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
	MORN	DAY	EVE	STANDS	DP	FT.	RUN NO								
CONTRACTOR'S TIME HRS:				SNGLS.	DP	FT.	SIZE								
OPERATOR'S TIME:				D.C.	ID		MFG.								
HRS. W/D.P.:					OD	FT.	TYPE								
HRS. WO/D.P.:				RMR BODY	OD	FT.	NOZ. NO.	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.		
HRS. STANDBY:				STB BODY	OD	FT.	SIZE								
				SUBS	OD	FT.	SER. NO.								
				BIT OR C.B.		FT.	DEPTH OUT								
						FT.	CUMULATIVE HOURS RUN								
				KELLY DOWN		FT.	COND. OF BIT								
				TOTAL		FT.	REAMER CUTTER NO.								
				WT. OF STRING		LBS.	TYPE								
				DRILLER											

WIRE LINE RECORD				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
REEL NO	NO OF LINES	SIZE		STANDS	DP	FT.	RUN NO								
				SNGLS.	DP	FT.	SIZE								
				D.C.	ID		MFG.								
					OD	FT.	TYPE								
				RMR BODY	OD	FT.	NOZ. NO.	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.		
				STB BODY	OD	FT.	SIZE								
				SUBS	OD	FT.	SER. NO.								
				BIT OR C.B.		FT.	DEPTH OUT								
						FT.	CUMULATIVE HOURS RUN								
				KELLY DOWN		FT.	COND. OF BIT								
				TOTAL		FT.	REAMER CUTTER NO.								
				WT. OF STRING		LBS.	TYPE								
				DRILLER											

NO. OF DAYS FROM SPUD CUMULATIVE ROTATING HRS.				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
	MORN	DAY	EVE	STANDS	DP	FT.	RUN NO								
				SNGLS.	DP	FT.	SIZE								
				D.C.	ID		MFG.								
					OD	FT.	TYPE								
				RMR BODY	OD	FT.	NOZ. NO.	DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.		
				STB BODY	OD	FT.	SIZE								
				SUBS	OD	FT.	SER. NO.								
				BIT OR C.B.		FT.	DEPTH OUT								
						FT.	CUMULATIVE HOURS RUN								
				KELLY DOWN		FT.	COND. OF BIT								
				TOTAL		FT.	REAMER CUTTER NO.								
				WT. OF STRING		LBS.	TYPE								
				DRILLER											

DATE **FEB 3 / 67**

TWP. RGE. W. WELL NAME **SHELL RIVER** No. **7** PROVINCE **YUKON**

OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
	1.	EMSCO	D.300	14								
	2.											
	3.											

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR CK						
REMARKS													PH						
1200 800 DRLG CONDUCTOR HOLE													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR CK						
REMARKS													PH						
800 400 DRLG CONDUCTOR HOLE													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

MRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR CK						
REMARKS													PH						
400 1200 DRLG CONDUCTOR HOLE													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

DAILY DRILLING REPORT

REPORT NO.

DATE

Feb. 2
WELL NAME *Shell Pool*

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE	WELL NAME		
CONTRACTOR <i>Regent Drilling</i>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>W.S. Kumb</i>		CONTRACTOR'S TOOL PUSHER <i>R. Morgan</i>		TYPE THD	MANUFACTURER			TYPE	STROKE LENGTH
							1.		
							2.		
							3.		

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL			
REAMING			
CIRCULATING			
TRIPS			
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER			
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS			
TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS WO/D.P.:			
HRS STANDBY			

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
	STANDS	DP	FT.	RUN NO	SIZE					DEPTH	DEV	DIRECTION
	SINGLS.	DP	FT.									
	D.C.	ID			MFG.							
	RMR BODY	OD	FT.		NO.							
	STR BODY	OD	FT.		NOZ.							
	SUBS	OD	FT.		SER. NO.							
	BIT OR C.B.		FT.		DEPTH OUT							
			FT.		CUMULATIVE HOURS RUN							
	KELLY DOWN		FT.		COND. OF BIT							
	TOTAL		FT.		REAMER CUTTER NO.							
	WT. OF STRING		LBS.		TYPE							
	DRILLER											

D. Tichkowsky 12
D. Zengolity 12
M. Lehar 12
D. Savelley 12
G. Dymit 12
G. Smully 12

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
	STANDS	DP	FT.	RUN NO	SIZE					DEPTH	DEV	DIRECTION
	SINGLS.	DP	FT.									
	D.C.	ID			MFG.							
	RMR BODY	OD	FT.		NO.							
	STR BODY	OD	FT.		NOZ.							
	SUBS	OD	FT.		SER. NO.							
	BIT OR C.B.		FT.		DEPTH OUT							
			FT.		CUMULATIVE HOURS RUN							
	KELLY DOWN		FT.		COND. OF BIT							
	TOTAL		FT.		REAMER CUTTER NO.							
	WT. OF STRING		LBS.		TYPE							
	DRILLER											

B. D. 12
B. D. 12
J. Stoddy 12
J. Recolody 12
D. Marshall 12
W. Stiller 12

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		
	STANDS	DP	FT.	RUN NO	SIZE					DEPTH	DEV	DIRECTION
	SINGLS.	DP	FT.									
	D.C.	ID			MFG.							
	RMR BODY	OD	FT.		NO.							
	STR BODY	OD	FT.		NOZ.							
	SUBS	OD	FT.		SER. NO.							
	BIT OR C.B.		FT.		DEPTH OUT							
			FT.		CUMULATIVE HOURS RUN							
	KELLY DOWN		FT.		COND. OF BIT							
	TOTAL		FT.		REAMER CUTTER NO.							
	WT. OF STRING		LBS.		TYPE							
	DRILLER											

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

EVENING TOUR

MORNING TOUR

DAY TOUR

DATE *Feb. 2*

TWP. RGE *W* WELL NAME *Well Red River* No. PROVINCE

OD	PUMPS			CASING & LINER RECORD	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE		STROKE LENGTH	FROM	TO	FROM		
1.										
2.										
3.										

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R P M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
DEVIATION RECORD:												FLTR. CK						
REMARKS												PH						
<i>A. Techowady 12</i> <i>B. Gungally 12</i> <i>M. Luchay 12</i> <i>D. Smalley 12</i> <i>C. Dyerst 12</i> <i>W. Smully 12</i>												SD. CONT						
												MUD & CHEMICALS ADDED						
												TYPE	AMT	TYPE	AMT			

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R P M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
DEVIATION RECORD:												FLTR. CK						
REMARKS												PH						
<i>B. Rossford 12</i> <i>B. D. 12</i> <i>J. Sloddy 12</i> <i>J. Scology 12</i> <i>J. Marshall 12</i> <i>W. Ethier 12</i>												SD. CONT						
												MUD & CHEMICALS ADDED						
												TYPE	AMT	TYPE	AMT			

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R P M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
DEVIATION RECORD:												FLTR. CK						
REMARKS												PH						
												SD. CONT						
												MUD & CHEMICALS ADDED						
												TYPE	AMT	TYPE	AMT			

DATE *Sept. 1*

TWP. RGE. W. WELL NAME *Shell Reef Poles* No. *7* PROVINCE

OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
1.												
2.												
3.												

HRS. DRLED	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R P M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.				
DEVIATION RECORD:				DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR CK	PH	SD. CONT	MUD & CHEMICALS ADDED				
																TYPE	AMT	TYPE	AMT.	
				REMARKS																
				<i>D. Luchowaty 12</i>																
				<i>R. Hunsalley 12</i>																
				<i>M. J. J. 12</i>																
				<i>D. Smiley 12</i>																
				<i>C. Deemt. 12</i>																
				<i>W. Smiley 12</i>																

HRS. DRLED	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R P M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.				
DEVIATION RECORD:				DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR CK	PH	SD. CONT	MUD & CHEMICALS ADDED				
																TYPE	AMT	TYPE	AMT.	
				REMARKS																
				<i>D. Moyal. 12</i>																
				<i>B. Dept. 12</i>																
				<i>H. Kalladay 12</i>																
				<i>H. Kalladay 12</i>																
				<i>H. Marshall 12</i>																

HRS. DRLED	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R P M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEI	VISC	W.L.C.C.				
DEVIATION RECORD:				DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR CK	PH	SD. CONT	MUD & CHEMICALS ADDED				
																TYPE	AMT	TYPE	AMT.	
				REMARKS																

DAILY DRILLING REPORT

REPORT NO.

DATE

Jan 31

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>Shell Field</i>	
CONTRACTOR <i>Reynold Deetling</i>		RIG No. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>W. L. ...</i>		CONTRACTOR'S TOOL PUSHER <i>R. ...</i>			TYPE THD.	1. MANUFACTURER	2. TYPE	3. STROKE LENGTH	RECORD

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS		
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO					DEPTH	DEV	DIRECTION	DEPTH	DEV	
				SNGLS.	DP	FT.	SIZE										
				D.C.	ID		MFG.										
				RMR BODY	OD	FT.	NOZ. NO.										
				STB BODY	OD	FT.	SIZE										
				SUBS	OD	FT.	SER. NO										
				BIT OR C.B.		FT.	DEPTH OUT										
						FT.	CUMULATIVE HOURS RUN										
				KELLY DOWN		FT.	COND. OF BIT										
				TOTAL		FT.	REAMER CUTTER NO.										
				WT. OF STRING		LBS.	TYPE										
				DRILLER													

Handwritten notes in table:
 D. Tuckers 12
 B. ... 12
 M. ... 12
 J. ... 12
 C. ... 12
 W. ... 12

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS		
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO					DEPTH	DEV	DIRECTION	DEPTH	DEV	
				SNGLS.	DP	FT.	SIZE										
				D.C.	ID		MFG.										
				RMR BODY	OD	FT.	NOZ. NO.										
				STB BODY	OD	FT.	SIZE										
				SUBS	OD	FT.	SER. NO										
				BIT OR C.B.		FT.	DEPTH OUT										
						FT.	CUMULATIVE HOURS RUN										
				KELLY DOWN		FT.	COND. OF BIT										
				TOTAL		FT.	REAMER CUTTER NO.										
				WT. OF STRING		LBS.	TYPE										
				DRILLER													

Handwritten notes in table:
 R. ... 12
 B. ... 12
 J. ... 12
 H. ... 12
 G. ... 12

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS		
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO					DEPTH	DEV	DIRECTION	DEPTH	DEV	
				SNGLS.	DP	FT.	SIZE										
				D.C.	ID		MFG.										
				RMR BODY	OD	FT.	NOZ. NO.										
				STB BODY	OD	FT.	SIZE										
				SUBS	OD	FT.	SER. NO										
				BIT OR C.B.		FT.	DEPTH OUT										
						FT.	CUMULATIVE HOURS RUN										
				KELLY DOWN		FT.	COND. OF BIT										
				TOTAL		FT.	REAMER CUTTER NO.										
				WT. OF STRING		LBS.	TYPE										
				DRILLER													

COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS			
TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS. WO/D.P.:			
HRS. STANDBY:			
WIRE LINE RECORD			
REEL NO			
NO OF LINES	SIZE		
FEET SLIPPED			
FEET CUT OFF			
PRESENT LENGTH			
TON MI. OF TRIPS SINCE LAST CUT			
CUMULATIVE TON MI. OF TRIPS			
NO. OF DAYS FROM SPUD			
CUMULATIVE ROTATING HRS.			

DATE *Jan 31*

TWP. RGE. W. WELL NAME *Well Red River* No. *7* PROVINCE

NO.	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	MANUFACTURER	TYPE	STROKE LENGTH				FROM	TO	FROM	TO		
1.												
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD											
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.								
DEVIATION RECORD:													DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR. CK	PH	SD. CONT
REMARKS																								
													MUD & CHEMICALS ADDED											
													TYPE	AMT.	TYPE	AMT.								

Remarks: moving reg. 4 min sweeping

Log entries:
R. Guchowalski 12
R. Marshall 12
M. Lubert 12
H. Sautley 12
C. Leemel 12
W. Smith 12

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD											
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.								
DEVIATION RECORD:													DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR. CK	PH	SD. CONT
REMARKS																								
													MUD & CHEMICALS ADDED											
													TYPE	AMT.	TYPE	AMT.								

Remarks: moving reg. 4 min sweeping

Log entries:
R. Muzzell 12
R. Dahl 12
H. Sautley 12
H. Muzzell 12
H. Marshall 12

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD											
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.								
DEVIATION RECORD:													DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR. CK	PH	SD. CONT
REMARKS																								
													MUD & CHEMICALS ADDED											
													TYPE	AMT.	TYPE	AMT.								

DATE *Jan 30 1967*

TWP. RGE. W. WELL NAME *Shell Peed River* No. *7* PROVINCE

OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH FROM	SET TO	PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE						STROKE LENGTH	FROM		
1.												
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.				
DEVIATION RECORD:													FLTR. CK.	PH	SD. CONT.					
REMARKS: <i>D Tuckaway 12</i>																				
REMARKS: <i>R Gungol 12</i>																				
REMARKS: <i>M Guley 12</i>																				
REMARKS: <i>D Smully 12</i>																				
REMARKS: <i>C Derritt 12</i>																				
REMARKS: <i>W Smully 12</i>																				
													MUD & CHEMICALS ADDED							
													TYPE	AMT.	TYPE	AMT.				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.				
DEVIATION RECORD:													FLTR. CK.	PH	SD. CONT.					
REMARKS: <i>A Smith 12</i>																				
REMARKS: <i>B Dahl 12</i>																				
REMARKS: <i>H Valladay 12</i>																				
REMARKS: <i>J Nicotay 12</i>																				
REMARKS: <i>A Marshall 12</i>																				
													MUD & CHEMICALS ADDED							
													TYPE	AMT.	TYPE	AMT.				

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD							
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC.	W.L.C.C.				
DEVIATION RECORD:													FLTR. CK.	PH	SD. CONT.					
REMARKS:																				
													MUD & CHEMICALS ADDED							
													TYPE	AMT.	TYPE	AMT.				

DAILY DRILLING REPORT

REPORT NO.

DATE

Jan 29, 1967
W. Shell Pool

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	WELL NAME	
CONTRACTOR <i>R. Macdon</i>	RIG No. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>W.S. Lumb</i>		CONTRACTOR'S TOOL PUSHER <i>R. Macdon</i>			NO.	MANUFACTURER	TYPE	STROKE LENGTH
					1.			
					2.			
					3.			

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.								
				SNGLS.	DP	FT.	SIZE								
				D.C.	ID		MFG.								
					OD	FT.	TYPE								
				RMR BODY	OD	FT.	NOZ.	NO.							
				STB BODY	OD	FT.	SIZE								
				SUBS	OD	FT.	SER. NO.								
				BIT OR C.B.		FT.	DEPTH OUT								
						FT.	CUMULATIVE HOURS RUN								
				KELLY DOWN		FT.	COND. OF BIT								
				TOTAL		FT.	REAMER CUTTER NO.								
				WT. OF STRING		LBS	TYPE								
				DRILLER											

Remarks:
 Juchowaty 12
 G. G. G. 12
 M. Lupa 12
 J. Smiley 12
 C. D. 12
 W. Smiley 12

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.								
				SNGLS.	DP <td>FT.</td> <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	FT.	SIZE								
				D.C.	ID		MFG.								
					OD	FT.	TYPE								
				RMR BODY	OD	FT.	NOZ.	NO.							
				STB BODY	OD	FT.	SIZE								
				SUBS	OD	FT.	SER. NO.								
				BIT OR C.B.		FT.	DEPTH OUT								
						FT.	CUMULATIVE HOURS RUN								
				KELLY DOWN		FT.	COND. OF BIT								
				TOTAL		FT.	REAMER CUTTER NO.								
				WT. OF STRING		LBS	TYPE								
				DRILLER											

Remarks:
 B. Macdon 12
 B. Stable 12
 J. G. G. 12
 J. Nicolay 12
 A. Marshall 12

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.								
				SNGLS.	DP <td>FT.</td> <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	FT.	SIZE								
				D.C.	ID		MFG.								
					OD	FT.	TYPE								
				RMR BODY	OD	FT.	NOZ.	NO.							
				STB BODY	OD	FT.	SIZE								
				SUBS	OD	FT.	SER. NO.								
				BIT OR C.B.		FT.	DEPTH OUT								
						FT.	CUMULATIVE HOURS RUN								
				KELLY DOWN		FT.	COND. OF BIT								
				TOTAL		FT.	REAMER CUTTER NO.								
				WT. OF STRING		LBS	TYPE								
				DRILLER											

REEL NO.	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

DATE *Jan 29 1967*

TWP. RGE. W. WELL NAME *Shell Peed River* No. *7* PROVINCE

OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
	1.											
	2.											
	3.											

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
<i>d. Luchowaty 12</i> <i>V. Densollet 12</i> <i>M. Lupa 12</i> <i>D. Smiley 12</i> <i>C. Dering 12</i> <i>W. Smiley 12</i>													SD. CONT						
REMARKS <i>more reg.</i> <i>sumping on track 4 men.</i>													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
<i>B. Marshall 12</i> <i>B. Doble 12</i> <i>A. Chaday 12</i> <i>D. nicolay 12</i> <i>A. Marshall 12</i>													SD. CONT						
REMARKS <i>more Reg.</i> <i>sumping on track 4 men</i>													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

DAILY DRILLING REPORT

REPORT NO.

DATE

Jan 2 P. 11 61.

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>Shell Peel</i>
CONTRACTOR <i>Regent Drilling</i>	RIG No. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>AB [Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>B [Signature]</i>			NO.	MANUFACTURER	TYPE	STROKE LENGTH
					1.			
					2.			
					3.			

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS	
	MORN	DAY	DP	FT.	RUN NO.	SIZE					DEPTH	DEV.	DIRECTION	DEPTH	DEV.
DRILLING ACTUAL			STANDS												
REAMING			SINGLS.												
CIRCULATING			D.C.	ID	MFG.										
TRIPS			RMR BODY	OD	FT.	NO.									
DEVIATION SURVEY			STB BODY	OD	FT.	NOZ.	NO.								
TEST B.O.P.			SUBS	OD	FT.	SER. NO.									
CUT OFF DRILL LINE			BIT OR C.B.		FT.	DEPTH OUT									
REPAIR RIG					FT.	CUMULATIVE HOURS RUN									
CORING			KELLY DOWN		FT.	COND. OF BIT									
WIRE LINE LOGGING			TOTAL		FT.	REAMER CUTTER NO.									
OTHER			WT. OF STRING	LBS.		TYPE									
FISHING			DRILLER												

Deviations: D. Tuckowski, R. Kempolty, M. Lyday, D. Smiley, J. Smiley, W. Smiley. Remarks: 12, 12, 12, 12.

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS	
	MORN	DAY	DP	FT.	RUN NO.	SIZE					DEPTH	DEV.	DIRECTION	DEPTH	DEV.
DRILLING ACTUAL			STANDS												
REAMING			SINGLS.												
CIRCULATING			D.C.	ID	MFG.										
TRIPS			RMR BODY	OD	FT.	NO.									
DEVIATION SURVEY			STB BODY	OD	FT.	NOZ.	NO.								
TEST B.O.P.			SUBS	OD	FT.	SER. NO.									
CUT OFF DRILL LINE			BIT OR C.B.		FT.	DEPTH OUT									
REPAIR RIG					FT.	CUMULATIVE HOURS RUN									
CORING			KELLY DOWN		FT.	COND. OF BIT									
WIRE LINE LOGGING			TOTAL		FT.	REAMER CUTTER NO.									
OTHER			WT. OF STRING	LBS.		TYPE									
FISHING			DRILLER												

Deviations: B. Nozick, J. Doble, M. Lyday, J. Nozick, J. Marshall. Remarks: 12, 12, 12, 12.

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)			REMARKS	
	MORN	DAY	DP	FT.	RUN NO.	SIZE					DEPTH	DEV.	DIRECTION	DEPTH	DEV.
DRILLING ACTUAL			STANDS												
REAMING			SINGLS.												
CIRCULATING			D.C.	ID	MFG.										
TRIPS			RMR BODY	OD	FT.	NO.									
DEVIATION SURVEY			STB BODY	OD	FT.	NOZ.	NO.								
TEST B.O.P.			SUBS	OD	FT.	SER. NO.									
CUT OFF DRILL LINE			BIT OR C.B.		FT.	DEPTH OUT									
REPAIR RIG					FT.	CUMULATIVE HOURS RUN									
CORING			KELLY DOWN		FT.	COND. OF BIT									
WIRE LINE LOGGING			TOTAL		FT.	REAMER CUTTER NO.									
OTHER			WT. OF STRING	LBS.		TYPE									
FISHING			DRILLER												

WIRE LINE RECORD

REEL NO

NO OF LINES SIZE

FEET SLIPPED

FEET CUT OFF

PRESENT LENGTH

TON MI. or TRIPS SINCE LAST CUT CUMULATIVE

TON MI. or TRIPS

NO. OF DAYS FROM SPUD

CUMULATIVE ROTATING MRS.

MORNING TOUR

DAY TOUR

EVENING TOUR

DATE *Jan & P. 1961.*

TWP. RGE. W. WELL NAME *Shell Reef River* No. *7* PROVINCE

OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH FROM	SET TO	PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE						STROKE LENGTH	FROM		
	1.											
	2.											
	3.											

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<i>D. Trakowski 12</i> <i>R. Kempall 12</i> <i>M. Lyday 12</i> <i>D. Smith 12</i> <i>J. DeWitt 12</i> <i>W. Smiley 12</i>													SD. CONT.						
													MUD & CHEMICALS ADDED						
													TYPE	AMT.	TYPE	AMT.			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<i>R. Mozil 12</i> <i>R. Doble 12</i> <i>R. Halladay 12</i> <i>J. Nicol 12</i> <i>J. Marshall 12</i>													SD. CONT.						
													MUD & CHEMICALS ADDED						
													TYPE	AMT.	TYPE	AMT.			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
													SD. CONT.						
													MUD & CHEMICALS ADDED						
													TYPE	AMT.	TYPE	AMT.			

DATE *Jun 27*

TWP.	RGE	W	WELL NAME <i>Shell Peed Caves</i>	No. <i>7</i>	PROVINCE
------	-----	---	-----------------------------------	--------------	----------

OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
1												
2												
3												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
<i>D. Dickhoway 12</i> <i>R. Terry 12</i> <i>M. Judd 7</i> <i>D. Smiley 12</i> <i>C. Derrill 12</i>													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
<i>D. Marshall 12</i> <i>B. Dahl 12</i> <i>R. Halladay 12</i> <i>J. Nicolay 15</i> <i>J. Marshall 12</i> <i>W. Smiley 12</i>													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WEIGHT	VISC	W.L.C.C.			
DEVIATION RECORD:													FLTR. CK						
REMARKS													PH						
													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

DAILY DRILLING REPORT

REPORT NO.

DATE

Jan 26 1964

OPERATOR SHELL CANADA LIMITED	LOCATION LSD.	SEC.	TWP.	RGE.	W.	WELL NAME <i>Well # 100</i>
---	------------------	------	------	------	----	--------------------------------

CONTRACTOR <i>Regent Drilling</i>	RIG No. <i>21</i>	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE
OPERATOR'S REPRESENTATIVE <i>RB</i>	CONTRACTOR'S TOOL PUSHER <i>R. W. ...</i>		TYPE THD.		NO.	MANUFACTURER	TYPE	STROKE LENGTH	

1.									
2.									
3.									

TIME DISTRIBUTION—HOURS

	MORN	DAY	EVE
DRILLING ACTUAL			
REAMING			
CIRCULATING			
TRIPS			
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER			
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS			

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.	SIZE						
	SNGLS.	DP	FT.	NO.	SIZE						
	D.C.	ID	FT.	MFG.							
	RMR BODY	OD	FT.	NO.	NO.						
	STB BODY	OD	FT.	NOZ.	SIZE						
	SUBS	OD	FT.	SER. NO.							
	BIT OR C.B.		FT.	DEPTH OUT							
			FT.	CUMULATIVE HOURS RUN							
	KELLY DOWN		FT.	COND. OF BIT							
	TOTAL		FT.	REAMER CUTTER NO.							
	WT. OF STRING		LBS.	TYPE							
	DRILLER										

*J. Torrance 8
B. Weiss 8
W. Jurasca 2
W. Smiley 12
M. Johnson 8
W. Bitman 12*

TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P:			
HRS WO/D.P:			
HRS STANDBY			

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.	SIZE						
	SNGLS.	DP	FT.	NO.	SIZE						
	D.C.	ID	FT.	MFG.							
	RMR BODY	OD	FT.	NOZ.	NO.						
	STB BODY	OD	FT.	NOZ.	SIZE						
	SUBS	OD	FT.	SER. NO.							
	BIT OR C.B.		FT.	DEPTH OUT							
			FT.	CUMULATIVE HOURS RUN							
	KELLY DOWN		FT.	COND. OF BIT							
	TOTAL		FT.	REAMER CUTTER NO.							
	WT. OF STRING		LBS.	TYPE							
	DRILLER										

*D. Mozilf
B. ...
W. ...
J. ...
W. Marshall*

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.	SIZE						
	SNGLS.	DP	FT.	NO.	SIZE						
	D.C.	ID	FT.	MFG.							
	RMR BODY	OD	FT.	NOZ.	NO.						
	STB BODY	OD	FT.	NOZ.	SIZE						
	SUBS	OD	FT.	SER. NO.							
	BIT OR C.B.		FT.	DEPTH OUT							
			FT.	CUMULATIVE HOURS RUN							
	KELLY DOWN		FT.	COND. OF BIT							
	TOTAL		FT.	REAMER CUTTER NO.							
	WT. OF STRING		LBS.	TYPE							
	DRILLER										

*D. Teckburg 14
B. ...
M. ...
D. ...
C. ...*

DATE *Jan 26*

TWP. RGE. W. WELL NAME *2nd Pool Piser* No. *7* PROVINCE

NO.	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	MANUFACTURER	TYPE	STROKE LENGTH				FROM	TO	FROM	TO		
1.												
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<i>J. Torrance 8</i> <i>B. Wiese 8</i> <i>W. Jurassa 8</i> <i>W. Smiley 12</i> <i>M. Longman 8</i> <i>W. Bittau 12</i>													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<i>D. Moffitt 8</i> <i>B. Wiese 8</i> <i>W. Halladay 8</i> <i>J. McVoy 8</i> <i>W. Marshall 12</i>													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.-C.C.			
DEVIATION RECORD:													FLTR. CK.						
REMARKS													PH						
<i>D. Trachford 14</i> <i>B. Wiese 14</i> <i>M. Longman 14</i> <i>D. Wiese 14</i> <i>C. Pender 14</i>													SD. CONT						
													MUD & CHEMICALS ADDED						
													TYPE	AMT	TYPE	AMT			

DAILY DRILLING REPORT

REPORT NO. 17 DATE Feb. 22 1967.

OPERATOR SHELL CANADA LIMITED		LOCATION LSD.	SEC.	TWP.	RGE.	W.	WELL NAME SHELL PEEL
CONTRACTOR AGENT DRILLING		RIG NO. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS	
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD.		CASING & LINER RECORD	

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	4	6	6 1/4
REAMING	1	3/4	
CIRCULATING			
TRIPS	2 3/4	1 1/4	1 3/4
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER	1/4		
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	8
TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS WO/D.P.:			
HRS STANDBY:			
WIRE LINE RECORD			
REEL NO			
NO OF LINES	SIZE		
FEET SLIPPED			
FEET CUT OFF			
PRESENT LENGTH			
TON MI. or TRIPS SINCE LAST CUT			
CUMULATIVE TON MI. or TRIPS			
NO. OF DAYS FROM SPUD			
CUMULATIVE ROTATING HRS.			

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.	SIZE						
57			9517.54		16						
	SNGLS.	DP	FT.		6 3/4			4557	4557		
	ID			MFG.	SEC						
94	D.C.	5" OD	982.53	TYPE	H746J						
2	RMR BODY	OD	11.11	NO.	1-10						
	STB BODY	OD	FT.	NOZ.	SIZE						
	SUBS	OD	FT.	SER.	QAMH46						
	BIT OR C.B.		FT.	DEPTH OUT	4557						
1	SADC		30.32	CUMULATIVE HOURS RUN	4						
	KELLY DOWN		16.00	COND. OF BIT	8-3/2						
	TOTAL		4557.50	REAMER CUTTER NO.							
	WT. OF STRING		74100	LBS.							
	DRILLER	Steve Tichonovsky									

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.	SIZE						
57					17						
1	SNGLS.	DP	3549.16	FT.	6 3/4			4557	4587		
	ID			MFG.	SEC						
94	D.C.	5" OD	982.53	FT.	YC HG						
2	RMR BODY	OD	11.11	FT.	NO						
	STB BODY	OD	FT.	NOZ.	SIZE						
	SUBS	OD	FT.	SER. NO.	ER5141						
	BIT OR C.B.		FT.	DEPTH OUT							
1	SADC		30.32	FT.	CUMULATIVE HOURS RUN	6					
	KELLY DOWN		13.87	FT.	COND. OF BIT						
	TOTAL		4587.	FT.	REAMER CUTTER NO.						
	WT. OF STRING		75000	LBS.	TYPE						
	DRILLER	Geo Jorance									

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.	SIZE						
58			3579.60	FT.	17						
	SNGLS.	DP	FT.		6 3/4			4587	4615		
	ID			MFG.	REED						
34	D.C.	5" OD	982.53	FT.	YC HG						
	RMR BODY	OD	11.11	FT.	NO						
	STB BODY	OD	FT.	NOZ.	SIZE						
	SUBS	OD	FT.	SER NO	E 85149						
	BIT OR C.B.		FT.	DEPTH OUT	4615						
1	SADC		30.32	FT.	CUMULATIVE HOURS RUN	12 1/4					
	KELLY DOWN		12.44	FT.	COND. OF BIT						
	TOTAL		4615.00	FT.	REAMER CUTTER NO.						
	WT. OF STRING		75000	LBS.	TYPE						
	DRILLER	Geo Jorance									

17 DATE Feb. 22 1967.

TWP. YUKON	RGE. K-9	W.	WELL NAME SHELL PEEL RIVER	No. 9	PROVINCE YUKON		
PUMPS			CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH	SIZE	WT & GR		
1.	Emsco	D300	11 1/2"				
2.							
3.							

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD											
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.								
4		4549	4557		30	40	12.00	5"	54				100	200	400	9.2	9.2	9.2	32	33	35	8.0	8.0	8.0
REMARKS													FLTR. CK	PH	SD. CONT	MUD & CHEMICALS ADDED								
1000 = 12:15 SER RIG CLEAN SHAKER TANK																TYPE	AMT	TYPE	AMT.					
12:15 = 100 RUN IN																GEL	15	SAX						
100 = 130 BREAK CIRC WORK PLUGED BIT																PELTEX H		SAX						
130 = 200 BEAM TO BOTTOM 35 FT																								
200 = 200 DRILL 6 3/4" HOLE																								
200 = 745 PULL OUT FOR BIT																								
745 = 800 RUN IN																								

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD											
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.								
6		4557	4587		40	40	800	5	50	5			10	12	2	9.2	9.2	9.2	36	36	35	8.0		
REMARKS													FLTR. CK	PH	SD. CONT	MUD & CHEMICALS ADDED								
800 = 9:15 RUN IN																TYPE	AMT	TYPE	AMT.					
9:15 = 100 BEAM TO BTM 15 FT																CAUSTIC	152X							
10 = 400 DRILL 6 3/4" HOLE																PELTEX	2 SAX							
																GEL	10 SAX							

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD											
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.								
6 1/4		4587	4615		45	40	800	5	56				4	6	8	9.2	9.2	9.2	35	36	36	6.5		
REMARKS													FLTR. CK	PH	SD. CONT	MUD & CHEMICALS ADDED								
400 = 10:15 DRILL 6 3/4" HOLE.																TYPE	AMT	TYPE	AMT.					
10:15 = 1200 PULL OUT																Run 1/4" stream water								

DAILY DRILLING REPORT

REPORT NO. 16

DATE Feb 21 1967

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD. R	SEC. YT	TWP. K	RGE. K	W.	WELL NAME SHELL PEEL
CONTRACTOR REGENT RIG		RIG NO. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT 3" OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER M. W. Pink		NO.	MANUFACTURER EMSCO	TYPE P300	STROKE LENGTH 14	SIZE 9.5

TIME DISTRIBUTION—HOURS		
	MORN	DAY EVE
DRILLING ACTUAL	8 4 1/2	5 1/4
REAMING		1/2
CIRCULATING		
TRIPS	3	2 1/4
DEVIATION SURVEY		
TEST B.O.P		
CUT OFF DRILL LINE		
REPAIR RIG		
CORING		
WIRE LINE LOGGING		
OTHER		

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.	SIZE						
34	1	SINGLS.	DP	3426.45	14	8		HA70	11183		
		D.C.	ID		6 3/4						
		RMR BODY	OD	982.53	H9						
		STB BODY	OD		H9						
		SUBS	OD	11.11	CMA						
		BIT OR C.B.	FT.		NO. NO.						
		ISDC	30.32	FT.	SIZE						
		KELLY DOWN	33.00	FT.	CUMULATIVE HOURS RUN						
		TOTAL	4483.44	FT.	COND. OF BIT						
		WT. OF STRING	7100	LBS.	REAMER CUTTER NO.						
		DRILLER	Steve J. Mowbray								

TIME SUMMARY (OFFICE USE ONLY)		
CONTRACTOR'S TIME HRS:		
OPERATOR'S TIME:		
HRS. W/D.P.:		
HRS WO/D.P.:		
HRS STANDBY		

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.	SIZE						
56	1	SINGLS.	DP	3457.39	15	4 1/2		4483	4516		
		D.C.	ID		6 3/4						
		RMR BODY	OD	982.53	SEC						
		STB BODY	OD		H706-J						
		SUBS	OD	11.11	2-11						
		BIT OR C.B.	FT.		NO. NO.						
		ISDC	30.32	FT.	SIZE						
		KELLY DOWN	34.65	FT.	CUMULATIVE HOURS RUN						
		TOTAL	4516.02	FT.	COND. OF BIT						
		WT. OF STRING	7500	LBS.	REAMER CUTTER NO.						
		DRILLER	Geo Louance								

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS.	

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.	SIZE						
56	1	SINGLS.	DP	3488.33	15	5 3/4		4516	4549		
		D.C.	ID		6 3/4						
		RMR BODY	OD	982.53	SEC						
		STB BODY	OD		H706-J						
		SUBS	OD	11.11	2-11						
		BIT OR C.B.	FT.		NO. NO.						
		ISDC	30.32	FT.	SIZE						
		KELLY DOWN	36.71	FT.	CUMULATIVE HOURS RUN						
		TOTAL	4549	FT.	COND. OF BIT						
		WT. OF STRING	7500	LBS.	REAMER CUTTER NO.						
		DRILLER	Geo Louance								

16 DATE Feb 21 1967

TWP. K	RGE. K	W.	WELL NAME SHELL PEEL RIVER	No.	PROVINCE Yukon		
PUMPS			CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH	SIZE	WT & GR		
1.	EMSCO	P300	14	9 5/8			
2.							
3.							

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1 LINER SIZE S.P.M	PUMP NO 2 LINER SIZE S.P.M	METHOD PUMPS RUN	MUD RECORD										
8		4470	4483		28	40	300	5 58			TIME	2AM	4	6							
											WEIGHT	9.2	9.2	9.2							
											VISC	33	34	35							
											W.L.C.C.		8.3								
											FLTR CK										
											PH			10.5							
											SD. CONT										
DEVIATION RECORD:												DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	
REMARKS												4483.41									
1200 = 300 DRILL 6 3/4" HOLE																					
												MUD & CHEMICALS ADDED									
												TYPE	AMT	TYPE	AMT.						
													10	SKS							

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1 LINER SIZE S.P.M	PUMP NO 2 LINER SIZE S.P.M	METHOD PUMPS RUN	MUD RECORD										
4 1/2		4483	4516		60	40	1200	5 54			TIME	12	2								
											WEIGHT	9.2	9.2								
											VISC	34	35								
											W.L.C.C.										
											FLTR CK										
											PH			10.5							
											SD. CONT										
DEVIATION RECORD:												DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	
REMARKS																					
27 1/2 800-930 PULL OUT																					
1/2 930-1100 Run IN																					
1/2 1100-1130 BREAK CIRCULATION + REAM TO BOTTOM - RUN P																					
4 1/2 1130-400 DRILL 6 3/4 HOLE																					
												MUD & CHEMICALS ADDED									
												TYPE	AMT	TYPE	AMT.						
													10	SKS							
												600 10 SKS PULVER 4 SKS 3/4 Steam water									

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1 LINER SIZE S.P.M	PUMP NO 2 LINER SIZE S.P.M	METHOD PUMPS RUN	MUD RECORD										
5 3/4		4516	4549		60	40	1200	5 54			TIME	4	6	8							
											WEIGHT	9.2	9.2	9.2							
											VISC	35	35	35							
											W.L.C.C.										
											FLTR CK										
											PH			10.5							
											SD. CONT										
DEVIATION RECORD:												DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	
REMARKS																					
11 5 3/4 400-945 DRILL 6 3/4 HOLE																					
13 1/4 945-1130 PULL OUT																					
1/2 1130-1200 RUN DRILL COLLARS IN																					
												MUD & CHEMICALS ADDED									
												TYPE	AMT	TYPE	AMT.						
												3/4 Steam water									

DAILY DRILLING REPORT

REPORT NO. 15

DATE

FEB 20 / 1967

OPERATOR SHELL CANADA LIMITED		LOCATION LSD.	SEC.	TWP.	RGE.	W.	WELL NAME
CONTRACTOR REGENT DRILLING		RIG No.	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS	
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD		NO.	MANUFACTURER
						1.	EMSCO
						2.	D 300
						3.	

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	1		5 1/2
REAMING			3/4
CIRCULATING	1 1/2		
TRIPS	4 1/2	2 1/2	1 1/2
DEVIATION SURVEY			
TEST B.O.P.	1/4		
CUT OFF DRILL LINE			
REPAIR			
CORING			
WIRE LINE LOGGING			
OTHER			
FISHING			
COMPLETING (A) PERFORATING (B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING	2	4	
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	8

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT	RUN NO.						
55	STANDS	DP	3395.55	FT						
	SINGLS.	DP		FT						
	D.C.	ID								
34	OD	982.53	FT							
2	RMR BODY	OD	11.11	FT						
	STB BODY	OD		FT						
	SUBS	OD		FT						
	BIT OR C.B.			FT						
1	S.D.C.		30.32	FT						
	KELLY DOWN		40.00	FT						
	TOTAL		1115.16	FT						
	WT. OF STRING		74	LBS						
DRILLER Dave Tichkowsky										

TIME SUMMARY (OFFICE USE ONLY)		
CONTRACTOR'S TIME HRS.		
OPERATOR'S TIME		
HRS. W/D.P.		
HRS. WO/D.P.		
HRS. STANDBY		

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT	RUN NO.						
	STANDS	DP		FT						
	SINGLS.	DP		FT						
	D.C.	ID								
	OD									
	RMR BODY	OD		FT						
	STB BODY	OD		FT						
	SUBS	OD		FT						
	BIT OR C.B.			FT						
	KELLY DOWN			FT						
	TOTAL			FT						
	WT. OF STRING			LBS						
DRILLER Geo Louance										

WIRE LINE RECORD	
REEL NO.	
NO. OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT	RUN NO.						
55	STANDS	DP		FT						
1	SINGLS.	DP	3426.48	FT						
	D.C.	ID								
34	OD	982.53	FT							
2	RMR BODY	OD	11.11	FT						
	STB BODY	OD		FT						
	SUBS	OD		FT						
	BIT OR C.B.			FT						
1	S.D.C.		30.32	FT						
	KELLY DOWN		74.59	FT						
	TOTAL		4470	FT						
	WT. OF STRING		75000	LBS						
DRILLER Geo Louance										

15 DATE FEB 20 / 1967

TWP. K-9 RGE. 9 W. SHELL PEEL RIVER No. 9 PROVINCE YUKON

OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	NO.	MANUFACTURER	TYPE				STROKE LENGTH	FROM	TO	FROM		
	1	EMSCO	D 300	H ¹¹	9 5/8		0	506				
	2											
	3											

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD			
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT		
1		HH54	HH59		110	110	1200	5"	55				12 ⁰⁰	2 ⁰⁰		
													WEIGHT	9.2		
													VISC	31		
													W.L.C.C	7.6		
													FLTR CK	3.2		
													PH	10.5		
													SD. CONT			
REMARKS													MUD & CHEMICALS ADDED			
1 12 ⁰⁰ -1 ⁰⁰ Drill 6 3/4" Hole													TYPE	AMT	TYPE	AMT
1 1/2 1 ⁰⁰ -2 ³⁰ Pull out core to mill out to test													GEL	10	SKS	
1 1/2 2 ³⁰ -11 ⁰⁰ Pull out to pick up test																
1 11 ⁰⁰ -5 ⁰⁰ Mill up test																
3/4 5 ⁰⁰ -3 ⁰⁰ Set bit and B.D.P.																
1 1/2 5 ³⁰ -7 ⁰⁰ Run in to test																
1 7 ⁰⁰ -3 ⁰⁰ Rig up to test and setting																

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD			
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT		
3		8 ⁰⁰	11 ⁰⁰	TESTING												
													WEIGHT			
													VISC			
													W.L.C.C			
													FLTR CK			
													PH			
													SD. CONT			
REMARKS													MUD & CHEMICALS ADDED			
2 1/2 11 ⁰⁰ -12 ³⁰ Pull out													TYPE	AMT	TYPE	AMT
1 1 ³⁰ -2 ³⁰ Break down + Log down packer																
1/4 2 ³⁰ -2 ⁰⁰ Set Run + Change B.P.S.																
1 1/4 2 ⁰⁰ -4 ⁰⁰ Change pump settings + 3 bushing in pumps																
[Run DST #2 4374-4459 (85' ms-1 s.s) ISIT - 30 min Clean well + Kill																
T.O 75 minutes through 4 1/2" BHC. No IHC Flow time - 75 min setting tanks																
W.I.P increasing to F.A.B in 10 minutes FSIT - 90 min																

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD			
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT		
5 1/2		4459	4470		40	40	800	5"	58				8	10		
													WEIGHT	9.3		
													VISC	33		
													W.L.C.C	33		
													FLTR CK			
													PH			
													SD. CONT			
REMARKS													MUD & CHEMICALS ADDED			
4 ⁰⁰ -5 ⁴⁵ Run in w/ bit													TYPE	AMT	TYPE	AMT
5 ⁴⁵ -6 ⁰⁰ Break core + Pump 2 to 87M																
6 ⁰⁰ -12 ⁰⁰ Drill 6 3/4" hole																
Required 500' (30 bbls) mud,																
100' (0.6 bbls) muds salt water																
300' (1.05 bbls) gas salt water,																
titrating 22,000 ppm																
ISIP - 1415 ; FSIP 1415 ;																
IFP - 270 ; FFP 435																
IHMH 2110 ; IHMH - 2110																
10 S.H.																
10 S.H.																
14 clean water																

DAILY DRILLING REPORT

REPORT NO. 14. DATE Feb 19, 1967

Feb 19, 1967

OPERATOR SHELL CANADA LIMITED	LOCATION LSD.	SEC. R-4T	TWP. K9	RGE. W.	WELL NAME <i>Shell Pool F</i>	
CONTRACTOR <i>REGENT DRILLING</i>	RIG NO. <i>27</i>	DRILL PIPE STRING NO. <i>333294</i>	TOOL JOINT TYPE <i>TH</i>	PUMPS		CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE	CONTRACTOR'S TOOL JOINT NUMBER <i>111</i>		NO.	MANUFACTURER <i>EMSCO</i>	TYPE <i>D300</i>	STROKE LENGTH <i>14"</i>

TIME DISTRIBUTION—HOURS		
MORN	DAY	EVE
DRILLING ACTUAL	1	6 5/8
REAMING		
CIRCULATING	3/4	
TRIPS	3	1 1/2
DEVIATION SURVEY		
TEST B.O.P	1/4	1/4
CUT OFF DRILL LINE		
REPAIR RIG		
CORING	2	
WIRE LINE LOGGING		
OTHER	1	
FISHING		
COMPLETING (A) PERFORATING		
(B) RUNNING TUBING		
(C) SWABBING		
(D) TESTING		
(E) ACIDIZING		
(F) ADDITIONAL		
TOTALS	8	8
TIME SUMMARY (OFFICE USE ONLY)		
CONTRACTOR'S TIME HRS.		
OPERATOR'S TIME:		
HRS. W/D.P.		
HRS WO/D.P.		
HRS STANDBY		
WIRE LINE RECORD		
REEL NO		
NO OF LINES		
SIZE		
FEET SLIPPED		
FEET CUT OFF		
PRESENT LENGTH		
TON MI. of TRIPS SINCE LAST CUT		
CUMULATIVE TON MI. of TRIPS		
NO. OF DAYS FROM SPUD		
CUMULATIVE ROTATING HRS.		

NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
5	STANDS DP 3332.94	RUN NO	12					
	SNGLS DP FT. SIZE		6 3/4	1	1	4390	4397	
	ID	MFG.	SEC					
3	D.C. 5 OD 982.53	TYPE	H7065					
2	RMR BODY OD 11.11 FT.	NO.	2-11					
1	STB BODY OD	NOZ.	SIZE 2-11					
	SUBS OD	SER. NO	905721					
	BIT OR C.B.	FT	DEPTH OUT					
	1 SO.OC	3032 FT	CUMULATIVE HOURS RUN	1				
	KELLY DOWN	411.00 FT	COND. OF BIT					
	TOTAL	497.95 FT	REAMER CUTTER NO					
	WT. OF STRING	73000 LBS	TYPE					
	DRILLER	<i>David Lichowsky</i>						

NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
5	STANDS DP FT.	RUN NO.	12					
1	SNGLS DP 3363.92	SIZE	6 3/4	6		4347	4424	
	ID	MFG.	SEC					
3	D.C. 5 OD 982.53	TYPE	H7065					
2	RMR BODY OD 11.11 FT.	NO.	2-11					
1	STB BODY OD	NOZ.	SIZE 1-10					
	SUBS OD	SER. NO	905721					
	BIT OR C.B.	FT	DEPTH OUT					
	1 SO.OC	3032 FT	CUMULATIVE HOURS RUN	6				
	KELLY DOWN	3612 FT	COND. OF BIT					
	TOTAL	4424 FT	REAMER CUTTER NO					
	WT. OF STRING	74000 LBS	TYPE					
	DRILLER	<i>Geo Louane</i>						

NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
5	STANDS DP 3395.53	RUN NO	R.R. 7					
	SNGLS DP FT. SIZE		6 1/2	5/2		4424	4454	
	ID	MFG.	SEC					
3	D.C. 5 OD 982.53	TYPE	H7065					
2	RMR BODY OD 11.11 FT.	NO.	2-11					
1	STB BODY OD	NOZ.	SIZE 1-10					
	SUBS OD	SER. NO	RIB 41281					
	BIT OR C.B.	FT	DEPTH OUT					
	1 SO.OC	3032 FT	CUMULATIVE HOURS RUN	1				
	KELLY DOWN	34.5 FT	COND. OF BIT					
	TOTAL	4454 FT	REAMER CUTTER NO					
	WT. OF STRING	LBS	TYPE					
	DRILLER	<i>Geo Louane</i>						

14. DATE Feb 19, 1967

TWP. 47	RGE. K9	W.	WELL NAME Shell Peal River	No. 7	PROVINCE Yukon						
PUMPS			CASING & LINER RECORD	DEPTH SET	PERFORATIONS	CEMENT USED	OTHER				
NO.	MANUFACTURER	TYPE	STROKE LENGTH	SIZE	WT & GR	FROM	TO	FROM	TO		
1.	EMSCO	D300	14"								
2.											
3.											

HRS. DRILD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD				
1	1	11390	11397		44	33	1200	5	55				TIME	12	2		
													WEIGHT	9.2	9.2		
													VISC	34	34		
													WL.C.C.				
													FLTR CK				
													PH				10.5
													SD CONT				
REMARKS													MUD & CHEMICALS ADDED				
1/2 12:00 - 12:30 CIRCULATE CORE BARRAGE TO BOTTOM + DROP													TYPE	AMT	TYPE	AMT	
2 12:30 - 2:30 CORE																	
1 1/2 2:30 - 4:15 PULL WITH CORE BARRAGE RETRIEVE CORE																	
1 1/2 4:15 - 5:15 RETRIEVE CORE																	
1 1/2 5:15 - 5:30 SERVICE RIG AND B.O.P.																	
1 1/2 5:30 - 6:45 RUN IN BIT NUMBER 12																	
1 1/2 6:45 - 7:00 BREAK CIRCULATION CLEAN TO BOTTOM																	
1 1/2 7:00 - 8:00 BEAM RAT HOLE																	

HRS. DRILD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD				
6		4397	4424		60	4	1200	5	55				TIME	8	10	12	
													WEIGHT	9.2	9.2	9.2	
													VISC	31	34	33	
													WL.C.C.				
													FLTR CK				
													PH				9.5
													SD CONT				
REMARKS													MUD & CHEMICALS ADDED				
8:00 - 2:00 Drill 6 1/2" Hole													TYPE	AMT	TYPE	AMT	
2:00 - 2:15 TOTAL																	
2:15 - 3:45 Pull Out																	
3:45 - 4:00 See R.C. Check B.O.P.																	

HRS. DRILD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD				
5 1/2		4424	4454		4	4	1200	5					TIME	8	10		
													WEIGHT	9.2	9.2		
													VISC	33	33		
													WL.C.C.				
													FLTR CK				
													PH				10.5, 10.5
													SD CONT				
REMARKS													MUD & CHEMICALS ADDED				
4:00 - 4:30 Run Drill Collars IN													TYPE	AMT	TYPE	AMT	
4:30 - 5:15 26.1' Cut Drill Pipe																	
5:15 - 6:00 Run IN																	
6:00 - 6:15 Break Circ + Clean to STM																	
6:30 - 12:00 Drill																	

DAILY DRILLING REPORT

REPORT NO. 13

DATE

Feb 18, 1967

OPERATOR SHELL CANADA LIMITED		LOCATION L.S.D.	SEC.	TWP.	RGE.	W.	WELL NAME <i>Shell Pool</i>
CONTRACTOR <i>Regent Drilling 1966 Ltd</i>		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS	
OPERATOR'S REPRESENTATIVE <i>(Signature)</i>		CONTRACTOR'S TOOL PUSHER <i>(Signature)</i>		TYPE THD	NO.	MANUFACTURER	TYPE
					1.	<i>Emser</i>	<i>D. 30</i>
					2.		
					3.		

TIME DISTRIBUTION—HOURS	
MORN	DAY EVE
DRILLING ACTUAL	2 1/4
REAMING	1/8
CIRCULATING	
TRIPS	2 1/4
DEVIATION SURVEY	
TEST B.O.P.	1/4
CUT OFF DRILL LINE	
REPAIR RIG	
CORING	
WIRE LINE LOGGING	
OTHER	<i>4.00 OC 2 1/2</i>

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT	RUN NO	SIZE					
53	1	3301.98	11	6 3/4	2 1/4		4323	4343	
	D.C.	ID	MFG.						
34	2	982.53	3	R6785					
	RMR BODY	OD	NOZ.	NO.					
	STB BODY	OD	SIZE	2-10-11					
	SUBS	OD	FT	SER. NO					
	BIT OR C.B.	FT	DEPTH OUT						
1	SADP	30.32	7						
	KELLY DOWN	18.00							
	TOTAL	4343.94							
	WT. OF STRING	7300	LBS						
	DRILLER	<i>(Signature)</i>							

TIME SUMMARY (OFFICE USE ONLY)	
CONTRACTOR'S TIME HRS.	
OPERATOR'S TIME	
HRS. W/D.P.	
HRS. WO/D.P.	
HRS. STANDBY	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT	RUN NO	SIZE					
54	1	3332.96	11	6 3/4	1 3/4		4343	4390	
	D.C.	ID	MFG.						
34	2	982.53	3	R6785					
	RMR BODY	OD	NOZ.	NO.					
	STB BODY	OD	SIZE	2-10-11					
	SUBS	OD	FT	SER. NO					
	BIT OR C.B.	FT	DEPTH OUT						
1	SADP	30.32	7						
	KELLY DOWN	33.08							
	TOTAL	4340							
	WT. OF STRING	7600	LBS						
	DRILLER	<i>(Signature)</i>							

WIRE LINE RECORD	
REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. OF TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. OF TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS	

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
	STANDS DP	FT	RUN NO	SIZE					
54	1	3332.96	11	6 3/4			4390		
	D.C.	ID	MFG.						
34	2	982.53	3	R6785					
	RMR BODY	OD	NOZ.	NO.					
	STB BODY	OD	SIZE	1-11					
	SUBS	OD	FT	SER. NO					
	BIT OR C.B.	FT	DEPTH OUT						
	KELLY DOWN	48.46							
	TOTAL	2605							
	WT. OF STRING	4390	LBS						
	DRILLER	<i>(Signature)</i>							

13 DATE Feb 18 1967
 TWP. RGE. W. WELL NAME No. PROVINCE
 15 9 Steel Pool River 7 Yukon

PUMPS				CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
NO.	MANUFACTURER	TYPE	STROKE LENGTH				FROM	TO	FROM	TO		
1.	Emoco	D-500	14									
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
2 1/4		4323	4343		40	40	1300	5	56				6	90	28			
DEVIATION RECORD:													FLTR CK					
DEPTH 4323 DEV 16 1/2 DIRECTION													PH 10.5					
REMARKS													SD CONT					
1200-115 Pull Out Pipe																		
115-345 Check Box + Pin for cracks																		
345-400 Set Rig + BOP's																		
400-530 Run In																		
530-545 Break Circ. in am to bottom																		
545-600 Drill 6 3/8 Hole																		
MUD & CHEMICALS ADDED													Type Amt Type Amt					
													Water 17 SKS					

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
7 1/4		4343	4390		40	40	1300	5	56				8	10	2	90	90	91
DEVIATION RECORD:													FLTR CK					
DEPTH 4343 DEV DIRECTION													PH 10.5					
REMARKS													SD CONT					
800-1045 Drill 6 7/8 Hole																		
1045-1100 Set Rig																		
1100-1100 Drill 6 7/8 Hole start to mix mud																		
100-400 Circulate sample + wait on orders																		
MUD & CHEMICALS ADDED													Type Amt Type Amt					
													Gel 4 SKS Water					

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
		4390											4	6	7.2	31		
DEVIATION RECORD:													FLTR CK					
DEPTH 4390 DEV DIRECTION													PH 10.5					
REMARKS													SD CONT					
400-700 Circ + Wait on orders																		
700-900 Pull Out																		
900-1000 Pick up + Make up Core BRL																		
1000-1145 Run In																		
1145-1200 Circ																		
MUD & CHEMICALS ADDED													Type Amt Type Amt					
													Gel 20 SKS					

DAILY DRILLING REPORT

REPORT NO. 12 DATE Feb 17

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME SHELL PEEL R
CONTRACTOR HERBERT DRILLING		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD		NO.	MANUFACTURER	TYPE
		R. SCHAFFERIK				1.	EMSCO	D 300
						2.		14"
						3.		

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
DRILLING ACTUAL	MORN	DAY	50	STANDS DP	3112.13 FT.	RUN NO	10				
REAMING	7:30	8:30	1	SINGLS. DP		SIZE	6 3/4	7:30	11:12	11:33	
CIRCULATING			31	D.C. 5")	982.53 FT.	MFG.	Reed				
TRIPS		3/4	2	RMR BODY OD	11.11 FT.	TYPE	SC4G				
DEVIATION SURVEY		1/4		STB BODY OD		NOZ. NO.	3				
TEST B.O.P.				SUBS OD		SIZE	10				
CUT OFF DRILL LINE						SER. NO.	R3				
REPAIR RIG				BIT OR C.B.		DEPTH OUT	1				
CORING				1 S.D.C.	30.32 FT.	CUMULATIVE HOURS RUN	N 17				
WIRE LINE LOGGING				KELLY DOWN	11.00 FT.	COND OF BIT					
OTHER	See Rig	1/4		TOTAL	11230.7 FT.	REAMER CUTTER NO.					
FISHING				WT. OF STRING	73000 LBS.	TYPE					
COMPLETING (A) PERFORATING				DRILLER							
(B) RUNNING TUBING											
(C) SWABBING											
(D) TESTING											
(E) ACIDIZING											
(F) ADDITIONAL											
TOTALS	9	8	8								

TIME SUMMARY (OFFICE USE ONLY)			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
CONTRACTOR'S TIME HRS:			52	STANDS DP	3209.95 FT.	RUN NO	10				
OPERATOR'S TIME:				SINGLS. DP		SIZE	6 3/4	8	11:33	4:27	
HRS. W/D.P.:			31	D.C. 5")	982.53 FT.	MFG.	Reed				
HRS. WO/D.P.:			2	RMR BODY OD	11.11 FT.	TYPE	SC4G				
HRS. STANDBY:				STB BODY OD		NOZ. NO.	3				
WIRE LINE RECORD				SUBS OD		SIZE	10				
REEL NO						SER. NO.	R3				
NO OF LINES SIZE				BIT OR C.B.		DEPTH OUT					
FEET SLIPPED				1 S.D.C.	30.32 FT.	CUMULATIVE HOURS RUN	25				
FEET CUT OFF				KELLY DOWN	36.14 FT.	COND OF BIT					
PRESENT LENGTH				TOTAL	4270. FT.	REAMER CUTTER NO.					
TON MI. or TRIPS SINCE LAST CUT				WT. OF STRING	73000 LBS.	TYPE					
CUMULATIVE TON MI. or TRIPS				DRILLER							
NO. OF DAYS FROM SPUD											
CUMULATIVE ROTATING HRS.											

WIRE LINE RECORD			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)
REEL NO			53	STANDS DP	3276.29 FT.	RUN NO	10				
NO OF LINES SIZE				SINGLS. DP		SIZE	6 3/4	6 3/4	4:27	4:23	
FEET SLIPPED			31	D.C.	982.53 FT.	MFG.	Reed				
FEET CUT OFF			2	RMR BODY OD	11.11 FT.	TYPE	SC4G				
PRESENT LENGTH				STB BODY OD		NOZ. NO.	3				
TON MI. or TRIPS SINCE LAST CUT				SUBS OD		SIZE	10				
CUMULATIVE TON MI. or TRIPS						SER. NO.	R3T4128				
NO. OF DAYS FROM SPUD				BIT OR C.B.		DEPTH OUT	4323				
CUMULATIVE ROTATING HRS.				1 S.D.C.	30.32 FT.	CUMULATIVE HOURS RUN	51 1/4				
				KELLY DOWN	77.75 FT.	COND OF BIT					
				TOTAL	4323 FT.	REAMER CUTTER NO.					
				WT. OF STRING	74000 LBS.	TYPE					
				DRILLER							

12 DATE Feb 17
 TWP. K9 RGE. W. WELL NAME SHELL PEEL RIVER No. 7 PROVINCE YUKON
 PUMPS CASING & LINER RECORD
 NO. MANUFACTURER TYPE STROKE LENGTH
 1. EMASCO 300 14"

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1 LINER SIZE S.P.M.	PUMP NO 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
7 3/4		H112	H133		110	110	1150	5 51			TIME	12	4	6
											WEIGHT	8.8	8.9	8.9
											VISC	28	28	28
											W.L.C.C.			

DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION
 REMARKS
 1/2 12⁰⁰ = 12³⁰ Drill 6 3/4 Hole
 1/4 11⁵⁰ = 11⁴⁵ SER RIG
 7/4 11⁴⁵ = 2⁰⁰ Drill 6 3/4 Hole
 8 HRS
 MUD & CHEMICALS ADDED
 TYPE AMT TYPE AMT
 Caustic 50 lbs
 PELLETS 60 lbs
 WATER

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1 LINER SIZE S.P.M.	PUMP NO 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
8		H133	4270		110	110	1100	5 51			TIME	9 AM	10	2
											WEIGHT	8.9	8.9	8.9
											VISC	28	28	28
											W.L.C.C.			

DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION
 REMARKS
 1/2 8⁰⁰ = 4⁰⁰ Drill 6 3/4 Hole
 MUD & CHEMICALS ADDED
 TYPE AMT TYPE AMT
 MUD 10.5 gal
 Caustic 100 lbs
 1/2 steam water

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA. RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO 1 LINER SIZE S.P.M.	PUMP NO 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
6 3/4		4270	4323		40	40	1200	5 58			TIME	4	6	8
											WEIGHT	8.9	8.9	8.9
											VISC	28	28	28
											W.L.C.C.			

DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION
 REMARKS
 4⁰⁰ - 4¹⁵ SER RIG
 4¹⁵ - 11⁰⁰ DRILL 6 3/4 HOLE
 11⁰⁰ - 11¹⁵ TOTCO
 11¹⁵ - 12⁰⁰ PULL OUT
 MUD & CHEMICALS ADDED
 TYPE AMT TYPE AMT
 PELLETS 10.5 gal
 CAUSTIC 2.5 gal

DAILY DRILLING REPORT

REPORT NO. 71

DATE

11/14/67

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	H	SEC.	VT	TWP.	49	RGE.	W.	WELL NAME	SHELL OIL
CONTRACTOR REGENT DRILLING		RIG NO.	DRILL PIPE STRING NO. / SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE		
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD.			NO. MANUFACTURER TYPE STROKE LENGTH			9 3/8		
							1. Emco 3 300 4					
							2.					
							3.					

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	1 3/4	8	
REAMING	1 1/4		
CIRCULATING	3		
TRIPS		4	
DEVIATION SURVEY			
TEST B.O.P			
CUT OFF DRILL LINE			
REPAIR RIG		1/2	
CORING			
WIRE LINE LOGGING			
OTHER		1/2	
FISHING			
COMPLETING (A) PERFORATING (B) RUNNING TUBING (C) SWABBING (D) TESTING (E) ACIDIZING (F) ADDITIONAL			
TOTALS	1 5/8	8	
TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS. WO/D.P.:			
HRS. STANDBY:			
WIRE LINE RECORD			
REEL NO			
NO OF LINES		SIZE	
FEET SLIPPED			
FEET CUT OFF			
PRESENT LENGTH			
TON MI. OF TRIPS SINCE LAST CUT			
CUMULATIVE TON MI. OF TRIPS			
NO. OF DAYS FROM SPUD			
CUMULATIVE ROTATING HRS.			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT.	RUN NO.						
110	STANDS	DP	2982.10	FT.						
	SINGLS.	DP		FT.						
	ID									
34	D.C.S	OD	982.53	FT.						
2	RMR BODY	OD	11.11	FT.						
	STB BODY	OD		FT.						
	SUBS	OD		FT.						
	BIT OR C.B.			FT.						
1	S.D.C		30.35	FT.						
	KELLY DOWN		28.10	FT.						
	TOTAL		1101.006	FT.						
	WT. OF STRING		70000	LBS.						
	DRILLER	David J. [unclear]								
48	STANDS	DP	2962.10	FT.						
	SINGLS.	DP		FT.						
	ID									
34	D.C.	OD	982.53	FT.						
2	RMR BODY	OD	11.11	FT.						
	STB BODY	OD		FT.						
	SUBS	OD		FT.						
	BIT OR C.B.			FT.						
1	S.D.C		30.32	FT.						
	KELLY DOWN		38.94	FT.						
	TOTAL		40.25	FT.						
	WT. OF STRING		70000	LBS.						
	DRILLER	Geo Louance								
49	STANDS	DP		FT.						
1	SINGLS.	DP	3056.20	FT.						
	ID									
34	D.C	OD	982.53	FT.						
2	RMR BODY	OD	11.11	FT.						
	STB BODY	OD		FT.						
	SUBS	OD		FT.						
	BIT OR C.B.			FT.						
1	S.D.C		30.32	FT.						
	KELLY DOWN		31.12	FT.						
	TOTAL		41.12	FT.						
	WT. OF STRING		72000	LBS.						
	DRILLER	George Louance								

Recovered 120' (0.73066)

71 DATE Feb 16 / 1967
 TWP. H9 RGE. W. WELL NAME SHELL OIL No. 9 PROVINCE Saskatchewan

NO.	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
	MANUFACTURER	TYPE	STROKE LENGTH				FROM	TO	FROM	TO		
1.	<u>Emasco</u>	<u>3300</u>	<u>14</u>		<u>9 3/4</u>		<u>0</u>	<u>302</u>				
2.												
3.												

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
		<u>4010</u>	<u>4015</u>															
REMARKS													MUD & CHEMICALS ADDED					
<u>1/2 14:00 - 14:30 Core 2 TEST</u>																		
<u>1/2 14:30 - 2:00 Pull Out</u>																		
<u>1/2 2:00 - 2:15 Run IN 1/2 U.S.</u>																		
<u>1/2 2:15 - 3:30 Run IN TO TEST TOOL</u>																		
<u>1/2 3:30 - 4:15 Run IN TO TEST</u>																		
<u>1/2 4:15 - 5:00 Run IN TO TEST</u>																		
<u>3 5:00 - 8:00 TESTING</u>																		

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
		<u>4010</u>	<u>4025</u>	<u>15'</u>	<u>40</u>	<u>40</u>	<u>1150</u>	<u>5'</u>	<u>54</u>									
REMARKS													MUD & CHEMICALS ADDED					
<u>8:00 - 8:30 TESTING</u>																		
<u>8:30 - 10:30 Pull Packer NOT</u>																		
<u>10:30 - 11:30 Break down packer.</u>																		
<u>11:30 - 1:30 Run IN w/ Bit No 10</u>																		
<u>1:30 - 2:00 Work on pump</u>																		
<u>2:00 - 2:15 Clean 20' TO BTM</u>																		
<u>2:15 - 4:00 Drill 6 1/4" Hole</u>																		

HRS. DRILD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC	W.L.C.C.		
		<u>4025</u>	<u>4112</u>		<u>40</u>	<u>40</u>	<u>1150</u>	<u>5</u>	<u>54</u>				<u>4</u>	<u>6</u>	<u>10</u>			
REMARKS													MUD & CHEMICALS ADDED					
<u>4:00 - 12:00 Drill 6 1/4" Hole</u>																		
<u>[Run DST #1 3610 - 4010 (400' ms-2 s.s.)]</u>																		
<u>T.O. - 60 minutes through 1/2 B.M.C. No T.H.C.</u>																		
<u>W.A.B. decreasing to nil in 1 minute</u>																		
<u>ISE - 160 psi ; FSE - 90 psi</u>																		
<u>EFP - 55 psi ; EFR - 70 psi</u>																		
<u>I.H.M.H. - 1705 ; F.H.M.H. - 1625</u>																		
<u>Recovered 120' (0.73 bbls) drilling fluid filtrating > 2000 ppm</u>																		
													<u>PELTEX 8 SAK</u>					
													<u>CAUSTIC 2 SAK</u>					
													<u>Clean shale tank</u>					
													<u>1/2 steam water</u>					

DAILY DRILLING REPORT

REPORT NO. 10

DATE

FEB 15 1967

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	
CONTRACTOR REGENT DRILLING 66141 21		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT 3 1/2 OD	PUMPS			CASING & LINER	SIZE
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		NO. MANUFACTURER		TYPE		STROKE LENGTH	
		R. W. Maffick		1. Emoco		D-300		14	
				2.					
				3.					

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL	5	4 3/4	6
REAMING			
CIRCULATING			1 1/2
TRIPS	2	1 3/4	
DEVIATION SURVEY	1/4		
TEST B.O.P	1/4		
CUT OFF DRILL LINE			
REPAIR RIG		1 1/2	
CORING			
WIRE LINE LOGGING			
DEMER			
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	8	8	
TIME SUMMARY (OFFICE USE ONLY)			
CONTRACTOR'S TIME HRS:			
OPERATOR'S TIME:			
HRS. W/D.P.:			
HRS WO/D.P.:			
HRS STANDBY			
WIRE LINE RECORD			
REEL NO			
NO OF LINES	SIZE		
FEET SLIPPED			
FEET CUT OFF			
PRESENT LENGTH			
TON MI. or TRIPS SINCE LAST CUT			
CUMULATIVE TON MI. or TRIPS			
NO. OF DAYS FROM SPUD			
CUMULATIVE ROTATING HRS.			

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)						
	STANDS	DP	FT.	RUN NO.					SIZE	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	
46	STANDS	DP	2838.00	FT.	8										
	SNGLS.	DP		FT.	6 3/4		3855	3897							
	ID				MFG.										
34	D.C.	OD	982.53	FT.	TYPE										
	RMR BODY	OD	11.11	FT.	NO.	3									
	STB BODY	OD		FT.	NOZ.	SIZE									
	SUBS	OD		FT.	SER. NO.										
	BIT OR C.B.			FT.	DEPTH OUT										
1	SQ D.C.		30.32	FT.	CUMULATIVE HOURS RUN										
	KELLY DOWN		35.04	FT.	COND. OF BIT										
	TOTAL		3897	FT.	REAMER CUTTER NO.										
	WT. OF STRING		70,000	LBS.	TYPE										
DRILLER Geo Louance															

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)						
	STANDS	DP	FT.	RUN NO.					SIZE	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	
47	STANDS	DP	2900.54	FT.	9										
	SNGLS.	DP		FT.	6 3/4		3897	3943							
	ID				MFG.										
34	D.C.	OD	982.53	FT.	TYPE										
	RMR BODY	OD	11.11	FT.	NO.	3									
	STB BODY	OD		FT.	NOZ.	SIZE									
	SUBS	OD		FT.	SER. NO.										
	BIT OR C.B.			FT.	DEPTH OUT										
1	SQ D.C.		30.32	FT.	CUMULATIVE HOURS RUN										
	KELLY DOWN		19.00	FT.	COND. OF BIT										
	TOTAL		3943.50	FT.	REAMER CUTTER NO.										
	WT. OF STRING		70,500	LBS.	TYPE										
DRILLER David J. ...															

NO.	DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)						
	STANDS	DP	FT.	RUN NO.					SIZE	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	
38	STANDS	DP	2159.7	FT.	9										
	SNGLS.	DP		FT.	6 3/4		3943								
	ID				MFG.										
34	D.C.	OD	982.53	FT.	TYPE										
	RMR BODY	OD	11.11	FT.	NO.	3									
	STB BODY	OD		FT.	NOZ.	SIZE									
	SUBS	OD		FT.	SER. NO.										
	BIT OR C.B.			FT.	DEPTH OUT										
1	SQ D.C.		30.32	FT.	CUMULATIVE HOURS RUN										
	KELLY DOWN		11.00	FT.	COND. OF BIT										
	TOTAL		4032.50	FT.	REAMER CUTTER NO.										
	WT. OF STRING		10,000	LBS.	TYPE										
DRILLER David J. ...															

10 DATE Feb 15 1967.
 TWP. K 9 RGE. W. WELL NAME SHELL PEEL RIVER No. 7 PROVINCE Yukon

NO	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
					9 5/8	36" J55 2	FROM	TO	FROM	TO		
1.	Emasco	D-300	14					562			400	
2.												
3.												

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD									
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WT	VISC	WL.C.C.						
5		3855	3897		40	40	1150	5"	54				12	2	9	8.9	8.9	9.0	28	28	28	

DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR CK	PH	SD. CONT
	3875	11"										

REMARKS
 12⁰⁰-5⁰⁰ DRILL 6 3/4" HOLE
 5⁰⁰-5¹⁵ TOTCO @ 3875
 5¹⁵-7¹⁵ MEASURE OUT
 7¹⁵-8⁰⁰ SER RIG BOP'S BREAK + CHECK REAMERS.
 3/4 stream water.

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WT	VISC	WL.C.C.			
4 3/4		3897	3943	46	40	40	1150	5"	54				12	2	8.9	8.9	28	28	

DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR CK	PH	SD. CONT
	3875	11"										

REMARKS
 1 8⁰⁰ 9⁰⁰ Run DRILL COLLARS IN
 1 1/2 9⁰⁰ 10³⁰ Repair HIGH CHAIN.
 3/4 10 30 11:15 Run PIPE IN
 4 3/4 11:15 400 DRILL
 8 hrs.
 DELTA 6 SRS
 CAUSTIC 2 SRS
 WATER

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD								
								LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	WT	VISC	WL.C.C.					
5		3943	4000		40	40	1150	5"	54				4	6	8.9	8.9	8.9	28	28	28	

DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR CK	PH	SD. CONT
	4000	11"										

REMARKS
 1 1/2 4⁰⁰-5¹⁵ DRILL
 1/2 5¹⁵-6³⁰ WORK ON AIR LINES + SER RIG
 1 1/2 6³⁰-10⁰⁰ DRILL 6 3/4" HOLE
 1/2 10⁰⁰-11⁰⁰ SINK TO T.O.P.
 DELTA 6 SRS
 WATER

DAILY DRILLING REPORT

REPORT NO. 9

DATE Feb 14, 1967

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME SHELL PEEL	
CONTRACTOR REGENT DRILLING '66" LTD		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD	
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD.		NO.	MANUFACTURER	TYPE	STROKE LENGTH
						1.	EMSCO	D-300	14
						2.			
						3.			

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	RO R.P.
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.						
8	8	7 1/2		41	DP	FT.	8						
				1	SNGLS.	2560.25	6 3/4	8		3507	3620		
					ID		MFG. Reed						
				34	D.C.	982.53	SC46						
				2	RMR BODY	11.11	NO. 3						
					STB BODY		SIZE 10						
					SUBS		SER. NO. RBXC28562						
					BIT OR C.B.		DEPTH OUT						
				2	S.D.C.	30.32	CUMULATIVE HOURS RUN 15 1/2						
					KELLY DOWN	35.79	COND. OF BIT						
					TOTAL	3620	REAMER CUTTER NO.						
					WT. OF STRING	70000	LBS. TYPE						
					DRILLER								

MORNING TOUR

DAY TOUR

EVENING TOUR

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	RO R.P.
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.						
8	8	8					8						
					SNGLS.	2682.45	6 3/4	8		3620	3777	127	4
					ID		MFG. Reed						
				34	D.C.	982.53	SC46						
				2	RMR BODY	11.11	NO. 3						
					STB BODY		SIZE 10						
					SUBS		SER. NO. RBXC28562						
					BIT OR C.B.		DEPTH OUT						
				1	S.D.C.	30.32	CUMULATIVE HOURS RUN 24 1/2						
					KELLY DOWN	41.00	COND. OF BIT						
					TOTAL	3747	REAMER CUTTER NO.						
					WT. OF STRING	71000	LBS. TYPE						
					DRILLER								

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	RO R.P.
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.						
							8						
				1	SNGLS.	FT.	6 3/4	7 1/2		3747	3955		
					ID		MFG. Reed						
				34	D.C.	982.53	SC46						
				2	RMR BODY	11.11	NO. 3						
					STB BODY		SIZE 10						
					SUBS		SER. NO. RBXC28562						
					BIT OR C.B.		DEPTH OUT						
				1	S.D.C.	30.32	CUMULATIVE HOURS RUN 32 1/2						
					KELLY DOWN	24.00	COND. OF BIT						
					TOTAL	3955.12	REAMER CUTTER NO.						
					WT. OF STRING	71000	LBS. TYPE						
					DRILLER								

WIRE LINE RECORD				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	RO R.P.
REEL NO.	NO. OF LINES	SIZE		41	STANDS	DP	FT.	8					
FEET SLIPPED				1	SNGLS.	DP	FT.	6 3/4		3747	3955		
FEET CUT OFF					ID			MFG. Reed					
PRESENT LENGTH				34	D.C.	OD	982.53	SC46					
TON MI. OF TRIPS SINCE LAST CUT				2	RMR BODY	OD	11.11	NO. 3					
CUMULATIVE TON MI. OF TRIPS					STB BODY	OD		SIZE 10					
					SUBS	OD		SER. NO. RBXC28562					
					BIT OR C.B.			DEPTH OUT					
NO. OF DAYS FROM SPUD				1	S.D.C.		30.32	CUMULATIVE HOURS RUN 32 1/2					
CUMULATIVE ROTATING HRS.					KELLY DOWN		24.00	COND. OF BIT					
					TOTAL		3955.12	REAMER CUTTER NO.					
					WT. OF STRING		71000	LBS. TYPE					
					DRILLER								

9 DATE Feb 14, 1967

TWP. RGE. W. WELL NAME SHELL PEEL RIVER Y.T. No. K-9 PROVINCE Yukon

NO.	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
							FROM	TO	FROM	TO		
1.	EMSCO	D-300	14									
2.												
3.												

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD								
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC						
8		3507	3620		40	40	1150	5	54				12	2	6	8.9	8.9	8.9	28	28	28

DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR CK	PH	SD. CONT
											6.5	

1700 - 800 DRILL

REMARKS												
8 hrs												

MUD & CHEMICALS ADDED			
TYPE	AMT	TYPE	AMT
PELTEX	6	SAX.	
CAUSTIC	2	SAX.	

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD								
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC						
8		3620	3747	127	40	40	1150	5	54				8	11	2	8.9	8.9	8.9	28	28	28

DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR CK	PH	SD. CONT	
											10.5	10.5	10.0

800 - 400 DRILL

REMARKS												
8 hrs												

MUD & CHEMICALS ADDED			
TYPE	AMT	TYPE	AMT
PELTEX	6	SAX	

HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT ON BIT 1000#	PUMP PRESS.	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD								
								LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME	WEIGHT	VISC						
7 1/2		3747	3855		40	40	1150	5	54				4	6	9	8.9	8.9	8.9	28	28	28

DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR CK	PH	SD. CONT	
											10.0	10.0	10.0

6 1/2 4:00 - 10" Only
 3 1/2 10" 10" W&K R. 10" L&W
 1 1/2 10" 10" Small 6 1/2" H&H

MUD & CHEMICALS ADDED			
TYPE	AMT	TYPE	AMT
PELTEX	6	SAX	
CAUSTIC	2	SAX	

DATE MARCH 8 / 1967

TWP. 17-149 RGE. 1 W. 1 WELL NAME 1st rd King No. 1 PROVINCE Alberta

PUMPS	NO	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE	WT & GR	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER
								FROM	TO	FROM	TO		
	1												
	2												
	3												

HRS. DRILD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT	VISC	W L C C			

DEVIATION RECORD	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION

REMARKS

TRAK CUT RIG 5 12 HR.

D. Sneyd 12 Hr.
M. Leckie 11 Hr.
W. Sneyd 12 Hr.
J. Mackay 11 Hr.

MUD & CHEMICALS ADDED

HRS. DRILD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT	VISC	W L C C			

DEVIATION RECORD	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION

REMARKS

TRAK CUT RIG 5 12 HR.

B. JAHN
H. HALLADAY
H. MARSHALL
H. THOMAS

MUD & CHEMICALS ADDED

HRS. DRILD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD						
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT	VISC	W L C C			

DEVIATION RECORD	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION

REMARKS

MUD & CHEMICALS ADDED

DAILY DRILLING REPORT

REPORT NO.

DATE **MARCH 9, 67**

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD	SEC.	TWP.	RGE.	W.	WELL NAME SHELL DEEP
CONTRACTOR REGENT Drilling	RIG No. 21	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>		NO.	MANUFACTURER	TYPE	STROKE LENGTH	SIZE
				1	EMSCO	D300	17"	
				2				
				3				

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY RPM
MORN	DAY	EVE		STANDS	DP	FT	RUN NO								
				SNGLS.	DP	FT	SIZE								
				D.C.	ID		MFG								
				RMR BODY	OD	FT	NOZ	NO		DEVIATION RECORD	DEPTH	DEV	DIRECTION	DEPTH	DEV
				STB BODY	OD	FT	SIZE								
				SUBS	OD	FT	SER NO								
				BIT OR C.B.		FT	DEPTH OUT								
						FT	CUMULATIVE HOURS RUN								
				KELLY DOWN		FT	COND OF BIT								
				TOTAL		FT	REAMER CUTTER NO								
				WT. OF STRING		LBS	TYPE								
				DRILLER											

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY RPM
MORN	DAY	EVE		STANDS	DP	FT	RUN NO								
				SNGLS.	DP <td>FT</td> <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	FT	SIZE								
				D.C.	ID		MFG								
				RMR BODY	OD	FT	NOZ	NO		DEVIATION RECORD	DEPTH	DEV	DIRECTION	DEPTH	DEV
				STB BODY	OD	FT	SIZE								
				SUBS	OD	FT	SER NO								
				BIT OR C.B.		FT	DEPTH OUT								
						FT	CUMULATIVE HOURS RUN								
				KELLY DOWN		FT	COND OF BIT								
				TOTAL		FT	REAMER CUTTER NO								
				WT OF STRING		LBS	TYPE								
				DRILLER											

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY RPM
MORN	DAY	EVE		STANDS	DP	FT	RUN NO								
				SNGLS.	DP <td>FT</td> <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	FT	SIZE								
				D.C.	ID		MFG								
				RMR BODY	OD	FT	NOZ	NO		DEVIATION RECORD	DEPTH	DEV	DIRECTION	DEPTH	DEV
				STB BODY	OD	FT	SIZE								
				SUBS	OD	FT	SER NO								
				BIT OR C.B.		FT	DEPTH OUT								
						FT	CUMULATIVE HOURS RUN								
				KELLY DOWN		FT	COND OF BIT								
				TOTAL		FT	REAMER CUTTER NO								
				WT OF STRING		LBS	TYPE								
				DRILLER											

REMARKS
12:00 145 RUN PLUG NO
45 SKS
1:45 W.O.C. FULL
8:00 CIRC. LAY

REMARKS
8:00 10:00 W.O.C. FEEL
FULLOUT WITH 10000"
10:00 100 RUN IN 10
1:00 RUN PLUG NO
1:45 WITH 400 SKS
1:45 420 W.O.C. LAY

REMARKS
4:00 5:45 W.O.C. LAY
5:45 FEEL PLUG
RUN 5 SKS
" 10 SKS
12:00 CUT OFF

DATE MARCH 9, 67

TWP. RGE. W.	WELL NAME	No.	PROVINCE
NT-R9	SHELL PEEK RIVER	7	

OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH FROM	SET TO	PERFORATIONS		CEMENT USED	OTHER
	NO	MANUFACTURER	TYPE						STROKE LENGTH	FROM		
	1	FMSCO	D300	17'								

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD	
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT

REMARKS
 12:00 1.45 AWW PLUG NO 2 2650 TO 2750
 45 SKS CEMENT 2% Ca.
 1:45 W.O.C. PULL OUT 13 STANDS
 8:00 C.I.C. LAY DOWN PIPE

MUD & CHEMICALS ADDED
 TYPE AMT TYPE AMT

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD	
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT

REMARKS
 8:00 10:00 W.O.C. FEEL PLUG NO #2 2975
 PULLOUT WITH 10000" WEIGHT
 10:00 1:00 RUN IN 10 STANDS
 1:00 1:45 RUN PLUG NO 3 512 TO 612
 WITH 400 SKS CEMENT 2% Ca.
 1:45 4:20 W.O.C. LAY DOWN PIPE

MUD & CHEMICALS ADDED
 TYPE AMT TYPE AMT

HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD	
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT

REMARKS
 4:00 5:45 W.O.C. LAY DOWN PIPE
 5:45 FEEL PLUG #3 @ 445 FT ALL WEIGHT
 RUN 5 SKS IN NAT HOLE
 " 10 SKS IN MAIN HOLE
 12:00 CUT OFF CASING WELL IN RATE

MUD & CHEMICALS ADDED
 TYPE AMT TYPE AMT

Key returned - all material returned

DAILY DRILLING REPORT

REPORT NO.

DATE

Dec. March 6/67

OPERATOR SHELL CANADA LIMITED		LOCATION	LSD	SEC.	TWP.	RGE	W	WELL NAME
CONTRACTOR REGENT VRL... RHS Lamb		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD		NO	MANUFACTURER	TYPE
						1	EMICO	1300 III
						2		
						3		

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)
DRILLING ACTUAL			68 STANDS DP	1107.115 FT	RUN NO	32					
REAMING			SNGLS. DP	FT	SIZE	6 3/4					
CIRCULATING	1/4		D.C. ID		MFG.	SEC					
TRIPS	1 3/4		34 5 OD	182.03 FT	TYPE	17 7/8					
DEVIATION SURVEY			RMR BODY OD	FT	NOZ.	3					
TEST B.O.P			STB BODY OD	FT	SIZE	1 1/2					
CUT OFF DRILL LINE			SUBS OD	FT	SER NO	1811					
REPAIR RIG			1 BIT OR C.B.	6.00 FT	DEPTH OUT	140					
CORING			KELLY DOWN	3500 FT	CUMULATIVE HOURS RUN	2 1/2					
WIRE LINE LOGGING	5	6	TOTAL	5100 FT	COND OF BIT	H-2-1					
OTHER		2	WT OF STRING	14100 LBS	REAMER CUTTER NO						
FISHING			DRILLER	Dave Chackowsky		RAN: IES 5090'-4800' 2" x 5"		FDL 5088'-4800' 5" scal			

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)
DRILLING ACTUAL			STANDS DP	FT	RUN NO						
REAMING			SNGLS. DP	FT	SIZE						
CIRCULATING			D.C. ID		MFG.						
TRIPS			RMR BODY OD	FT	NOZ.						
DEVIATION SURVEY			STB BODY OD	FT	SIZE						
TEST B.O.P			SUBS OD	FT	SER NO						
CUT OFF DRILL LINE			BIT OR C.B.	FT	DEPTH OUT						
REPAIR RIG			KELLY DOWN	FT	CUMULATIVE HOURS RUN						
CORING			TOTAL	FT	COND OF BIT						
WIRE LINE LOGGING			WT OF STRING	LBS	REAMER CUTTER NO						
OTHER			DRILLER	R. Gunsolley		8.00 200		2.00 400		Logging Lay Down	

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)
DRILLING ACTUAL			STANDS DP	FT	RUN NO						
REAMING			SNGLS. DP	FT	SIZE						
CIRCULATING			D.C. ID		MFG.						
TRIPS			RMR BODY OD	FT	NOZ.						
DEVIATION SURVEY			STB BODY OD	FT	SIZE						
TEST B.O.P			SUBS OD	FT	SER NO						
CUT OFF DRILL LINE			BIT OR C.B.	FT	DEPTH OUT						
REPAIR RIG			KELLY DOWN	FT	CUMULATIVE HOURS RUN						
CORING			TOTAL	FT	COND OF BIT						
WIRE LINE LOGGING			WT OF STRING	LBS	REAMER CUTTER NO						
OTHER			DRILLER			4.00 5300		5.30 6:00		PICK UP RIG TO SERVICE RIG + P...	
						6:00 7:00		7:00 9:30		RUN IN	
						9:30 10:30		10:30 12:00		CIRC. RUN PLUG #1 4" 156 SRS CEMENT PULL OUT 38'	

DATE *Dec. March 6/07*

TWP. <i>YT-K9</i>	RGE. <i>W</i>	WELL NAME <i>Small Hill 1 well</i>	No. <i>7</i>	PROVINCE <i>Yukon</i>		
PUMPS		CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO	MANUFACTURER					
1	<i>EMSCO</i>		<i>300</i>			
2						
3						

HRS DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY RPM	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE SPM	PUMP NO 2 LINER SIZE SPM	METHOD PUMPS RUN	MUD RECORD	
		<i>CIRC</i>	<i>5100</i>				<i>CIRC 1200 5 91</i>				TIME <i>12</i>	WEIGHT <i>96</i>
											VISC <i>79</i>	WLCC
											FLTR CK	PH <i>7.2</i>
											SD CONT	
REMARKS												
<i>1st 12" - 15" CIRC TO TOP</i>												
<i>1st 12" - 3" PULL OUT</i>												
<i>5 3" - 8" RISE UP TO TRY HAND LOGGING</i>												
MUD & CHEMICALS ADDED												
TYPE AMT TYPE AMT												
<i>RAN: IES 5090' - 4800' 2" x 5" scale</i>												
<i>FDL 5088' - 4800' 5" scale</i>												

HRS DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY RPM	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE SPM	PUMP NO 2 LINER SIZE SPM	METHOD PUMPS RUN	MUD RECORD	
											TIME	WEIGHT
											VISC	WLCC
											FLTR CK	PH
											SD CONT	
REMARKS												
<i>8:00 200 Logging</i>												
<i>2:00 400 LAY DOWN DRILL COLLARS</i>												
MUD & CHEMICALS ADDED												
TYPE AMT TYPE AMT												

HRS DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY RPM	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE SPM	PUMP NO 2 LINER SIZE SPM	METHOD PUMPS RUN	MUD RECORD	
											TIME	WEIGHT
											VISC	WLCC
											FLTR CK	PH
											SD CONT	
REMARKS												
<i>4:00 5:30 PICK UP PIPE TO RUN PLUGS</i>												
<i>5:30 6:00 SERVICE RIG + REPAIR AIR LINES</i>												
<i>6:00 7:00 RUN IN</i>												
<i>7:00 9:30 CIRC.</i>												
<i>9:30 10:30 RUN PLUG # 1 4650 TO 5100 400 AT 156 SRS CEMENT</i>												
<i>10:30 12:00 PULL OUT 38 STANDS</i>												
MUD & CHEMICALS ADDED												
TYPE AMT TYPE AMT												

DATE March 5/67

TWP. K9 RGL. W WELL NAME SHELL PEEL RIVER No. 97 PROVINCE

PUMPS			CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
NO	MANUFACTURER	TYPE	STROKE LENGTH	SIZE	WT & GR	DEPTH	
1	EMSCO	D300	14"				
2							
3							

HRS DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE S P M	PUMP NO 2 LINER SIZE S P M	METHOD PUMPS RUN	MUD RECORD				
7 3/4		5070	5089		40	40	1200	5" 54			TIME	12	2	4	
											WEIGHT	9.3	10	1.2	
											VISC	112	110	112	
											W.L.CC				
											FLTR CK				
											PH				
											SD CONT				
REMARKS												MUD & CHEMICALS ADDED			
Drill 6 3/4 Hole Pull												TYPE AMT TYPE AMT			
12 ⁰⁰ - 745 - 7 3/4 Hours												WATER 1/2 STAL AMI			
745 - 8 ⁰⁰ 1/4 HOUR												PLETING SPAS			

HRS DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE S P M	PUMP NO 2 LINER SIZE S P M	METHOD PUMPS RUN	MUD RECORD				
		5089	5095	Sft	40	40	1200	5" 54			TIME	12	2		
											WEIGHT	9.3	9.5	9.6	
											VISC	120	100		
											W.L.CC	3.9			
											FLTR CK	3.92			
											PH			10.5	
											SD CONT				
REMARKS												MUD & CHEMICALS ADDED			
1 1/2 Pullout 800 - 930 1 1/2												TYPE AMT TYPE AMT			
4 SER R. g CHECK B.O.P.s and REAMER 930 945												CAUSTIC 2 SKS			
1 1/4 Run IN 945 - 1100															
1/3 REAM to Bottom 8 FEET 1100 - 1130															
1/2 DRILL 1130 2:30															
1/2 CIRG 2:30 3:00															
1 PULLOUT 3:00 4:00															

HRS DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE S P M	PUMP NO 2 LINER SIZE S P M	METHOD PUMPS RUN	MUD RECORD				
		5095	5100	Sft	40	1200	5" 54				TIME	10			
											WEIGHT	9.7			
											VISC	120			
											W.L.CC	3.9			
											FLTR CK	3.92			
											PH			10.5	
											SD CONT				
REMARKS												MUD & CHEMICALS ADDED			
1 4:00 5:00 Tinish pulling out												TYPE AMT TYPE AMT			
1 5:00 6:00 Lay down sp DC and core barrel															
1 6:00 7:00 SERVICE RIG AND REPAIR MUD VALVE															
2 7:00 9:00 Run in and break circ															
3/4 9:00 9:45 REAMING 10' FT HOLE															
2 1/4 9:45 12:00 ORNG															

DAILY DRILLING REPORT

REPORT NO.

DATE

March 4 / 67

OPERATOR SHELL CANADA LIMITED LOCATION LSD SEC. TWP. RGE. W. WELL NAME 15-9

CONTRACTOR REGENT DRILLING RIG No. 21 DRILL PIPE STRING NO. SIZE TOOL JOINT OD PUMPS NO. MANUFACTURER TYPE STROKE LENGTH CASING & LINER RECORD

OPERATOR'S REPRESENTATIVE M.B. Campbell CONTRACTOR'S TOOL PUSHER J. Magrison

TIME DISTRIBUTION—HOURS

	MORN	DAY	EVE
DRILLING ACTUAL	8	4	13
REAMING	3	4	1
CIRCULATING			
TRIPS		4	5
DEVIATION SURVEY			
TEST B.O.P.			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING			
OTHER	1	1	1/4
FISHING			

MORNING TOUR

NO.	DRILLING ASSEMBLY	BIT RECORD	HRS. DRLD	CORE NO	FROM	TO	FORMATION
64	STANDS DP 3116.2 FT	RUN NO 23					
1	SNGLS. DP FT	SIZE 6 3/4	6 3/4		5027	5028	
	ID	MFG SEC					
34	D.C. 5" OD 982.53 FT	TYPE HTUG-J					
2	RMR BODY OD 11.11 FT	NOZ NO 3					
	STB BODY OD FT	SIZE 11					
	SUBS OD FT	SER NO 905705					
	BIT OR C.B. FT	DEPTH OUT 2050					
1	Sq DC 3032 FT	CUMULATIVE HOURS RUN 7 1/4					
	KELLY DOWN 3000 FT	COND OF BIT					
	TOTAL 3032 FT	REAMER CUTTER NO					
	WT. OF STRING 79 LBS	TYPE					
	DRILLER Dave Smith						

REMARKS:
 1A. 12-12" = WORK PLUGGED
 2A. 12" 12" 3" WORK ON AIR
 3A. 12" 30-1" 15 REAM 15 FT. TO
 1 1" 2" DRILL 6" HOLE
 2 2" 15-2" CHECK OVER
 5" 2" 15-8 DRILL 6" HOLE

DAY TOUR

COMPLETING (A) PERFORATING	
(B) RUNNING TUBING	
(C) SWABBING	
(D) TESTING	
(E) ACIDIZING	
(F) ADDITIONAL	
TOTALS	8 8 8
TIME SUMMARY (OFFICE USE ONLY)	
CONTRACTOR'S TIME HRS.	
OPERATOR'S TIME	
HRS. W/D.P.	
HRS WO/D.P.	
HRS STANDBY	

DAY TOUR

NO.	DRILLING ASSEMBLY	BIT RECORD	HRS. DRLD	CORE NO	FROM	TO	FORMATION
65	STANDS DP 4016.49 FT	RUN NO 29					
	SNGLS. DP FT	SIZE 6 3/4	3 1/4		5040	5063	15 FT
	ID	MFG SEC					
34	D.C. 5" OD 982.53 FT	TYPE HTUG-J					
2	RMR BODY OD 11.11 FT	NOZ NO 3					
	STB BODY OD FT	SIZE 12					
	SUBS OD FT	SER NO 968049					
	BIT OR C.B. FT	DEPTH OUT					
1	Sq DC 3032 FT	CUMULATIVE HOURS RUN 7 1/4					
	KELLY DOWN 2300 FT	COND OF BIT					
	TOTAL 5063 FT	REAMER CUTTER NO					
	WT. OF STRING 75000 LBS	TYPE					
	DRILLER						

REMARKS:
 1 8:00 9:00 Drill 6 3/4 HOLE
 2 9:00 11:00 IRID OUT
 2 11:00 1:00 RUN IN AND BR
 7 1:00 1:45 REAMING 15 HOLE
 1:45 4:00 DRILL 6 3/4 HOLE

WIRE LINE RECORD

REEL NO	
NO OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TOM MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TOM MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS	

EVENING TOUR

NO.	DRILLING ASSEMBLY	BIT RECORD	HRS. DRLD	CORE NO	FROM	TO	FORMATION
65	STANDS DP 4016.49 FT	RUN NO 29 30					
	SNGLS. DP FT	SIZE 6 3/4 6 3/4	1 1/2		5063	5070	7 FT
	ID	MFG SEC SEC					
34	D.C. 5" OD 982.53 FT	TYPE HTUG-J HTUG-J					
2	RMR BODY OD 11.11 FT	NOZ NO 3 3					
	STB BODY OD FT	SIZE 12 12					
	SUBS OD FT	SER NO 968049 905701					
	BIT OR C.B. FT	DEPTH OUT 5070					
1	Sq DC 3032 FT	CUMULATIVE HOURS RUN 4					
	KELLY DOWN 3000 FT	COND OF BIT					
	TOTAL 5070 FT	REAMER CUTTER NO					
	WT. OF STRING 73000 LBS	TYPE					
	DRILLER						

REMARKS:
 Daily 4:00 5:15
 5:15 5:30 CHECK PUMP
 5:30 6:00 Log
 6:00 11:00 Tripping
 11:00 12:00 REAMING

DATE March 4 / 67

TWP. K-9 RGE. W WELL NAME 15-9 No. 7 PROVINCE Alberta

OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH FROM	SET TO	PERFORATIONS		CEMENT USED	OTHER
	NO	MANUFACTURER	TYPE						STROKE LENGTH	FROM		
1	<u>Emco</u>	<u>1200</u>	<u>11'</u>		<u>1 1/4"</u>		<u>6'</u>	<u>22'</u>				
2												
3												

HRS DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE	PUMP NO 1 S.P.M.	PUMP NO 2 LINER SIZE	PUMP NO 2 S.P.M.	METHOD PUMPS RUN	MUD RECORD							
<u>6 1/4</u>	<u>5027</u>	<u>5048</u>			<u>40</u>	<u>40</u>	<u>1200</u>	<u>3"</u>	<u>22</u>				TIME	<u>1</u>	<u>3</u>	<u>5</u>				
													WEIGHT	<u>14</u>	<u>15</u>	<u>15</u>				
													VISC	<u>15</u>	<u>126</u>	<u>100</u>				
													W.L.C.C.							
													FLTR CK							
													PH							
													SD CONT							
REMARKS													MUD & CHEMICALS ADDED							
<u>1A 12-12¹⁵ = WORK PAUSED</u>													TYPE				AMT			
<u>2A 12¹⁵-12³⁰ WORK ON AIR LINE</u>																				
<u>3A 12³⁰-1¹⁵ BEAM 15 FT TO 13¹⁵</u>																				
<u>1 1¹⁵-2¹⁵ DRILL 6 3/4 HOLE</u>																				
<u>2 2¹⁵-2⁴⁵ CHECK OVER HUMP</u>																				
<u>5A 2⁴⁵-8</u>																				

HRS DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE	PUMP NO 1 S.P.M.	PUMP NO 2 LINER SIZE	PUMP NO 2 S.P.M.	METHOD PUMPS RUN	MUD RECORD							
<u>3 1/4</u>	<u>5048</u>	<u>5063</u>		<u>15 FT</u>	<u>40</u>	<u>40</u>	<u>1150</u>	<u>3"</u>	<u>27</u>				TIME	<u>8</u>						
													WEIGHT	<u>7.5</u>						
													VISC	<u>78</u>						
													W.L.C.C.							
													FLTR CK							
													PH	<u>9.5</u>						
													SD CONT							
REMARKS													MUD & CHEMICALS ADDED							
<u>1 8:00 9:00 DRILL 6 3/4 HOLE</u>													TYPE				AMT			
<u>2 9:00 11:00 IRIP OUT</u>																				
<u>2 11:00 1:00 RUN IN AND BREAK G.C.C.</u>																				
<u>7A 1:00 1:45 REAMING 15 HOLE</u>																				
<u>1:45 4:00 DRILL 6 3/4 HOLE</u>																				

HRS DRLD	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1 LINER SIZE	PUMP NO 1 S.P.M.	PUMP NO 2 LINER SIZE	PUMP NO 2 S.P.M.	METHOD PUMPS RUN	MUD RECORD							
<u>3 1/4</u>	<u>5063</u>	<u>5070</u>		<u>7 FT</u>	<u>40</u>	<u>40</u>	<u>1150</u>	<u>3"</u>					TIME	<u>8</u>	<u>6</u>	<u>8</u>				
													WEIGHT	<u>9.5</u>						
													VISC	<u>125</u>						
													W.L.C.C.	<u>5.7</u>						
													FLTR CK	<u>73</u>						
													PH	<u>10.0</u>						
													SD CONT							
REMARKS													MUD & CHEMICALS ADDED							
<u>Dily 4:00 S.I.S</u>													TYPE				AMT			
<u>5:15 5:30 CHECK PUMP OUT</u>																				
<u>5:50 6:00 Dily</u>																				
<u>6:00 11:00 TRIPPING</u>																				
<u>11:00 12:00 REAMING</u>																				

DAILY DRILLING REPORT

REPORT NO.

DATE

MARCH 13 1967

OPERATOR SHELL CANADA LIMITED
 CONTRACTOR REGENT DRILLING
 OPERATOR'S REPRESENTATIVE *K.P. Campbell*
 LOCATION LSD R. 47- M9
 SEC.
 TWP. M9
 WELL NAME DELL
 RIG NO. 21
 DRILL PIPE STRING NO. SIZE
 TOOL JOINT OD
 PUMPS
 TYPE THD
 MANUFACTURER EMISU
 TYPE 4.500
 STROKE LENGTH 41"
 CASING & LINER RECORD

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD			HRS DRLED	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS DP	FT	RUN NO								
				65	4016.00	FT								
DRILLING ACTUAL				SNGLS. DP	FT	SIZE								
REAMING				D.C. ID		MFG.								
CIRCULATING				34 5' OD	982.53	FT	TYPE							
TRIPS				RMR BODY OD	FT	NOZ. NO.								
DEVIATION SURVEY				STB BODY OD	FT	SIZE								
TEST B.O.P.				SUBS OD	FT	SER. NO.								
CUT OFF DRILL LINE				1 BIT OR C.B.	1.00	FT	DEPTH OUT							
REPAIR RIG						FT	CUMULATIVE HOURS RUN							
CORING				KELLY DOWN	23.00	FT	COND OF BIT							
WIRE LINE LOGGING	8	8	5	TOTAL	5827	FT	REAMER CUTTER NO.							
OTHER				WT. OF STRING	72,000	LBS	TYPE							
FISHING				DRILLER	<i>Steve Tishkovsky</i> RAN: IES, 5011'-563', 2" 65" GR-BSL, 5012'-563', 2" FDC, 5013'-563', 5"									

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD			HRS DRLED	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS DP	FT	RUN NO								
				65	4016.08	FT								
DRILLING ACTUAL				SNGLS. DP	FT	SIZE								
REAMING				D.C. ID		MFG.								
CIRCULATING				34 OD	982.53	FT	TYPE							
TRIPS				RMR BODY OD	FT	NOZ. NO.								
DEVIATION SURVEY				STB BODY OD	FT	SIZE								
TEST B.O.P.				SUBS OD	FT	SER. NO.								
CUT OFF DRILL LINE				1 BIT OR C.B.	6.00	FT	DEPTH OUT							
REPAIR RIG						FT	CUMULATIVE HOURS RUN							
CORING				KELLY DOWN	23.00	FT	COND OF BIT							
WIRE LINE LOGGING	8	6	8	TOTAL	5027	FT	REAMER CUTTER NO.							
OTHER				WT. OF STRING	72,000	LBS	TYPE							
FISHING				DRILLER	<i>R. Gunn</i>									

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD			HRS DRLED	CORE NO	FROM	TO	FORMATION (SHOW CORE RECOVERY)	
MORN	DAY	EVE		STANDS DP	FT	RUN NO								
				65										
DRILLING ACTUAL				SNGLS. DP	FT	SIZE								
REAMING				D.C. ID		MFG.								
CIRCULATING				OD		TYPE								
TRIPS				RMR BODY OD	FT	NOZ. NO.								
DEVIATION SURVEY				STB BODY OD	FT	SIZE								
TEST B.O.P.				SUBS OD	FT	SER. NO.								
CUT OFF DRILL LINE				BIT OR C.B.		FT	DEPTH OUT							
REPAIR RIG						FT	CUMULATIVE HOURS RUN							
CORING				KELLY DOWN		FT	COND OF BIT							
WIRE LINE LOGGING				TOTAL		FT	REAMER CUTTER NO.							
OTHER				WT. OF STRING		LBS	TYPE							
FISHING				DRILLER	<i>R. Gunn</i>									

8 Logging 1200' = 8'' = 8 H
 800 400 Logging
 5 4:00 9:00 Logging
 9:00 11:30
 11:30 12:00
 Pack up & Break c.c.

DATE MARCH 3 1967

TWP. M9 RGE. W WELL NAME PELL FINE No. 7 PROVINCE YUKON

D	NO	MANUFACTURER	TYPE	STROKE LENGTH	CASING & LINER RECORD	SIZE	WT & GR	DEPTH FROM	SET TO	PERFORATIONS		CEMENT USED	OTHER
										FROM	TO		
	1	<u>EMISEU</u>	<u>4.30</u>	<u>41"</u>					<u>562</u>				
	2												
	3												

HRS. DRLED	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT	VISC	W L C C		

DEVIATION RECORD	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR CK	PH	SD CONT

8 Logging 1200 = 8⁰⁰ = 8 HRS

MUD & CHEMICALS ADDED			
TYPE	AMT	TYPE	AMT

RAN: IES, 5011'-563', 2" x 5"; MLC, 5014'-563', 5"
GR-BSL, 5012'-563', 2" x 5"
FDC, 5013'-563', 5" scale. *RWM*

HRS. DRLED	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT	VISC	W L C C		

DEVIATION RECORD	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR CK	PH	SD CONT

800 400 Logging

MUD & CHEMICALS ADDED			
TYPE	AMT	TYPE	AMT

HRS. DRLED	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD					
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT	VISC	W L C C		

DEVIATION RECORD	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR CK	PH	SD CONT

5 4:00 9:00 Logging
9:00 11:30 Pick up Spill and run in
11:30 12:00 Break Circ.

MUD & CHEMICALS ADDED			
TYPE	AMT	TYPE	AMT

DAILY DRILLING REPORT

REPORT NO.

DATE

MAY 2 1967

OPERATOR SHELL CANADA LIMITED		LOCATION	LSO	SEC.	TWP.	RGE.	W.	WELL NAME	Shell Pool P
CONTRACTOR Recent Drilling Ltd 21		RIG NO.	DRILL PIPE NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD	SIZE
OPERATOR'S REPRESENTATIVE A.S. Cumbie		CONTRACTOR'S TOOL PUSHER D. Magnan			NO.	MANUFACTURER	TYPE	STROKE LENGTH	

TIME DISTRIBUTION—HOURS			
	MORN	DAY	EVE
DRILLING ACTUAL			
REAMING		1	
CIRCULATING		1	
TRIPS	3	2 1/4	
DEVIATION SURVEY			
TEST B.O.P.			
CUT OFF DRILL LINE			
REPAIR RIG			
CORING			
WIRE LINE LOGGING	5	3 1/2	
OTHER			
FISHING			
COMPLETING (A) PERFORATING			
(B) RUNNING TUBING			
(C) SWABBING			
(D) TESTING			
(E) ACIDIZING			
(F) ADDITIONAL			
TOTALS	9	8	

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT	RUN NO.	SIZE						
	SINGLS.	DP	FT								
	D.C.	ID	FT		MFG.						
	RMR BODY	OD	FT	NO.							
	STB BODY	OD	FT	NOZ.	SIZE						
	SUBS	OD	FT	SER. NO.							
	BIT OR C.B.		FT	DEPTH OUT							
			FT	CUMULATIVE HOURS RUN							
	KELLY DOWN		FT	COND. OF BIT							
	TOTAL		FT	REAMER CUTTER NO.							
	WT. OF STRING		LBS	TYPE							
DRILLER Geo Louane											

TIME SUMMARY (OFFICE USE ONLY)	
CONTRACTOR'S TIME HRS.	
OPERATOR'S TIME	
HRS. W/D.P.	
HRS. WO/D.P.	
HRS. STANDBY	

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT	RUN NO.	SIZE						
	SINGLS.	DP	FT								
	D.C.	ID	FT		MFG.						
	RMR BODY	OD	FT	NO.							
	STB BODY	OD	FT	NOZ.	SIZE						
	SUBS	OD	FT	SER. NO.							
	BIT OR C.B.		FT	DEPTH OUT							
			FT	CUMULATIVE HOURS RUN							
	KELLY DOWN		FT	COND. OF BIT							
	TOTAL		FT	REAMER CUTTER NO.							
	WT. OF STRING		LBS	TYPE							
DRILLER G. Gurnolly											

WIRE LINE RECORD	
REEL NO.	
NO. OF LINES	SIZE
FEET SLIPPED	
FEET CUT OFF	
PRESENT LENGTH	
TON MI. or TRIPS SINCE LAST CUT	
CUMULATIVE TON MI. or TRIPS	
NO. OF DAYS FROM SPUD	
CUMULATIVE ROTATING HRS	

NO.	DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	REMARKS
	STANDS	DP	FT	RUN NO.	SIZE						
	SINGLS.	DP	FT								
	D.C.	ID	FT		MFG.						
	RMR BODY	OD	FT	NO.							
	STB BODY	OD	FT	NOZ.	SIZE						
	SUBS	OD	FT	SER. NO.							
	BIT OR C.B.		FT	DEPTH OUT							
			FT	CUMULATIVE HOURS RUN							
	KELLY DOWN		FT	COND. OF BIT							
	TOTAL		FT	REAMER CUTTER NO.							
	WT. OF STRING		LBS	TYPE							
DRILLER											

DATE Mar 2 1967

TWP. 149 RGE. W

WELL NAME Shell Pool Pw

No. 7

PROVINCE Yukon

OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR	DEPTH FROM	SET TO	PERFORATIONS		CEMENT USED	OTHER
	NO	MANUFACTURER	TYPE						STROKE LENGTH	FROM		
	1											
	2											
	3											

HRS DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD	
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT

1 12⁰⁰-100 Pull Out To Log
5 1.25 600 Logging
2 6.00 800 Run in

MUD & CHEMICALS ADDED
TYPE AMT TYPE AMT
Oil 2 SKS
Elastic 2 SKS

HRS DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD	
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT

1/4 8:00 8:15 SP LICKING
1 8:15 9:15 FOAMING Fill 15'
1 9:15 10:15 Line to Cond. Hole
2 1/4 10:15 12:30 Pull out
1/2 12:30 4:00 Logging

MUD & CHEMICALS ADDED
TYPE AMT TYPE AMT
Oil 2 SKS
Elastic 2 SKS

HRS DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA RY R P M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD	
								LINER SIZE	S P M	LINER SIZE	S P M		TIME	WEIGHT

4:00 - 4:30 Logging

MUD & CHEMICALS ADDED
TYPE AMT TYPE AMT