



SIDEWALL NEUTRON POROSITY LOG

SCHLUMBERGER OF CANADA Calgary, Alberta

COMPANY WESTERN MINERALS LTD.

WELL WESTERN MINERALS N HOPE
YT N53

FIELD WILDCAT

PROVINCE YUKON

LOCATION 66° 33' 22" N LAT
138° 25' 30" W LONG

Other Services: SLC-GR,
IES, FDC-GR, HDT,
CL, CDR, TTR

Permanent Datum GL Elev. 1136
Log Measured From KB 14 Ft. Above Perm. Datum

ELEV. KB 1150
GL 1136
CBF

4 AUG 70							
ONE							
14013							
8700							
4213							
14015							
14038							
1522							
1522							
GEL CHEM							
9.7		127					
10.0							
7.8							
3.36	@	62	°F	@		°F	
2.30	@	60	°F	@		°F	
-	@	231	°F	@		°F	
-	@		°F	@		°F	
8 3/4"							
PNT-A							
3.5 HRS							
OSUC-343 REM							
SAH							
GILBREATH							

REMARKS 25 AUG 70 CAL CDM

Drilling Stopped 2200 / 3rd : Circulation Stopped 2400 / 3rd : Tool on Bottom 2000 / 4th : B.H.T. 231

1st Run Service Order # 2945

Panel No. D 169
Cartridge No. A 313
Sonde No. E 307
Detector No. A 141
SET-Up No.

CALIBRATION: Gamma Ray


Background CPS	Test Source CPS	Galv Deflection	Sens Tap	Neutron Environmental Cal
60	420	10.0	CAL	Drawer In - CPS
				Before 416
				After 416
				Drawer Out - CPS
				Before 205
				After 200
				Neutron Auxiliary Cal - CPS
				Before
				After

Panel Settings: Function Former Temp. Comp. Setting T.C. Mud Wt./Salinity Comp set as per recorded value

LIMESTONE 225 2 from from from

This interpretation represents our best judgment. Nevertheless since all interpretations are opinions based solely on inferences from electrical or other measurements, we cannot and do not guarantee the accuracy or correctness of any interpretation and shall not be liable or responsible for any loss, cost, damages, or expenses that may be incurred or sustained resulting from this or any other interpretation.






8700

8800



8900

9000

9100






of



9300

9400






9700

9800


9900

10000

10100



2 of




10300


10400

10500

10600

10700






0600


0700

0800

0900

1000








11000

11100


11200



11700





39



11900


12000





12700

12800

12900








13500


13600

13700

13800

13900







4 of




6800




8800






8900

9000




5 of




9100

9200








9400




9400






9800


9900






9900

10000






10000

10100




70f



10300


10400






10500

10600






10700


10800






10900



11000




[Handwritten signature]




11200




11200






11600

11700




af





1900

2000







1270




12700






12900

13000





10 of



13100


13200






1330


1340




1107







00 /3600 13700






13800







14000

FR



REPEAT SECTION

8700




12 of





12




8800

8900







9000



Calibration after Survey

13 of 13



COMPANY WESTERN MINERALS LTD.

WELL WESTERN MINERALS N HOPE Y T N F 3

FIELD WILD CAT PROVINCE YUKON